



BURNDY Catalog Number
UPC Number

TN146
7818107344077

Description

RING- 16- 14 AWG-NYLON, 4-6
STUD

Status

Active

Web Use

BURNDY Product Line

Dimensional

| | |
|-------------------------|-------|
| Max Insulation Diameter | 0.153 |
| Length (in) | 0.79 |
| Tongue Type | Ring |
| Pad Width (in) | 0.25 |
| Strip Length | 7/32 |

Electrical

| | |
|--------------------|-----|
| Max Voltage Rating | 600 |
|--------------------|-----|

General

Product Description

Copper Terminal, Ring Tongue,
16-14 AWG, #4-#6 Stud, 600
Volts Max., Nylon Insulated,
Funnel Entry, Tin Plated

Other

| | |
|--------------|----------|
| Bulk Package | YAES14N6 |
|--------------|----------|

Physical

| | |
|--------------------|----------------------|
| Type of Plating | Tin - Electro Plated |
| Connector Type | Terminal |
| Color Code | Blue |
| Insulation Type | Nylon |
| Plated (Yes or No) | Y |

Approvals / Certifications

| | |
|--------------------|-----------|
| UL Listed | Y |
| CSA Certified | Y |
| ROHS Compatible | Compliant |
| UL Recognized | N |
| CULUS | N |
| Industry Standards | UL486 |

Conductor(s)

| | |
|---------------------------|---------------|
| Copper Solid Size (Range) | 16 AWG-14 AWG |
| Copper Stranded (Range) | 16 AWG-14 AWG |

Documentation

For further technical assistance, please contact us

BURNDY LLC - USA

47 East Industrial Park Drive
Manchester NH 03109

BURNDY Technical Services

47 East Industrial Park Drive
Manchester NH 03109

Hours: 8:00 AM - 5:00 PM
Monday - Friday
Phone: 800-346-4175