


# EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

We: Schneider Electric Automation GmbH  
**Subsidiary of Schneider Electric SE (FR 92500 Rueil-Malmaison)**  
 Schneiderplatz 1  
 97828 Marktheidenfeld  
 Germany

Hereby declare that this declaration of conformity is issued under our sole responsibility as manufacturer and that the product(s):


<b>Trademark:</b>	Schneider Electric 
<b>Product, Type, Function:</b>	Lexium BSH 3 phase servo motor
<b>Models:</b>	BSH040 series , BSH055 series, BSH070 series, BSH100 series, BSH140 series, BSH205 series (Details see list of models)
<b>Serial Number:</b>	YYZZXXXXXX <small>(YY: Year + 10, ZZ: Factory code = 06; XXXXXX: Continuous number)</small>

is/are in conformity with the requirements of the following directives and conformity was checked in accordance with the following standards:

Directive	Harmonized Standard
<b>DIRECTIVE 2014/35/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL</b> of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits	<b>EN 60034-1:2010</b> Rotating electrical machines - Part 1: Rating and performance <b>EN 60034-5:2001 + A1:2007</b> Rotating electrical machines - Part 5: Degrees of protection provided by integral design of rotating electrical machines (IP code) - Classification <b>EN 61800-5-1:2007</b> Adjustable speed electrical power drive systems - Part 5-1: Safety requirements - Electrical, thermal and energy
<b>DIRECTIVE 2014/30/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL</b> of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility (recast)	<b>EN 61800-3:2004 + A1:2012</b> Adjustable speed electrical power drive systems -- Part 3: EMC requirements and specific test methods

It is important that the component is subject to correct installation, maintenance and use conforming to its intended purpose, to the applicable regulations and standards, to the supplier's instructions, user manual and to the accepted rules of the art.

Issued at: Marktheidenfeld - Germany, 20<sup>th</sup> August 2018

Schneider Electric Automation GmbH  
 Schneiderplatz 1  
 97828 Marktheidenfeld  
 Telefon: 09391 606-0  
  
 i.A. Michael Schweizer  
 Machine Solutions Certification Manager

# EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

## List of Models:

Model	Description
<b>BSH040 series</b>	
BSH0401P06A2A	Motor 40mm IEC 0,18NM 170W IP65 NO KEY SHAFT IP54 SINCOS SINGLE16 NO BRAKE
BSH0401P16A2A	Motor 40mm IEC 0,18NM 170W IP65 KEY SHAFT IP54 SINCOS SINGLE16 NO BRAKE
BSH0401P26A2A	Motor 40mm IEC 0,18NM 170W IP65 NO KEY SHAFT IP65 SINCOS SINGLE16 NO BRAKE
BSH0401P36A2A	Motor 40mm IEC 0,18NM 170W IP65 KEY SHAFT IP65 SINCOS SINGLE16 NO BRAKE
BSH0401P07A2A	Motor 40mm IEC 0,18NM 170W IP65 NO KEY SHAFT IP54 SINCOS MULTI16 NO BRAKE
BSH0401P17A2A	Motor 40mm IEC 0,18NM 170W IP65 KEY SHAFT IP54 SINCOS MULTI16 NO BRAKE
BSH0401P27A2A	Motor 40mm IEC 0,18NM 170W IP65 NO KEY SHAFT IP65 SINCOS MULTI16 NO BRAKE
BSH0401P37A2A	Motor 40mm IEC 0,18NM 170W IP65 KEY SHAFT IP65 SINCOS MULTI16 NO BRAKE
BSH0401P06F2A	Motor 40mm IEC 0,18NM 170W IP65 NO KEY SHAFT IP54 SINCOS SINGLE16 BRAKE
BSH0401P16F2A	Motor 40mm IEC 0,18NM 170W IP65 KEY SHAFT IP54 SINCOS SINGLE16 BRAKE
BSH0401P26F2A	Motor 40mm IEC 0,18NM 170W IP65 NO KEY SHAFT IP65 SINCOS SINGLE16 BRAKE
BSH0401P36F2A	Motor 40mm IEC 0,18NM 170W IP65 KEY SHAFT IP65 SINCOS SINGLE16 BRAKE
BSH0401P07F2A	Motor 40mm IEC 0,18NM 170W IP65 NO KEY SHAFT IP54 SINCOS MULTI16 BRAKE
BSH0401P17F2A	Motor 40mm IEC 0,18NM 170W IP65 KEY SHAFT IP54 SINCOS MULTI16 BRAKE
BSH0401P27F2A	Motor 40mm IEC 0,18NM 170W IP65 NO KEY SHAFT IP65 SINCOS MULTI16 BRAKE
BSH0401P37F2A	Motor 40mm IEC 0,18NM 170W IP65 KEY SHAFT IP65 SINCOS MULTI16 BRAKE
BSH0402P06A2A	Motor 40mm IEC 0,34NM 320W IP65 NO KEY SHAFT IP54 SINCOS SINGLE16 NO BRAKE
BSH0402P16A2A	Motor 40mm IEC 0,34NM 320W IP65 KEY SHAFT IP54 SINCOS SINGLE16 NO BRAKE
BSH0402P26A2A	Motor 40mm IEC 0,34NM 320W IP65 NO KEY SHAFT IP65 SINCOS SINGLE16 NO BRAKE
BSH0402P36A2A	Motor 40mm IEC 0,34NM 320W IP65 KEY SHAFT IP65 SINCOS SINGLE16 NO BRAKE
BSH0402P07A2A	Motor 40mm IEC 0,34NM 320W IP65 NO KEY SHAFT IP54 SINCOS MULTI16 NO BRAKE
BSH0402P17A2A	Motor 40mm IEC 0,34NM 320W IP65 KEY SHAFT IP54 SINCOS MULTI16 NO BRAKE
BSH0402P27A2A	Motor 40mm IEC 0,34NM 320W IP65 NO KEY SHAFT IP65 SINCOS MULTI16 NO BRAKE
BSH0402P37A2A	Motor 40mm IEC 0,34NM 320W IP65 KEY SHAFT IP65 SINCOS MULTI16 NO BRAKE
BSH0402P06F2A	Motor 40mm IEC 0,34NM 320W IP65 NO KEY SHAFT IP54 SINCOS SINGLE16 BRAKE
BSH0402P16F2A	Motor 40mm IEC 0,34NM 320W IP65 KEY SHAFT IP54 SINCOS SINGLE16 BRAKE
BSH0402P26F2A	Motor 40mm IEC 0,34NM 320W IP65 NO KEY SHAFT IP65 SINCOS SINGLE16 BRAKE
BSH0402P36F2A	Motor 40mm IEC 0,34NM 320W IP65 KEY SHAFT IP65 SINCOS SINGLE16 BRAKE
BSH0402P07F2A	Motor 40mm IEC 0,34NM 320W IP65 NO KEY SHAFT IP54 SINCOS MULTI16 BRAKE
BSH0402P17F2A	Motor 40mm IEC 0,34NM 320W IP65 KEY SHAFT IP54 SINCOS MULTI16 BRAKE
BSH0402P27F2A	Motor 40mm IEC 0,34NM 320W IP65 NO KEY SHAFT IP65 SINCOS MULTI16 BRAKE
BSH0402P37F2A	Motor 40mm IEC 0,34NM 320W IP65 KEY SHAFT IP65 SINCOS MULTI16 BRAKE
<b>BSH055 series</b>	
BSH0551P01A1A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP50 SINCOS S.TURN W O BRK STRAIGHT C.
BSH0551P01A2A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP50 SINCOS S.TURN W O BRK ANGLE C.
BSH0551P01F1A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP50 SINCOS S.TURN WITH BRK STRAIGHT
BSH0551P01F2A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH0551P02A1A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP40 SINCOS M.TURN W O BRK STRAIGHT C.
BSH0551P02A2A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP40 SINCOS M.TURN W O BRK ANGLE C.
BSH0551P02F1A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0551P02F2A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH0551P11A1A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP40 SINCOS S.TURN W O BRK STRAIGHT C.
BSH0551P11A2A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP40 SINCOS S.TURN W O BRK ANGLE C.
BSH0551P11F1A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0551P11F2A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH0551P12A1A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP40 SINCOS M.TURN W O BRK STRAIGHT C.
BSH0551P12A2A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP40 SINCOS M.TURN W O BRK ANGLE C.
BSH0551P12F1A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0551P12F2A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH0551P21A1A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP65 SINCOS S.TURN W O BRK STRAIGHT C.
BSH0551P21A2A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP65 SINCOS S.TURN W O BRK ANGLE C.
BSH0551P21F1A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0551P21F2A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0551P22A1A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP65 SINCOS M.TURN W O BRK STRAIGHT C.
BSH0551P22A2A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP65 SINCOS M.TURN W O BRK ANGLE C.
BSH0551P22F1A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0551P22F2A	BSH MOTOR IEC 55MM 0,5 NM W O KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH0551P31A1A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP65 SINCOS S.TURN W O BRK STRAIGHT C.
BSH0551P31A2A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP65 SINCOS S.TURN W O BRK ANGLE C.
BSH0551P31F1A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0551P31F2A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0551P32A1A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP65 SINCOS M.TURN W O BRK STRAIGHT C.
BSH0551P32A2A	BSH MOTOR IEC 55MM 0,5 NM WITH KEY IP65 SINCOS M.TURN W O BRK ANGLE C.







## EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

Model	Description
BSH0553T02F1A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0553T02F2A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH0553T11A1A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0553T11A2A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH0553T11F1A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0553T11F2A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH0553T12A1A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0553T12A2A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP40 SINCOS M.TURN WO BRK ANGLE C.
BSH0553T12F1A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0553T12F2A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH0553T21A1A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0553T21A2A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH0553T21F1A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0553T21F2A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0553T22A1A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0553T22A2A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH0553T22F1A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0553T22F2A	BSH MOTOR IEC 55MM 1,3 NM WO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH0553T31A1A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0553T31A2A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH0553T31F1A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0553T31F2A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0553T32A1A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0553T32A2A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH0553T32F1A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0553T32F2A	BSH MOTOR IEC 55MM 1,3 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
<b>BSH070 series</b>	
BSH0701M01A1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0701M01A2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH0701M01F1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0701M01F2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH0701M02A1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0701M02A2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS M.TURN WO BRK ANGLE C.
BSH0701M02F1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0701M02F2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH0701M11A1A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0701M11A2A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH0701M11F1A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0701M11F2A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH0701M12A1A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0701M12A2A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP40 SINCOS M.TURN WO BRK ANGLE C.
BSH0701M12F1A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0701M12F2A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH0701M21A1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0701M21A2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH0701M21F1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0701M21F2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0701M22A1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0701M22A2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH0701M22F1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0701M22F2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH0701M31A1A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0701M31A2A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH0701M31F1A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0701M31F2A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0701M32A1A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0701M32A2A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH0701M32F1A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0701M32F2A	BSH MOTOR IEC 70MM 1,4 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH0701P01A1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0701P01A2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH0701P01F1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0701P01F2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH0701P02A1A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0701P02A2A	BSH MOTOR IEC 70MM 1,4 NM WO KEY IP40 SINCOS M.TURN WO BRK ANGLE C.









## EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

Model	Description
BSH0703P12F2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH0703P21A1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0703P21A2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH0703P21F1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0703P21F2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0703P22A1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0703P22A2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH0703P22F1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0703P22F2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH0703P31A1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0703P31A2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH0703P31F1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0703P31F2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0703P32A1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0703P32A2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH0703P32F1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0703P32F2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH0703T01A1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0703T01A2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH0703T01F1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0703T01F2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH0703T02A1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0703T02A2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP40 SINCOS M.TURN WO BRK ANGLE C.
BSH0703T02F1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0703T02F2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH0703T11A1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0703T11A2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH0703T11F1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0703T11F2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH0703T12A1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0703T12A2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP40 SINCOS M.TURN WO BRK ANGLE C.
BSH0703T12F1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0703T12F2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH0703T21A1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0703T21A2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH0703T21F1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0703T21F2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0703T22A1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0703T22A2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH0703T22F1A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0703T22F2A	BSH MOTOR IEC 70MM 2,8 NM WO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH0703T31A1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH0703T31A2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH0703T31F1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH0703T31F2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH0703T32A1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH0703T32A2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH0703T32F1A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH0703T32F2A	BSH MOTOR IEC 70MM 2,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
<b>BSH100 series</b>	
BSH1001M01A1A	BSH MOTOR IEC 100MM 3,4 NMWO KEY IP40 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1001M01A2A	BSH MOTOR IEC 100MM 3,4 NMWO KEY IP40 SINCOS S.TURNWO BRK ANGLE C.
BSH1001M01F1A	BSH MOTOR IEC 100MM 3,4 NMWO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1001M01F2A	BSH MOTOR IEC 100MM 3,4 NMWO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1001M02A1A	BSH MOTOR IEC 100MM 3,4 NMWO KEY IP40 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1001M02A2A	BSH MOTOR IEC 100MM 3,4 NMWO KEY IP40 SINCOS M.TURNWO BRK ANGLE C.
BSH1001M02F1A	BSH MOTOR IEC 100MM 3,4 NMWO KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1001M02F2A	BSH MOTOR IEC 100MM 3,4 NMWO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1001M11A1A	BSH MOTOR IEC 100MM 3,4 NM WITH KEY IP40 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1001M11A2A	BSH MOTOR IEC 100MM 3,4 NM WITH KEY IP40 SINCOS S.TURNWO BRK ANGLE C.
BSH1001M11F1A	BSH MOTOR IEC 100MM 3,4 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1001M11F2A	BSH MOTOR IEC 100MM 3,4 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1001M12A1A	BSH MOTOR IEC 100MM 3,4 NM WITH KEY IP40 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1001M12A2A	BSH MOTOR IEC 100MM 3,4 NM WITH KEY IP40 SINCOS M.TURNWO BRK ANGLE C.
BSH1001M12F1A	BSH MOTOR IEC 100MM 3,4 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1001M12F2A	BSH MOTOR IEC 100MM 3,4 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.







## EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

Model	Description
BSH1003M31A1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH1003M31A2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH1003M31F1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1003M31F2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1003M32A1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH1003M32A2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH1003M32F1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1003M32F2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1003P01A1A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH1003P01A2A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH1003P01F1A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1003P01F2A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1003P02A1A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH1003P02A2A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP40 SINCOS M.TURN WO BRK ANGLE C.
BSH1003P02F1A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1003P02F2A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1003P05F2A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP40 RESOLVER WITH BRK ANGLE C.
BSH1003P11A1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH1003P11A2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH1003P11F1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1003P11F2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1003P12A1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH1003P12A2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP40 SINCOS M.TURN WO BRK ANGLE C.
BSH1003P12F1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1003P12F2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1003P21A1A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH1003P21A2A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH1003P21F1A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1003P21F2A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1003P22A1A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH1003P22A2A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH1003P22F1A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1003P22F2A	BSH MOTOR IEC 100MM 7,8 NM WO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1003P31A1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH1003P31A2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH1003P31F1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1003P31F2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1003P32A1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH1003P32A2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH1003P32F1A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1003P32F2A	BSH MOTOR IEC 100MM 7,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1004M01A1A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP40 SINCOS S.TURN W O BRK STRAIGHT C.
BSH1004M01A2A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP40 SINCOS S.TURN W O BRK ANGLE C.
BSH1004M01F1A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1004M01F2A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1004M02A1A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP40 SINCOS M.TURN W O BRK STRAIGHT C.
BSH1004M02A2A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP40 SINCOS M.TURN W O BRK ANGLE C.
BSH1004M02F1A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1004M02F2A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1004M11A1A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP40 SINCOS S.TURN W O BRK STRAIGHT C.
BSH1004M11A2A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP40 SINCOS S.TURN W O BRK ANGLE C.
BSH1004M11F1A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1004M11F2A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1004M12A1A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP40 SINCOS M.TURN W O BRK STRAIGHT C.
BSH1004M12A2A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP40 SINCOS M.TURN W O BRK ANGLE C.
BSH1004M12F1A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1004M12F2A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1004M21A1A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP65 SINCOS S.TURN W O BRK STRAIGHT C.
BSH1004M21A2A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP65 SINCOS S.TURN W O BRK ANGLE C.
BSH1004M21F1A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1004M21F2A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1004M22A1A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP65 SINCOS M.TURN W O BRK STRAIGHT C.
BSH1004M22A2A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP65 SINCOS M.TURN W O BRK ANGLE C.
BSH1004M22F1A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1004M22F2A	BSH MOTOR IEC 100MM 9,3 NM W O KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1004M31A1A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP65 SINCOS S.TURN W O BRK STRAIGHT C.
BSH1004M31A2A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP65 SINCOS S.TURN W O BRK ANGLE C.



## EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

Model	Description
BSH1004T32A2A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP65 SINCOS M.TURN W O BRK ANGLE C.
BSH1004T32F1A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1004T32F2A	BSH MOTOR IEC 100MM 9,3 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
<b>BSH140 series</b>	
BSH1401M01A1A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP40 SINCOS S.TURN W O BRK STRAIGHT C.
BSH1401M01A2A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP40 SINCOS S.TURN W O BRK ANGLE C.
BSH1401M01F1A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1401M01F2A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1401M02A1A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP40 SINCOS M.TURN W O BRK STRAIGHT C.
BSH1401M02A2A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP40 SINCOS M.TURN W O BRK ANGLE C.
BSH1401M02F1A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1401M02F2A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1401M11A1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP50 SINCOS S.TURN W O BRK STRAIGHT
BSH1401M11A2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS S.TURN W O BRK ANGLE C.
BSH1401M11F1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1401M11F2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1401M12A1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS M.TURN W O BRK STRAIGHT C.
BSH1401M12A2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS M.TURN W O BRK ANGLE C.
BSH1401M12F1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1401M12F2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1401M21A1A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP65 SINCOS S.TURN W O BRK STRAIGHT C.
BSH1401M21A2A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP65 SINCOS S.TURN W O BRK ANGLE C.
BSH1401M21F1A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1401M21F2A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1401M22A1A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP65 SINCOS M.TURN W O BRK STRAIGHT C.
BSH1401M22A2A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP65 SINCOS M.TURN W O BRK ANGLE C.
BSH1401M22F1A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1401M22F2A	BSH MOTOR IEC 140MM 11,4 NM W O KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1401M31A1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS S.TURN W O BRK STRAIGHT C.
BSH1401M31A2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS S.TURN W O BRK ANGLE C.
BSH1401M31F1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1401M31F2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1401M32A1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS M.TURN W O BRK STRAIGHT C.
BSH1401M32A2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS M.TURN W O BRK ANGLE C.
BSH1401M32F1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1401M32F2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1401P01A1A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP40 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1401P01A2A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP40 SINCOS S.TURNWO BRK ANGLE C.
BSH1401P01F1A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1401P01F2A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1401P02A1A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP40 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1401P02A2A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP40 SINCOS M.TURNWO BRK ANGLE C.
BSH1401P02F1A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1401P02F2A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1401P11A1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1401P11A2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS S.TURNWO BRK ANGLE C.
BSH1401P11F1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1401P11F2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1401P12A1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1401P12A2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS M.TURNWO BRK ANGLE C.
BSH1401P12F1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1401P12F2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1401P21A1A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP65 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1401P21A2A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP65 SINCOS S.TURNWO BRK ANGLE C.
BSH1401P21F1A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1401P21F2A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1401P22A1A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP65 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1401P22A2A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP65 SINCOS M.TURNWO BRK ANGLE C.
BSH1401P22F1A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1401P22F2A	BSH MOTOR IEC 140MM 11,4 NMWO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1401P31A1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1401P31A2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS S.TURNWO BRK ANGLE C.
BSH1401P31F1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1401P31F2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1401P32A1A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1401P32A2A	BSH MOTOR IEC 140MM 11,4 NM WITH KEY IP65 SINCOS M.TURNWO BRK ANGLE C.





## EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

Model	Description
BSH1402P01A2A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP40 SINCOS S.TURNWO BRK ANGLE C.
BSH1402P01F1A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1402P01F2A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1402P02A1A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP40 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1402P02A2A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP40 SINCOS M.TURNWO BRK ANGLE C.
BSH1402P02F1A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1402P02F2A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1402P11A1A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1402P11A2A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS S.TURNWO BRK ANGLE C.
BSH1402P11F1A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1402P11F2A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1402P12A1A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1402P12A2A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS M.TURNWO BRK ANGLE C.
BSH1402P12F1A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1402P12F2A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1402P21A1A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP65 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1402P21A2A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP65 SINCOS S.TURNWO BRK ANGLE C.
BSH1402P21F1A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1402P21F2A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1402P22A1A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP65 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1402P22A2A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP65 SINCOS M.TURNWO BRK ANGLE C.
BSH1402P22F1A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1402P22F2A	BSH MOTOR IEC 140MM 19,2 NMWO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1402P31A1A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1402P31A2A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS S.TURNWO BRK ANGLE C.
BSH1402P31F1A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1402P31F2A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1402P32A1A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1402P32A2A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS M.TURNWO BRK ANGLE C.
BSH1402P32F1A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1402P32F2A	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1402T01A1P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP40 SINCOS S.TURN WO BRK STR. C.M40
BSH1402T01A2P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP40 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1402T01F1P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP40 SINCOS S.TURN WITH BRK STR. C.M40
BSH1402T01F2P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1402T02A1P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP40 SINCOS M.TURN WO BRK STR. C.M40
BSH1402T02A2P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP40 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1402T02F1P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP40 SINCOS M.TURN WITH BRK STR. C.M40
BSH1402T02F2P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1402T11A1P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS S.TURN WO BRK STR. C.M40
BSH1402T11A2P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1402T11F1P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STR. C.M40
BSH1402T11F2P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1402T12A1P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS M.TURN WO BRK STR. C.M40
BSH1402T12A2P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1402T12F1P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STR. C.M40
BSH1402T12F2P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1402T21A1P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP65 SINCOS S.TURN WO BRK STR. C.M40
BSH1402T21A2P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP65 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1402T21F1P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP65 SINCOS S.TURN WITH BRK STR. C.M40
BSH1402T21F2P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1402T22A1P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP65 SINCOS M.TURN WO BRK STR. C.M40
BSH1402T22A2P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP65 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1402T22F1P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP65 SINCOS M.TURN WITH BRK STR. C.M40
BSH1402T22F2P	BSH MOTOR IEC 140MM 19,2 NM WO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1402T31A1P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS S.TURN WO BRK STR. C.M40
BSH1402T31A2P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1402T31F1P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STR. C.M40
BSH1402T31F2P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1402T32A1P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS M.TURN WO BRK STR. C.M40
BSH1402T32A2P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1402T32F1P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STR. C.M40
BSH1402T32F2P	BSH MOTOR IEC 140MM 19,2 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1403M01A1A	BSH MOTOR IEC 140MM 25,4 NMWO KEY IP40 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1403M01A2A	BSH MOTOR IEC 140MM 25,4 NMWO KEY IP40 SINCOS S.TURNWO BRK ANGLE C.
BSH1403M01F1A	BSH MOTOR IEC 140MM 25,4 NMWO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1403M01F2A	BSH MOTOR IEC 140MM 25,4 NMWO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.



## EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

Model	Description
BSH1403T02F1P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP40 SINCOS M.TURN WITH BRK STR. C.M40
BSH1403T02F2P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1403T11A1P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP40 SINCOS S.TURN WO BRK STR. C.M40
BSH1403T11A2P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP40 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1403T11F1P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STR. C.M40
BSH1403T11F2P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1403T12A1P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP40 SINCOS M.TURN WO BRK STR. C.M40
BSH1403T12A2P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP40 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1403T12F1P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STR. C.M40
BSH1403T12F2P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1403T21A1P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP65 SINCOS S.TURN WO BRK STR. C.M40
BSH1403T21A2P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP65 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1403T21F1P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP65 SINCOS S.TURN WITH BRK STR. C.M40
BSH1403T21F2P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1403T22A1P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP65 SINCOS M.TURN WO BRK STR. C.M40
BSH1403T22A2P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP65 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1403T22F1P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP65 SINCOS M.TURN WITH BRK STR. C.M40
BSH1403T22F2P	BSH MOTOR IEC 140MM 27,8 NM WO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1403T31A1P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK STR. C.M40
BSH1403T31A2P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1403T31F1P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STR. C.M40
BSH1403T31F2P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1403T32A1P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK STR. C.M40
BSH1403T32A2P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1403T32F1P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STR. C.M40
BSH1403T32F2P	BSH MOTOR IEC 140MM 27,8 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1404M01A1A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP40 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1404M01A2A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP40 SINCOS S.TURNWO BRK ANGLE C.
BSH1404M01F1A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1404M01F2A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1404M02A1A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP40 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1404M02A2A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP40 SINCOS M.TURNWO BRK ANGLE C.
BSH1404M02F1A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1404M02F2A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1404M11A1A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1404M11A2A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS S.TURNWO BRK ANGLE C.
BSH1404M11F1A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1404M11F2A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH1404M12A1A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1404M12A2A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS M.TURNWO BRK ANGLE C.
BSH1404M12F1A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1404M12F2A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH1404M21A1A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP65 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1404M21A2A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP65 SINCOS S.TURNWO BRK ANGLE C.
BSH1404M21F1A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1404M21F2A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1404M22A1A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP65 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1404M22A2A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP65 SINCOS M.TURNWO BRK ANGLE C.
BSH1404M22F1A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1404M22F2A	BSH MOTOR IEC 140MM 32,1 NMWO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1404M31A1A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS S.TURNWO BRK STRAIGHT C.
BSH1404M31A2A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS S.TURNWO BRK ANGLE C.
BSH1404M31F1A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH1404M31F2A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH1404M32A1A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS M.TURNWO BRK STRAIGHT C.
BSH1404M32A2A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS M.TURNWO BRK ANGLE C.
BSH1404M32F1A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH1404M32F2A	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH1404P01A1P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP40 SINCOS S.TURN WO BRK STR. C.M40
BSH1404P01A2P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP40 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1404P01F1P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP40 SINCOS S.TURN WITH BRK STR. C.M40
BSH1404P01F2P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1404P02A1P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP40 SINCOS M.TURN WO BRK STR. C.M40
BSH1404P02A2P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP40 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1404P02F1P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP40 SINCOS M.TURN WITH BRK STR. C.M40
BSH1404P02F2P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1404P11A1P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS S.TURN WO BRK STR. C.M40

## EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

Model	Description
BSH1404P11A2P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1404P11F1P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STR. C.M40
BSH1404P11F2P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1404P12A1P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS M.TURN WO BRK STR. C.M40
BSH1404P12A2P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1404P12F1P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STR. C.M40
BSH1404P12F2P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1404P21A1P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP65 SINCOS S.TURN WO BRK STR. C.M40
BSH1404P21A2P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP65 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1404P21F1P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP65 SINCOS S.TURN WITH BRK STR. C.M40
BSH1404P21F2P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1404P22A1P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP65 SINCOS M.TURN WO BRK STR. C.M40
BSH1404P22A2P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP65 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1404P22F1P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP65 SINCOS M.TURN WITH BRK STR. C.M40
BSH1404P22F2P	BSH MOTOR IEC 140MM 32,1 NM WO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.M40
BSH1404P31A1P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS S.TURN WO BRK STR. C.M40
BSH1404P31A2P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.M40
BSH1404P31F1P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STR. C.M40
BSH1404P31F2P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.M40
BSH1404P32A1P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS M.TURN WO BRK STR. C.M40
BSH1404P32A2P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.M40
BSH1404P32F1P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STR. C.M40
BSH1404P32F2P	BSH MOTOR IEC 140MM 32,1 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.M40
<b>BSH205 series</b>	
BSH2051M01A1A	BSH MOTOR IEC 205MM 36 NM WO KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH2051M01A2A	BSH MOTOR IEC 205MM 36 NM WO KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH2051M01F1A	BSH MOTOR IEC 205MM 36 NM WO KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH2051M01F2A	BSH MOTOR IEC 205MM 36 NM WO KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH2051M02A1A	BSH MOTOR IEC 205MM 36 NM WO KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH2051M02A2A	BSH MOTOR IEC 205MM 36 NM WO KEY IP40 SINCOS M.TURN WO BRK ANGLE C.
BSH2051M02F1A	BSH MOTOR IEC 205MM 36 NM WO KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH2051M02F2A	BSH MOTOR IEC 205MM 36 NM WO KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH2051M11A1A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS S.TURN WO BRK STRAIGHT C.
BSH2051M11A2A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS S.TURN WO BRK ANGLE C.
BSH2051M11F1A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH2051M11F2A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH2051M12A1A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS M.TURN WO BRK STRAIGHT C.
BSH2051M12A2A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS M.TURN WO BRK ANGLE C.
BSH2051M12F1A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH2051M12F2A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH2051M21A1A	BSH MOTOR IEC 205MM 36 NM WO KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH2051M21A2A	BSH MOTOR IEC 205MM 36 NM WO KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH2051M21F1A	BSH MOTOR IEC 205MM 36 NM WO KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH2051M21F2A	BSH MOTOR IEC 205MM 36 NM WO KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH2051M22A1A	BSH MOTOR IEC 205MM 36 NM WO KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH2051M22A2A	BSH MOTOR IEC 205MM 36 NM WO KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH2051M22F1A	BSH MOTOR IEC 205MM 36 NM WO KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH2051M22F2A	BSH MOTOR IEC 205MM 36 NM WO KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH2051M31A1A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP65 SINCOS S.TURN WO BRK STRAIGHT C.
BSH2051M31A2A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP65 SINCOS S.TURN WO BRK ANGLE C.
BSH2051M31F1A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP65 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH2051M31F2A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP65 SINCOS S.TURN WITH BRK ANGLE C.
BSH2051M32A1A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP65 SINCOS M.TURN WO BRK STRAIGHT C.
BSH2051M32A2A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP65 SINCOS M.TURN WO BRK ANGLE C.
BSH2051M32F1A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP65 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH2051M32F2A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP65 SINCOS M.TURN WITH BRK ANGLE C.
BSH2051P01A1A	BSH MOTOR IEC 205MM 36 NM W O KEY IP40 SINCOS S.TURN W O BRK STRAIGHT C.
BSH2051P01A2A	BSH MOTOR IEC 205MM 36 NM W O KEY IP40 SINCOS S.TURN W O BRK ANGLE C.
BSH2051P01F1A	BSH MOTOR IEC 205MM 36 NM W O KEY IP40 SINCOS S.TURN WITH BRK STRAIGHT C.
BSH2051P01F2A	BSH MOTOR IEC 205MM 36 NM W O KEY IP40 SINCOS S.TURN WITH BRK ANGLE C.
BSH2051P02A1A	BSH MOTOR IEC 205MM 36 NM W O KEY IP40 SINCOS M.TURN W O BRK STRAIGHT C.
BSH2051P02A2A	BSH MOTOR IEC 205MM 36 NM W O KEY IP40 SINCOS M.TURN W O BRK ANGLE C.
BSH2051P02F1A	BSH MOTOR IEC 205MM 36 NM W O KEY IP40 SINCOS M.TURN WITH BRK STRAIGHT C.
BSH2051P02F2A	BSH MOTOR IEC 205MM 36 NM W O KEY IP40 SINCOS M.TURN WITH BRK ANGLE C.
BSH2051P11A1A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS S.TURN W O BRK STRAIGHT C.
BSH2051P11A2A	BSH MOTOR IEC 205MM 36 NM WITH KEY IP40 SINCOS S.TURN W O BRK ANGLE C.



## EU – Declaration of Conformity

Document number / Month.Year: 1000000155.06 / 08.2018

Model	Description
BSH2053M31F3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP65 SINCOS S.TURN WITH BRK TERM. BOX
BSH2053M32A3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP65 SINCOS M.TURN W O BRK TERM. BOX
BSH2053M32F3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP65 SINCOS M.TURN WITH BRK TERM. BOX
BSH2053P01A3A	BSH MOTOR IEC 205MM 90 NM W O KEY IP40 SINCOS S.TURN W O BRK TERM. BOX
BSH2053P01F3A	BSH MOTOR IEC 205MM 90 NM W O KEY IP40 SINCOS S.TURN WITH BRK TERM. BOX
BSH2053P02A3A	BSH MOTOR IEC 205MM 90 NM W O KEY IP40 SINCOS M.TURN W O BRK TERM. BOX
BSH2053P02F3A	BSH MOTOR IEC 205MM 90 NM W O KEY IP40 SINCOS M.TURN WITH BRK TERM. BOX
BSH2053P11A3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP40 SINCOS S.TURN W O BRK TERM. BOX
BSH2053P11F3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP40 SINCOS S.TURN WITH BRK TERM. BOX
BSH2053P12A3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP40 SINCOS M.TURN W O BRK TERM. BOX
BSH2053P12F3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP40 SINCOS M.TURN WITH BRK TERM. BOX
BSH2053P21A3A	BSH MOTOR IEC 205MM 90 NM W O KEY IP65 SINCOS S.TURN W O BRK TERM. BOX
BSH2053P21F3A	BSH MOTOR IEC 205MM 90 NM W O KEY IP65 SINCOS S.TURN WITH BRK TERM. BOX
BSH2053P22A3A	BSH MOTOR IEC 205MM 90 NM W O KEY IP65 SINCOS M.TURN W O BRK TERM. BOX
BSH2053P22F3A	BSH MOTOR IEC 205MM 90 NM W O KEY IP65 SINCOS M.TURN WITH BRK TERM. BOX
BSH2053P31A3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP65 SINCOS S.TURN W O BRK TERM. BOX
BSH2053P31F3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP65 SINCOS S.TURN WITH BRK TERM. BOX
BSH2053P32A3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP65 SINCOS M.TURN W O BRK TERM. BOX
BSH2053P32F3A	BSH MOTOR IEC 205MM 90 NM WITH KEY IP65 SINCOS M.TURN WITH BRK TERM. BOX