

Rittal – The System.

Faster – better – everywhere.

Outlet Filters EMC – SK 3238.060

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Outlet Filters EMC – SK 3238.060

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description: For ventilation by convection, an outlet filter can be installed in the upper and lower sections of the enclosure.

Material: ABS
Material resistance to UL 94-5VA

Color: RAL 7035

**Protection category
IP to IEC 60 529:** IP 54 including filter mat

Supply includes: Outlet Filters
Filter mat

Product features

Dimensions: Height: 148.5 mm (5.8 ")
Width: 148.5 mm (5.8 ")
Depth: 24 mm (0.94 ")

**Required mounting
cut-out:** Height: 124 mm
Width: 124 mm

Packaging unit: 1 pc(s).

**Weight/packaging
unit:** 0.2 kg (0.4 lb.)

EAN: 4028177651661

Customs tariff number:	39269097
ETIM 6.0:	EC002513
ETIM 5.0:	EC002513
eCl@ss 8.0/8.1:	27180706
eCl@ss 7.0/7.1:	27180706
eCl@ss 6.0/6.1:	27180706
eCl@ss 5.1/5.1.4:	27180706
Product description (long):	SK outlet filter, EMC, WHD: 148.5 x 148.5 x 24 mm
Approvals	
Approvals:	CSA UL + C-UL - FTTA UR + C-UR