

# McGILL® 7000 Series Industrial Extension Lights

## Rubber Handle without Receptacle

### Features

- 7000 Series extension lights resist damage and deterioration.
- Open-end or NO-ROL closed-end cages of extra-heavy, electrically welded, wire accommodate up to 200 Watt bulbs.
- Ideal for use where safety codes prohibit outlets in handles.
- Easy relamping cage.
- Internal strain relief withstands 30 lb/9.1 kg. pull test.
- All-weather cords with molded plugs.
- Long-life Levolier™ switch mechanism in handle with protective thumb guard.

### Standard Materials

- Cage: 10 gauge steel wire
- Cord: thermoplastic
- Handle: yellow, grease-resistant, high quality rubber

### Options

- 15 Amp, 120 Volt CSA Certified versions available. Items available in a CSA version will be marked with a **CSA**. Add the prefix **C** to the beginning of the catalog number.

### Certifications and Compliances **1**

- UL Listed (with cord): E59071
- UL Listed (without cord): E59054
- UL Standard: 153
- Meets OSHA requirements
- CSA Certified (with cord): LL89639 **CSA**
- CSA Certified (without cord): LL56247 **CSA**
- CSA Standard: C22.2 No. 12



7000-SG



7001-SRG **2**



7025-SRG



7000-RIG



7999-RGH

**1** 100 Watt Maximum for UL Listing and CSA Certification.

**2** Not UL Listed or CSA Certified.

**CSA** CSA Certification only.

# McGILL® 7000 Series Industrial Extension Lights

## Rubber Handle without Receptacle

	Catalog Numbers			
	with out Cord	with 1' / 0.3m 16/3-SJTW Cord	with 25' / 7.6m 16/3-SJTW Cord	with 50' / 15.2m 16/3-SJTW Cord
<b>Closed-End Extension Lights</b>				
Handle and cage	7000-G	—	7025-G	7050-G
Handle and cage with reflector	7000-RG	—	7025-RG	7050-RG
Handle and cage with switch	7000-SG	—	7025-SG	7050-SG
Handle and cage with switch and reflector	7000-SRG	7012-SRG ①	7025-SRG	7050-SRG
Handle and cage with switch and reflector and GFCI	—	—	7025-SRG-GFCI	—
Insulated cage, reflector (100 Watt max.)	7000-RIG	—	7025-RIG	7050-RIG
Non-metallic cage, reflector (100 Watt max.)	7999-RGH	—	7925-RGH	7950-RGH
<b>Replacement Cord Sets</b>				
Cord set with molded plugs			6229-1 ②	6229-2 ②
			Catalog Number ②	
			for 60–100 Watt	for 200 Watt
<b>Open-End Extension Lights (without cord)</b>				
Handle and cage			7001-G	7002-G
Handle and cage with reflector			7001-RG	7002-RG
Handle and cage with switch			7001-SG	7002-SG
Handle and cage with switch and reflector			7001-SRG	7002-SRG
<b>Accessories and Replacement Parts</b>				
			Catalog Number	
			With Out Reflector	With Reflector
<b>Cages</b>				
Closed-end cage for 7000			8171	8170
Open-end cage (100 Watt lamp max.)			8133	8162
Open-end cage (200 Watt lamp max.)			8335-2	8336
Closed-end vinyl insulated cage (100 Watt A-21)			08171	08170
Open-end vinyl insulated cage (100 Watt lamp max.)			—	08162
Open-end vinyl insulated cage (200 Watt lamp max.)			—	08336
Non-metallic cage for 7999			—	8224
			Catalog Number	
	Catalog Number		With Out Switch	With Switch
<b>Handles and Sockets</b>				
Handle for 7000, 7001, 7002	—		6403	6404-1
Handle and socket for 7000, 7001, 7002	—		8959	8950
Socket for 7000, 7001, 7002	—		4015	4005
Grounding clamp	9232		—	—

① UL Listed for cord reel usage only.

② Not UL Listed.

# McGILL® 7000 Series Industrial Extension Lights

CSA Certification Only. Rubber Handle without Receptacle

	Catalog Numbers			
	with out Cord	with 1 1/0.3 m 16/3-SJTW Cord	with 25'/7.6 m 16/3-SJTW Cord	with 50'/15.2 m 16/3-SJTW Cord
<b>Closed-End Extension Lights</b>				
Handle and cage	C7000-G	—	C7025-G	C7050-G
Handle and cage with reflector	C7000-RG	—	C7025-RG	C7050-RG
Handle and cage with switch	C7000-SG	—	C7025-SG	C7050-SG
Handle and cage with switch and reflector	C7000-SRG	C7012-SRG <sup>❶</sup>	C7025-SRG	C7050-SRG
Insulated cage, reflector (100 Watt max.)	C7000-RIG	—	C7025-RIG	C7050-RIG
Non-metallic cage, reflector (100 Watt max.)	C7999-RGH	—	C7925-RGH	C7950-RGH
<b>Replacement Cord Sets</b>				
Cord set with molded plugs			C6229-1 <sup>❷</sup>	C6229-2 <sup>❷</sup>
<b>Open-End Extension Lights (without cord)</b>				
Handle and cage			C7001-G	C7002-G
Handle and cage with reflector			C7001-RG	C7002-RG
Handle and cage with switch			C7001-SG	C7002-SG
Handle and cage with switch and reflector			C7001-SRG	C7002-SRG
<b>Accessories and Replacement Parts</b>				
			Catalog Number	
			With Out Reflector	With Reflector
<b>Cages</b>				
Closed-end cage for 7000			8171	8170
Open-end cage (100 Watt lamp max.)			8133	8162
Open-end cage (200 Watt lamp max.)			8335-2	8336
Closed-end vinyl insulated cage (100 Watt A-21)			08171	08170
Open-end vinyl insulated cage (100 Watt lamp max.)			—	08162
Open-end vinyl insulated cage (200 Watt lamp max.)			—	08336
Non-metallic cage for 7999			—	8224
			Catalog Number	
			With Out Switch	With Switch
<b>Handles and Sockets</b>				
Handle for 7000, 7001, 7002	—		6403	6404-1
Handle and socket for 7000, 7001, 7002	—		8959	8950
Socket for 7000, 7001, 7002	—		4015	4005
Grounding clamp	9232		—	—

❶ CSA Listed for cord reel usage only.  
 ❷ Not CSA Listed.  
 \* CSA Certification only.