

# Rittal – The System.

Faster – better – everywhere.

## **Baying systems TS 8 – TS 8665.500**

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Baying systems TS 8 – TS 8665.500

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Material:</b>	Enclosure frame: Carbon steel, 1.5 mm Roof: Carbon steel, 1.5 mm Door: Carbon steel, 2.0 mm Rear wall: carbon steel, 1.5 mm Base plates: Carbon steel, 1.5 mm Mounting plate: Carbon steel, 3.0 mm
<b>Surface finish:</b>	Enclosure frame: Dipcoat-primed Door, roof and rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Mounting plate and base plates: Zinc-plated
<b>Color:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 55
<b>Protection category NEMA:</b>	NEMA 12
<b>IK code:</b>	IK09
<b>Supply includes:</b>	Enclosure frame Door(s) Right-hand door catch on single-door enclosures may be swapped to the left Roof plate Rear panel 4 eyebolts Lock: 3 mm double-bit Base Plates Mounting plate 2 TS punched rails, 18 x 38 mm
<b>Base material:</b>	Carbon steel

## Product features

<b>Dimensions:</b>	Height: 1600 mm (63 ") Width: 600 mm (24 ") Depth: 500 mm (20 ")
<b>Mounting plate:</b>	Height: 1496 mm (59 ") Width: 499 mm (20 ")
<b>Number of doors:</b>	1
<b>Packaging unit:</b>	1 pc(s).
<b>Weight/packaging unit:</b>	100 kg (220.5 lb.)
<b>EAN:</b>	4028177386655
<b>Customs tariff number:</b>	94032080
<b>ETIM 6.0:</b>	EC000261
<b>ETIM 5.0:</b>	EC000261
<b>eCl@ss 8.0/8.1:</b>	27180101
<b>eCl@ss 7.0/7.1:</b>	27180101
<b>eCl@ss 6.0/6.1:</b>	27180101
<b>eCl@ss 5.1/5.1.4:</b>	27180101
<b>Product description (long):</b>	TS Bayed enclosure system, WHD: 600x1600x500 mm, Sheet steel, with mounting plate, single door at the front

## Approvals

<b>Approvals:</b>	Bureau Veritas CSA DNV-GL RRR Russian Maritime Register of Shipping TÜV UL + C-UL
<b>Certificates:</b>	EAC IK-Code Protection category
<b>Declarations:</b>	Declaration of conformity Manufacturer's declaration

