


BradyGlo™ Egress Marking

The 2012 versions of the International Building Code (IBC), International Fire Code (IFC) and the National Fire Protection Agency's (NFPA) 101 Life Safety Code contain new provisions for the means of egress in most new and pre-existing buildings with five or more stories.

Luminous (glow-in-the-dark) egress path markings are now required for the full width of every stair and handrail, among other markings. Brady offers a complete line of egress marking products that meet the current requirements for the 2012 means of egress regulations.



BradyGlo™ Floor Tapes

- B-324 phosphorescent surface printed polyester
- Designed for safe Low Level Lighting egress pathway marking during power outages and emergency situations

Catalog #	Size	Color
76430	Striped Tape	2" x 15'
76431	Striped Tape	2" x 15'
76432	Solid Tape	2" x 15'
76433	Solid Tape	3" x 15'



High Intensity Marking Tape

- Self Sticking Polyester in IBC/IFC compliant or NYC approved styles
- Ideal for marking steps and landings, door frames, and handrails

Catalog #	Size	Color
114634	IBC/IFC Marking Tape	1" x 50'
114636	IBC/IFC Anti-Slip Marking Tape	1" x 50'
81873	NYC Approved Marking Tape	1" x 50'
81729	NYC Approved Anti-Slip Tape	1" x 50'



High Intensity Obstacle Tape

- Self Sticking Polyester in IBC/IFC compliant or NYC approved styles
- Clearly marks obstacles that protrude into the egress path

Catalog #	Style	Size
114635	IBC/IFC Compliant Obstacle Tape	1" x 50'
81869	NYC Approved Obstacle Tape	1" x 50'



BradyGlo™ Arrow Tape

- Exceeds ASTM E 2072-00 standard
- Designed for safe low level lighting egress pathway marking during power outages and emergency situations

Catalog #	Style	Size
90971	V-Arrow Tape	2" x 15'
90972	V-Arrow Tape	3" x 15'
90973	Arrow Tape	2" x 15'
90974	Arrow Tape	3" x 15'
76430	Striped Arrow	2" x 15'

OSHA Regulations

OSHA 29 CFR 1910.1030 Bloodborne Pathogens: Labels required for containers and shipments. Employers to post biohazard signs at the entrance to work areas.

DOT 49 CFR 172.400(b) Labeling Requirements: Labeling is required for infectious substances which meets one or more hazard classifications.

UN2814 Infectious Substances: Ebola virus defined as Category A infectious substance.

Biohazard Identification

An essential step towards safety is the clear and instantly-readable identification of all biohazard areas and waste products.



Biohazard Labels

- Labels effectively identify and warn of biohazard materials

Catalog #	Size	Qty
LH625E	4" x 2-7/8"	25/pk.



Biohazard Waste Disposal Bags

- 3-mil polyethylene bags to package and dispose of biohazardous waste

Catalog #	Size	Qty
145586	16" x 14" x 36"	100/pk
145586	30" x 14" x 39"	100/pk



Biohazard Tape

- Self-sticking vinyl tape is ideal for clearly identifying biohazard areas

Catalog #	Size	Qty
88051	2" x 108'	1 roll



Clearly identify hazardous areas with Brady Biohazard Signs available on page 61.