

Rittal – The System.

Faster – better – everywhere.

► Wallmounted enclosure stainless steel, with Roof Slope – WM 8018.695

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wallmounted enclosure stainless steel, with Roof Slope – WM 8018.695 - WMS201612N4

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material: Door: Stainless steel, all-round foamed-in PU seal
Housing and door: Stainless steel 1.4301 (AISI 304)
Mounting plate: Carbon steel, zinc-plated

Surface finish: Brushed

**Protection category
IP to IEC 60 529:** IP 66

**Protection category
NEMA:** NEMA 4X

Supply includes: Housing with door
Left hand hinge
Mounting plate
Wall mounting blind-nuts
20° overhanging slope top

Product features

Dimensions: Height: 495 mm (19 ")
Width: 400 mm (16 ")
Depth: 300 mm (12 ")

Material thickness: Housing: 1.5 mm (0.06 ")
Door: 2 mm (0.08 ")
Mounting plate: 1.5 mm (0.06 ")

Mounting plate: Height: 475 mm (19 ")
Width: 354 mm (14 ")

| | |
|-------------------------------|------------------|
| Lock version: | Quarter turn |
| Packaging unit: | 1 pc(s). |
| Weight/packaging unit: | 17 kg (37.5 lb.) |
| EAN: | 84042 |