

ALL-PRO™

EI700

EI700R

EI700AT

EI700RAT

EI700NB


EI700ATNB

ERT710 - Specular Reflector

- Coil Spring retention
- Lamps:

EI700	75W R30, 65W BR30,
EI700AT	50W PAR30, 75W PAR30L
EI700R	50W PAR30, 75W
EI700RAT	PAR30L, 65W BR30, 75W R30

Height:
2-7/8" [73mm]
OD:
7-1/4" [184mm]




ERT710G
High Gloss Appliance White Trim with Gold Reflector

ERT710
High Gloss Appliance White Trim with Clear Specular Reflector

ERT712 - White Reflector

- Socket supporting trim
- ERT712 - Friction clip retention
- ERT712TS - Torsion spring retention
- Lamps:

EI700	40W A19, 65W BR30,
EI700AT	75W PAR30,
EI700R	75W PAR30L,
EI700RAT	75W R30, 90W BR40
EI700NB	
EI700ATNB	




ERT712TS
High Gloss Appliance White Trim with White reflector and Torsion Spring Construction

ERT712
High Gloss Appliance White Trim with White reflector

ERT707 - Metal Baffle

- Coil spring retention
- Lamps:

EI700	50W PAR30,
EI700AT	65W BR30,
EI700R	75W R30,
EI700RAT	75W PAR30L




ERT707WHT
High Gloss Appliance White Trim with White Baffle

ERT707
High Gloss Appliance White Trim with Black Baffle

ERT713 - Black Metal Baffle

- Socket supporting trim
- ERT713 - Friction clip retention
- ERT713TS - Torsion spring retention
- Lamps:

EI700	40W A19, 65W BR30,
EI700AT	75W PAR30, 75W
EI700R	PAR30L, 90W BR40
EI700RAT	
EI700NB	40W A19, 65W BR30,
EI700ATNB	75W R30, 75W PAR30, 75W PAR30L, 90W BR40




ERT713TS
High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction

ERT713
High Gloss Appliance White Trim with Black Baffle

ERT713WHT - Metal Baffle

- Socket supporting trim
- ERT713WHT - Friction clip retention
- ERT713WHTTS - Torsion spring retention
- Lamps:

EI700	40W A19, 65W BR30,
EI700R	75W R30, 75W PAR30,
EI700AT	75W PAR30L, 90W
EI700RAT	BR40
EI700NB	
EI700ATNB	



ERT713WHTTS
High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction

ERT713WHT
High Gloss Appliance White Trim with White Baffle

* When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK


ALL-PRO™

ET700 **ET700R**

ERT710 - Specular Reflector

- Coil Spring retention
- Lamps:

ET700	65W BR30, 75W R30, 75W PAR30, 150W R40, 150W PAR38
ET700R	65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 150W R40




ERT710G
High Gloss Appliance White Trim with Gold Reflector

ERT710
High Gloss Appliance White Trim with Clear Specular Reflector

ERT712 - White Reflector

- Socket supporting trim
- ERT712 - Friction clip retention
- ERT712TS - Torsion spring retention
- Lamps:

ET700	85W BR30, 120W BR40, 100W R30, 75W PAR30L, 100W A19
ET700R	65W BR30, 75W PAR30L




ERT712TS
High Gloss Appliance White Trim with White reflector and Torsion Spring Construction

ERT712
High Gloss Appliance White Trim with White reflector

ERT707 - Metal Baffle

- Coil spring retention
- Lamps:

ET700	65W BR30, 75W R30, 75W PAR30
ET700R	65W BR30, 75W R30, 75W PAR30, 75W PAR30L




ERT707WHT
High Gloss Appliance White Trim with White Baffle

ERT707
High Gloss Appliance White Trim with Black Baffle

ERT709 Large Aperture Metal Baffle

- Coil spring retention
- Lamps:

ET700	120W R40, 120W PAR38
--------------	----------------------




ERT709WHT
High Gloss Appliance White Trim with White Baffle

ERT709
High Gloss Appliance White Trim with Black Baffle

ERT713 - Black Metal Baffle

- Socket supporting trim
- ERT713 - Friction clip retention
- ERT713TS - Torsion spring retention
- Lamps:

ET700	75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40
ET700R	65W BR30, 75W PAR30L




ERT713TS
High Gloss Appliance White Trim with Black Baffle and Torsion Spring Construction

ERT713
High Gloss Appliance White Trim with Black Baffle

ERT713WHT - White Metal Baffle

- Socket supporting trim
- ERT713WHT - Friction clip retention
- ERT713WHTTS - Torsion spring retention
- Lamps:

ET700	75W PAR30L, 85W BR30, 100W R30, 100W A19, 120W BR40
ET700R	65W BR30, 75W PAR30L



ERT713WHTTS
High Gloss Appliance White Trim with White Baffle and Torsion Spring Construction

ERT713WHT
High Gloss Appliance White Trim with White Baffle


* When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK

EI700U EI700UAT

ERT710 - Specular Reflector

- Coil Spring retention
- Lamps:

EI700U EI700UAT	75W PAR30, 75W PAR30L, 85W BR30, 90W BR40, 100W R30, 100W R40, 100W PAR38
----------------------------	---




ERT710G
High Gloss Appliance White Trim
with Gold Reflector

ERT710
High Gloss Appliance White
Trim with Clear Specular
Reflector

ERT712 - White Reflector

- Socket supporting trim
- ERT712 - Friction clip retention
- ERT712TS - Torsion spring retention
- Lamps:

EI700U EI700UAT	60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
----------------------------	--




ERT712TS
High Gloss Appliance White Trim
with White reflector and Torsion
Spring Construction

ERT712
High Gloss Appliance White
Trim with White reflector

ERT707 - Metal Baffle

- Coil spring retention
- Lamps:

EI700U EI700UAT	65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 90W PAR38, 90W BR40, 100W R40
----------------------------	--




ERT707WHT
High Gloss Appliance White Trim
with White Baffle

ERT707
High Gloss Appliance White
Trim with Black Baffle

ERT709 Large Aperture Metal Baffle

- Coil spring retention
- Lamps:

EI700U EI700UAT	90W BR40
----------------------------	----------




ERT709WHT
High Gloss Appliance White Trim
with White Baffle

ERT709
High Gloss Appliance White
Trim with Black Baffle

ERT713 - Black Metal Baffle

- Socket supporting trim
- ERT713 - Friction clip retention
- ERT713TS - Torsion spring retention
- Lamps:

EI700U EI700UAT	60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 120W BR40
----------------------------	---




ERT713TS
High Gloss Appliance White Trim
with Black Baffle and Torsion
Spring Construction

ERT713
High Gloss Appliance White
Trim with Black Baffle

ERT713WHT - White Metal Baffle

- Socket supporting trim
- ERT713WHT - Friction clip retention
- ERT713WHTTS - Torsion spring retention
- Lamps:

EI700U EI700UAT	60W A19, 75W PAR30, 75W PAR30L, 85W BR30, 100W R30, 120W BR40
----------------------------	--





ERT713WHTS
High Gloss Appliance White Trim
with White Baffle and Torsion
Spring Construction

ERT713WHT
High Gloss Appliance White
Trim with White Baffle

* When using an Air-Tite trim to meet California Title 24 air tight compliance, an additional gasket is required between the finished ceiling and the trim flange ring. For California Title 24 compliance use accessory trim gasket GA-ATRIM. Order separately in a 6 pack: GA-ATTRIM-6PK

DIMENSIONS



DESCRIPTION

The EI2700AT housing is designed for use in shallow ceilings where 2" x 6" joist construction is used. The EI2700AT is designed for shallow ceilings where insulation is present. The EI2700AT housing has AIR-TITE construction and meets restricted airflow requirements.

Housing

Aluminum housing for greater heat dissipation. Air-Tite gasket supplied with housing to complete ATM-E283 installation.

Socket Plate

Rigid socket plate adjusts and locks without tools for various lamp sizes.

Plaster Frame

Housing adjusts in plaster frame 1" to accommodate different ceiling thicknesses.

Junction Box

U.L. listed for through branch circuit wiring. Positioned to accommodate straight conduit runs. Seven conduit knockouts

are uniform 1/2" size with true pryout slots. Four "NM" cable pryouts with integral strain relief also included.

Bar Hangers

Pre-installed, captive bar hangers allow housing to be positioned at any point within a 24" joist span. A set screw locks housing in position. Score lines allow field shortening for 12" joists. Unique arrowhead design simplifies installation. Bar hangers can be repositioned 90° without tools. Bar hangers fit onto T-Bar spline for quick alignment and can be secured with optional TB7 T-bar clips (set of four).

Socket

Porcelain socket with nickel plated brass screw shell. Shipping insert protects socket against overspray.

Thermal Protector


Integral Thermal Protector deactivates fixture if an incorrect lamp is used or if ceiling insulation material is not applied correctly.

Labels

- UL/cUL Listed for Damp Location
 - UL/cUL Listed for Feed Through
 - UL/cUL Listed for Direct Contact with Insulation and combustible material
- Meets following requirements:
- Washington State Energy Code
 - State of California Title 24 Low Efficacy Luminaire IC and AT requirement
 - International Energy Conservation Code (IECC)
 - New York State Energy Conservation Construction Code (NY-ECCC)
 - Certified Under ASTM-E283

GA-ATH7-6PK

6-pack Air-Tite™ gaskets
A housing gasket is the final step in completing an air-tight, code-compliant installation of EI2700AT. All-Pro makes this final step simple by including an AirTite™ gasket in each housing to complete the final installation of the can opening. Should the gaskets be lost or discarded during the rough-in phase of installation these replacement kits are available.



EI2700AT

6" Aperture
IC AIR-TITE
120V Line Voltage

RECESSED DOWNLIGHTING


- Thermally protected IC housing
- AIR-Tite housing prevents airflow between attic and living areas
- Housing may be covered with insulation
- For use with 120V incandescent lamps



ERT710 - Specular Reflector

- Coil Spring retention
- Lamps:

EI2700	50W PAR30, 65W BR30,
EI2700AT	75W R30, 75W PAR30L
EI2700R	




ERT710G
High Gloss Appliance White Trim with Gold Reflector

ERT710
High Gloss Appliance White Trim with Clear Specular Reflector

ERT707 - Metal Baffle

- Coil spring retention
- Lamps:

EI2700	50W PAR30, 65W BR30,
EI2700AT	75W PAR30L
EI2700R	65W BR30, 75W PAR30L




ERT707WHT
High Gloss Appliance White Trim with White Baffle

ERT707
High Gloss Appliance White Trim with Black Baffle

ERT714 - Plastic Baffle

- Coil spring retention
- Lamps:

EI2700	65W BR30, 50W PAR30,
EI2700AT	75W PAR30L
EI2700R	50W PAR30, 60W BR30



ERT714WHT
High Gloss Appliance White Trim with White Baffle

ERT714
High Gloss Appliance White Trim with Black Baffle


ALL-PRO™

ET2700 **ET2700R**

ERT710 - Specular Reflector

- Coil Spring retention
- Lamps:

ET2700	75W PAR30, 75W PAR30L, 85W BR30, 100W R30
ET2700R	65W BR30, 75W R30, 75W PAR30, 75W PAR30L, 85W BR30




ERT710G
High Gloss Appliance White Trim with Gold Reflector

ERT710
High Gloss Appliance White Trim with Clear Specular Reflector

ERT707 - Metal Baffle

- Coil spring retention
- Lamps:

ET2700	65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R	65W BR30, 75W R30, 75W PAR30, 75W PAR30L




ERT707WHT
High Gloss Appliance White Trim with White Baffle

ERT707
High Gloss Appliance White Trim with Black Baffle

ERT714 - Plastic Baffle

- Coil spring retention
- Lamps:

ET2700	75W R30, 75W PAR30, 85W BR30
ET2700R	75W PAR30, 75W PAR30L, 85W BR30




ERT714WHT
High Gloss Appliance White Trim with White Baffle

ERT714
High Gloss Appliance White Trim with Black Baffle

ERT716 - Shallow Metal Baffle

- Socket Supporting trim
- Friction clip retention
- Lamps:

ET2700	40W A19, 65W BR30, 75W PAR30, 75W PAR30L
ET2700R	40W A19, 65W BR30, 75W PAR30, 75W PAR30L




ERT716
High Gloss Appliance White Trim with White Baffle

ERT704 Eyeball

- Torsion springs pull trim tight to ceiling
- Lamps:

ET2700	65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R	65W BR30, 75W R30, 75W PAR30, 75W PAR30L




ERT704PB
Polished Brass Trim with Polished Brass Eyeball

ERT704
High Gloss Appliance White Trim with White Eyeball

ERT706 Open

- Coil spring retention
- Lamps:

ET2700	65W BR30, 75W R30, 75W PAR30, 75W PAR30L
ET2700R	65W BR30, 75W R30, 75W PAR30, 75W PAR30L



ERT706
High Gloss Appliance White Trim