

Rittal – The System.

Faster – better – everywhere.

Cam lock – SZ 2420.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cam lock – SZ 2420.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material:	Fiberglass-reinforced polyamide
Color:	RAL 7035
Note on Model No.::	Can be exchanged for lock cylinder inserts, type B and lock inserts, type A

Product features

Suitable for:	Enclosure type: AE with cam Enclosure type: Basic AE with cam Enclosure type: Wall-mounted housing AE with cam
----------------------	--

Lock Insert:	With double-bit insert
---------------------	------------------------

Packaging unit:	1 pc(s).
------------------------	----------

Weight/packaging unit:	0.06 kg (0.1 lb.)
-------------------------------	-------------------

EAN:	4028177022737
-------------	---------------

Customs tariff number:	83015000
-------------------------------	----------

ETIM 6.0:	EC000327
------------------	----------

ETIM 5.0:	EC000327
------------------	----------

eCl@ss 8.0/8.1:	27409217
------------------------	----------

eCl@ss 7.0/7.1:	27409218
eCl@ss 6.0/6.1:	27409218
eCl@ss 5.1/5.1.4:	27189256
Product description (long):	SZ Cam lock, glassfibre reinforced polyamid, with double-bit insert
Approvals	
Certificates:	EAC