


Paracube 1 Features and Benefits

- Paracube 1 louvers represent the ultimate in contemporary architectural design
- Visual comfort probability rating is 95
- Luminaire efficiency is 51%
- Coefficient of utilization of 0.60
- 39° shielding angle
- Very effective at hiding lamps and controlling glare
- Available in grid (ceiling style) or flanged
- Available in a variety of sizes, colours, materials, and finish



Applications

- Office environments
- Video display terminal areas
- Conference rooms
- Task areas



Order code	Description	Colour	Material	Nominal size (ft)	Actual size (in.)	Cell size (in.)	Figure
35413	PARACUBE 1 ACR SLV 2x4 FLG	Silver	Acrylic	2.0 x 4.0	22-1/2 x 46-1/2	1/2 x 1/2 x 3/8	A
35603	PARACUBE 1 ACR GLD 2x4 FLG	Gold	Acrylic	2.0 x 4.0	22-1/2 x 46-1/2	1/2 x 1/2 x 3/8	A
10395	PARACUBE 1 STY SLV 2x4 FLG	Silver	Styrene	2.0 x 4.0	22-1/2 x 46-1/2	1/2 x 1/2 x 3/8	A
35417	PARACUBE 1 STY GLD 2x4 FLG	Gold	Styrene	2.0 x 4.0	22-1/2 x 46-1/2	1/2 x 1/2 x 3/8	A
12751	PARACUBE 1 ACR SLV 2x4 TRM	Silver	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
59105	PARACUBE 1 ACR SLV 2x4 GRD	Silver	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	5/8 x 5/8 x 3/8	B
59128	PARACUBE 1 ACR GLD 2x4 GRD	Gold	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
12752	PARACUBE 1 STY SLV 2x4 TRM	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
59064	PARACUBE 1 STY SLV 2x4 GRD	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
59106	PARACUBE 1 STY GLD 2x4 GRD	Gold	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
35602	PARACUBE 1 ACR SLV 2x2 FLG	Silver	Acrylic	2.0 x 2.0	22-1/2 x 22-1/2	1/2 x 1/2 x 3/8	A
35410	PARACUBE 1 STY SLV 2x2 FLG	Silver	Styrene	2.0 x 2.0	22-1/2 x 22-1/2	1/2 x 1/2 x 3/8	A
35409	PARACUBE 1 ACR SLV 2x2 GRD	Silver	Acrylic	2.0 x 2.0	23-3/4 x 23-3/4	1/2 x 1/2 x 3/8	B
35412	PARACUBE 1 STY SLV 2x2 GRD	Silver	Styrene	2.0 x 2.0	23-3/4 x 23-3/4	1/2 x 1/2 x 3/8	B
12748	PARACUBE 1 STY SLV 2x2 TRM	Silver	Styrene	2.0 x 2.0	23-3/4 x 23-3/4	1/2 x 1/2 x 3/8	B
35411	PARACUBE 1 STY GLD 2x2 GRD	Gold	Styrene	2.0 x 2.0	23-3/4 x 23-3/4	1/2 x 1/2 x 3/8	B
35403	PARACUBE 1 ACR SLV 1x4 FLG	Silver	Acrylic	1.0 x 4.0	10-1/2 x 46-1/2	1/2 x 1/2 x 3/8	A
35406	PARACUBE 1 STY SLV 1x4 FLG	Silver	Styrene	1.0 x 4.0	10-1/2 x 46-1/2	1/2 x 1/2 x 3/8	A
35405	PARACUBE 1 STY GLD 1x4 FLG	Gold	Styrene	1.0 x 4.0	10-1/2 x 46-1/2	1/2 x 1/2 x 3/8	A
12743	PARACUBE 1 ACR SLV 1x4 TRM	Silver	Acrylic	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
35404	PARACUBE 1 ACR SLV 1x4 GRD	Silver	Acrylic	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
35600	PARACUBE 1 ACR GLD 1x4 GRD	Gold	Acrylic	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
10394	PARACUBE 1 STY SLV 1x4 GRD	Silver	Styrene	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
12744	PARACUBE 1 STY SLV 1x4 TRM	Silver	Styrene	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B
35408	PARACUBE 1 STY GLD 1x4 GRD	Gold	Styrene	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 3/8	B


Paracube 2 Features and Benefits

- Paracube 2 is the most flexible series and offers good glare control and higher light output than Paracube 1
- All Paracube 2 products are coated with the Ultra-Lux finish
- Visual comfort probability rating is 94
- Luminaire efficiency is 63%
- Coefficient of utilization of 0.63
- 40° shielding angle
- Available in a variety of sizes, colours, materials, and finish



Applications

- VDT areas
- High ceiling areas
- Offices
- Schools
- Public areas
- Retail/specialty stores



Order code	Description	Colour	Material	Nominal size (ft)	Actual size (in.)	Cell size (in.)	Figure
35427	PARACUBE 2 ACR SLV 2x4 FLG	Silver	Acrylic	2.0 x 4.0	22-1/2 x 46-1/2	1-1/2 x 1-1/2 x 1	A
35430	PARACUBE 2 STY SLV 2x4 FLG	Silver	Styrene	2.0 x 4.0	22-1/2 x 46-1/2	1-1/2 x 1-1/2 x 1	A
12758	PARACUBE 2 ACR SLV 2x4 TRM	Silver	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	1-1/2 x 1-1/2 x 1	B
59103	PARACUBE 2 ACR SLV 2x4 GRD	Silver	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	1-1/2 x 1-1/2 x 1	B
59090	PARACUBE 2 ACR WH 2x4 GRD	White	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	1-1/2 x 1-1/2 x 1	B
12759	PARACUBE 2 STY SLV 2x4 TRM	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1-1/2 x 1-1/2 x 1	B
59104	PARACUBE 2 STY SLV 2x4 GRD	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1-1/2 x 1-1/2 x 1	B
35425	PARACUBE 2 ACR SLV 2x2 FLG	Silver	Acrylic	2.0 x 2.0	22-1/2 x 22-1/2	1-1/2 x 1-1/2 x 1	A
35426	PARACUBE 2 STY SLV 2x2 FLG	Silver	Styrene	2.0 x 2.0	22-1/2 x 22-1/2	1-1/2 x 1-1/2 x 1	A
36000	PARACUBE 2 ACR SLV 2x2 GRD	Silver	Acrylic	2.0 x 2.0	23-3/4 x 23-3/4	1-1/2 x 1-1/2 x 1	B
57153	PARACUBE 2 STY SLV 2x2 GRD	Silver	Styrene	2.0 x 2.0	23-3/4 x 23-3/4	1-1/2 x 1-1/2 x 1	B
12755	PARACUBE 2 ACR SLV 1x4 FLG ESP	Silver	Acrylic	1.0 x 4.0	10-1/2 x 46-1/2	1-1/2 x 1-1/2 x 1	A
35605	PARACUBE 2 ACR SLV 1x4 FLG	Silver	Acrylic	1.0 x 4.0	10-1/2 x 46-1/2	1-1/2 x 1-1/2 x 1	A
12894	PARACUBE 2 STY SLV 1x4 TRM	Silver	Styrene	1.0 x 4.0	10-1/2 x 46-1/2	1-1/2 x 1-1/2 x 1	B
35424	PARACUBE 2 STY SLV 1x4 FLG	Silver	Styrene	1.0 x 4.0	10-1/2 x 46-1/2	1-1/2 x 1-1/2 x 1	A
35423	PARACUBE 2 ACR SLV 1x4 GRD	Silver	Acrylic	1.0 x 4.0	11-3/4 x 47-3/4	1-1/2 x 1-1/2 x 1	B
35606	PARACUBE 2 STY SLV 1x4 GRD	Silver	Styrene	1.0 x 4.0	11-3/4 x 47-3/4	1-1/2 x 1-1/2 x 1	B

Paracube 3 Features and Benefits

- Ideal for areas requiring high light levels
- All Paracube 3 products are coated with the Ultra-Lux finish
- Visual comfort probability rating is 88
- Luminaire efficiency is 68%
- Coefficient of utilization of 0.74
- 30° shielding angle
- Available in a variety of sizes, colours, materials, and finish



Applications

- Offices
- Public areas
- High ceiling areas
- Retail/specialty stores



Order code	Description	Colour	Material	Nominal size (ft)	Actual size (in.)	Cell size (in.)	Figure
35617	PARACUBE 3 ACR SLV 2x4 FLG	Silver	Acrylic	2.0 x 4.0	22-1/2 x 46-1/2	3 x 3 x 1-1/2	A
59118	PARACUBE 3 ACR SLV 2x4 GRD	Silver	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	3 x 3 x 1-1/2	B
35435	PARACUBE 3 STY SLV 2x4 FLG	Silver	Styrene	2.0 x 4.0	22-1/2 x 46-1/2	3 x 3 x 1-1/2	A
59109	PARACUBE 3 STY SLV 2x4 GRD	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	3 x 3 x 1-1/2	B
35434	PARACUBE 3 STY SLV 2x2 FLG	Silver	Styrene	2.0 x 2.0	22-1/2 x 22-1/2	3 x 3 x 1-1/2	A
35615	PARACUBE 3 ACR SLV 1x4 FLG	Silver	Acrylic	1.0 x 4.0	10-1/2 x 46-1/2	3 x 3 x 1-1/2	A
35433	PARACUBE 3 STY SLV 1x4 FLG	Silver	Styrene	1.0 x 4.0	10-1/2 x 46-1/2	3 x 3 x 1-1/2	A

Paracube 5 Features and Benefits

- The Paracube 5 has the highest efficiency of parabolic louvers
- Visual comfort probability rating is 88
- Luminaire efficiency is 74%
- Coefficient of utilization of 0.74
- 28° shielding angle
- Available in a variety of sizes, colours, materials, and finish



Applications

- Offices
- Schools
- Public areas
- VDT areas



Order code	Description	Colour	Material	Nominal size (ft)	Actual size (in.)	Cell size (in.)	Figure
35644	PARACUBE 5 ACR SLV 2x4 FLG	Silver	Acrylic	2.0 x 4.0	22-1/2 x 46-1/2	3/4 x 3/4 x 3/8	A
35495	PARACUBE 5 STY SLV 2x4 FLG	Silver	Styrene	2.0 x 4.0	22-1/2 x 46-1/2	3/4 x 3/4 x 3/8	A
35766	PARACUBE 5 ACR SLV 2x4 TRM	Silver	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	3/4 x 3/4 x 3/8	B
59130	PARACUBE 5 ACR SLV 2x4 GRD	Silver	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	3/4 x 3/4 x 3/8	B
12811	PARACUBE 5 STY SLV 2x4 TRM	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	3/4 x 3/4 x 3/8	B
59108	PARACUBE 5 STY SLV 2x4 GRD	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	3/4 x 3/4 x 3/8	B
12809	PARACUBE 5 STY SLV 2x2 FLG	Silver	Styrene	2.0 x 2.0	22-1/2 x 22-1/2	3/4 x 3/4 x 3/8	A
12808	PARACUBE 5 ACR SLV 2x2 GRD	Silver	Acrylic	2.0 x 2.0	23-3/4 x 23-3/4	3/4 x 3/4 x 3/8	B
12810	PARACUBE 5 STY SLV 2x2 GRD	Silver	Styrene	2.0 x 2.0	23-3/4 x 23-3/4	3/4 x 3/4 x 3/8	B
35758	PARACUBE 5 ACR SLV 1x4 TRM	Silver	Acrylic	1.0 x 4.0	11-3/4 x 47-3/4	3/4 x 3/4 x 3/8	B
35760	PARACUBE 5 ACR SLV 1x4 GRD	Silver	Acrylic	1.0 x 4.0	11-3/4 x 47-3/4	3/4 x 3/4 x 3/8	B
35789	PARACUBE 5 STY SLV 1x4 GRD	Silver	Styrene	1.0 x 4.0	11-3/4 x 47-3/4	3/4 x 3/4 x 3/8	B


Eggcrate Features and Benefits

- Open cell eggcrates improve ventilation but do not control light
- Eggcrates offer a straight cell blade construction
- Increase lamp and ballasts life by improving air flow
- Manufactured with ship-lap fit for uniform appearance when panels are joined
- Available in a variety of sizes, colours, materials, and finish
- Aluminum eggcrates are ideal for outdoor applications that require extreme durability and for strict Fire Code compliance
- Available in a variety of sizes, colours, materials, and finish



Applications

- Luminous ceilings
- Air return
- Fixtures
- Perimeter lighting
- Displays




Order code	Description	Colour	Material	Nominal size (ft)	Actual size (in.)	Cell size (in.)
35448	EGGCRATE ACR WH 1x4 1/2x1/2x3/8	White	Acrylic	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 3/8
35443	EGGCRATE ACR WH 1x4 1/2x1/2x1/2	White	Acrylic	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 1/2
35628	EGGCRATE STY BL 1x4 1/2x1/2x3/8	Black	Styrene	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 3/8
35449	EGGCRATE STY WH 1x4 1/2x1/2x3/8	White	Styrene	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 3/8
35444	EGGCRATE STY WH 1x4 1/2x1/2x1/2	White	Styrene	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 1/2
12766	EGGCRATE ACR WH 2x2 1/2x1/2x3/8	White	Acrylic	2.0 x 2.0	23-3/4 x 23-3/4	1/2 x 1/2 x 3/8
35629	EGGCRATE STY WH 2x2 1/2x1/2x3/8	White	Styrene	2.0 x 2.0	23-3/4 x 23-3/4	1/2 x 1/2 x 3/8
35627	EGGCRATE ACR WH 2x2 1/2x1/2x1/2	White	Acrylic	2.0 x 2.0	23-3/4 x 23-3/4	1/2 x 1/2 x 1/2
59119	EGGCRATE ACR WH 2x4 1/2x1/2x3/8	White	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 3/8
59120	EGGCRATE STY BL 2x4 1/2x1/2x3/8	Black	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 3/8
59112	EGGCRATE STY SLV 2x4 1/2x1/2x3/8	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 3/8
59113	EGGCRATE STY WH 2x4 1/2x1/2x3/8	White	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 3/8
59115	EGGCRATE ACR WH 2x4 1/2x1/2x1/2	White	Acrylic	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 1/2
59116	EGGCRATE STY WH 2x4 1/2x1/2x1/2	White	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 1/2
12767	EGGCRATE STY WH 2x5 9/16x9/16x9/16	White	Styrene	2.5 x 5.0	29-3/4 x 59-3/4	9/16 x 9/16 x 9/16
35437	EGGCRATE ALM ML 1x4 1/2x1/2x1/2	Mill	Aluminum	1.0 x 4.0	11-3/4 x 47-3/4	1/2 x 1/2 x 1/2
35765	EGGCRATE ALM WH 1x4 3/4x3/4x3/4	White	Aluminum	1.0 x 4.0	11-3/4 x 47-3/4	3/4 x 3/4 x 3/4
35621	EGGCRATE ALM WH 1x4 1x1x1	White	Aluminum	1.0 x 4.0	11-3/4 x 47-3/4	1 x 1 x 1
12760	EGGCRATE ALM ML 2x2 1/2x1/2x1/2	Mill	Aluminum	2.0 x 2.0	23-3/4 x 23-3/4	1/2 x 1/2 x 1/2
59081	EGGCRATE ALM BL 2x4 1/2x1/2x1/2	Black	Aluminum	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 1/2
59110	EGGCRATE ALM ML 2x4 1/2x1/2x1/2	Mill	Aluminum	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 1/2
59111	EGGCRATE ALM WH 2x4 1/2x1/2x1/2	White	Aluminum	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 1/2
59117	EGGCRATE ALM ML 2x4 1x1x1	Mill	Aluminum	2.0 x 4.0	23-3/4 x 47-3/4	1 x 1 x 1
59101	EGGCRATE ALM WH 2x5 1x1x1	White	Aluminum	2.5 x 5.0	29-3/4 x 59-3/4	1 x 1 x 1
59099	EGGCRATE ALM ML 2x5 1/2x1/2x1/2	Mill	Aluminum	2.5 x 5.0	29-3/4 x 59-3/4	1/2 x 1/2 x 1/2
59095	EGGCRATE ALM WH 2x5 1/2x1/2x1/2	White	Aluminum	2.5 x 5.0	29-3/4 x 59-3/4	1/2 x 1/2 x 1/2

Decorative Louvers Features and Benefits

- Decorative louvers such as Paracircle and Hexalite are available to give a unique look to restaurants and other retail spaces.

Applications

- Retail Spaces
- Restaurants



Order code	Description	Colour	Material	Nominal size (ft)	Actual size (in.)	Cell size (in.)	Figure
59127	HEXALITE STY SLV 2x4 GRD 3/4x3/4x3/4	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	3/4 x 3/4 x 3/4	A
59126	HEXALITE STY SLV 2x4 GRD 1/2x1/2x1/2	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1/2 x 1/2 x 1/2	A
59121	PARACIRCLE STY SLV 2x4 GRD	Silver	Styrene	2.0 x 4.0	23-3/4 x 47-3/4	1-7/8 x 1-7/8 x 1-1/4	B