

[Tool Belts](#) / [Pole Straps](#) / [Pole Climbers](#) / [Replacement Parts](#) / [Climber Accessories](#) / [Harnesses](#)

## THE FLORIDIAN



**No. 88** 6.50 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

Superior design and performance make this belt the industry standard. It combines a padded, contour cushion section with flares for the shifting "D" rings and a 5-1/2" back. This belt gives excellent support and climbing comfort. It is a practical belt with wearable quality which makes it economical.

## THE BASHLIN DELUXE



**No. 60FH** 6.25 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

The Bashlin Deluxe is a field-tested, proven design. It is one of the original semi-floating, shifting "D" belts. The shifting "D"s reduce chafing and bumps on the hips. The 5" cushion pad is soft and breaks in easily. The harness leather tool loops and tongue and buckle section are designed for rugged wear.

## THE DAKOTA



**No. 76** 5.25 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

The Dakota features a 6 ply nylon tongue and buckle with a unique padded, suedelike, contour cushion section. The 5-1/2" wide, split leather cushion is comfortable and makes it easier for the lineman who has trouble keeping his belt in position. This belt offers a full shifting "D" saddle and semi-floating design at an economical price.

This distinctive fixed "D" belt offers comfort and

## THE SPARTAN

quality in a semi-floating, 5" wide tool belt. It is rugged, yet lightweight. It features harness leather tool loops and a nylon reinforced tongue and buckle.



No. 72HR 6.00 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

## THE JOURNEYMAN

Here is a belt designed with the professional in mind. The cushion is glove-soft, yet extremely durable. It features a full shifting "D" saddle and a rolled edge cushion. This is an ideal belt for the lineman who wants value.



No. 160NL 6.00 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

## THE NYLON DELUXE

A familiar design in a shifting "D" nylon belt. The neoprene impregnated nylon back is light, durable and flexible in extreme temperature ranges. The 5" leather cushion section is comfortable. The tongue and buckle is 6 ply nylon and the tool loops are leather.



No. 160N 6.00 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

## THE WRANGLER

A 5" cushion section, a nylon back, and a 6 ply tongue and buckle section are features of this practical favorite. It is lightweight, with standard comfort features, including Bashlin's S-shaped "D" rings and an all leather cushion.



**THE NYLON SPARTAN**

**No. 1511N** 5.25 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

The Spartan , made of durable nylon, has a semi-floating, fixed "D" design that makes tool handling easier. The nylon back and tongue facilitates maintenance, and a soft leather 5" cushion adds to the comfort of this very practical belt.



**No. 71N** 5.75 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

**POLE OR POSITIONING STRAPS**



[Inspection](#) [Maintenance](#)

Bashlin's "HL" series Pole Straps feature the easy to use HL snap. This snap action is similar to single locking snaps. All Bashlin Pole Straps meet or exceed ASTM and OSHA requirements.

**50 Series Nylon Straps**

<b>No. 51N-2HL</b>	5'6" Strap	3.75 lb
<b>No. 52N-2HL</b>	6' Strap	3.75 lb
<b>No. 53N-2HL</b>	6'6" Strap	4 lb
<b>No. 54N-2HL</b>	7' Strap	4 lb

**78 Series Leather / Nylon Straps**

<b>No. 78X-2HL</b>	5'6" Strap	4.25 lb
<b>No. 78A-2HL</b>	6' Strap	4.25 lb
<b>No. 78B-2HL</b>	6'6" Strap	5 lb
<b>No. 78C-2HL</b>	7' Strap	5 lb

**POLE CLIMBERS  
BD14 SERIES**

**The BD14 is Bashlin's aluminum alloy offset climber with a replaceable, forged steel gaff. This lightweight climber reduces fatigue and adds climbing comfort. Comparable steel climbers weigh 30% more. The aluminum alloy construction sacrifices some wearing qualities.**

WARNING: Climbers are to be used by trained personnel only.



**Nylon Straps are standard on all Bashlin Climbers**

[Inspection](#) [Maintenance](#)

<b>No. BD14-1N</b>	Bottom straps attached	4.25 lb
<b>No. BD14-2N</b>	Bottom straps attached, and top straps	4.75 lb
<b>No. BD14-3N</b>	Bottom straps attached, top straps and #110D pads	5.25 lb
<b>No. BD14-4N</b>	Bottom straps attached, top straps and #130D pads	5.50 lb
<b>No. BD14-5N</b>	Bottom straps attached, top straps and #140DS pads	5.75 lb

Polished gaffs are available for CCA and other harder poles.  
Add "P" to the Number. Polished replacement gaffs are No. 14P.

**POLE CLIMBERS  
BD16B SERIES**

**This rugged, steel alloy adjustable climber features a replaceable gaff, roomy ankle area, and a triangular strap ring.**

WARNING: Climbers are to be used by trained personnel only.



<b>No. BD16B-1N</b>	Bottom straps attached	5.50 lb
<b>No. BD16B-2N</b>	Bottom straps attached, and top straps	6.00 lb
<b>No. BD16B-3N</b>	Bottom straps attached, top straps and #110D pads	6.50 lb
<b>No. BD16B-4N</b>	Bottom straps attached, top straps and #130D pads	6.75 lb
<b>No. BD16B-5N</b>	Bottom straps attached,	7.00 lb

**Nylon Straps are standard on all Bashlin Climbers**

[Inspection](#) [Maintenance](#)

Polished gaffs are available for CCA and other harder poles.  
 Add "P" to the Number. Polished replacement gaffs are No. 14P.

**POLE CLIMBERS  
 BD16BC SERIES**

**This steel climber has a replaceable gaff and twisted shank. The twisted shank lies flatter on the leg for more comfort.**

WARNING: Climbers are to be used by trained personnel only.



<b>No. BD16BC-1N</b>	Bottom straps attached	5.50 lb
<b>No. BD16BC-2N</b>	Bottom straps attached, and top straps	6.00 lb
<b>No. BD16BC-3N</b>	Bottom straps attached, top straps and #110D pads	6.50 lb
<b>No. BD16BC-4N</b>	Bottom straps attached, top straps and #130D pads	6.75 lb
<b>No. BD16BC-5N</b>	Bottom straps attached, top straps and #140DS pads	7.00 lb

**Nylon Straps are standard on all Bashlin Climbers**

[Inspection](#) [Maintenance](#)

Polished gaffs are available for CCA and other harder poles.  
 Add "P" to the Number. Polished replacement gaffs are No. 14P.

**REPLACEMENT PARTS FOR BASHLIN CLIMBERS**



Replacement Parts <a href="#">Gaff Inspection &amp; Maintenance</a>	BD14 Series	BD12* BD16B Series	Ship. Wt.
<b>A. Adj. Top Slide 15"- 18"</b>	#14TS	#16TS	.60 lb
<b>B. Adj. Top Slide 18"- 21"</b>	#14ATS	#16ATS	.85 lb
<b>C. Top Slide Screws</b>	#4T	#4T	.05 lb
<b>D. Gaff Screws</b>	#4G	#4G	.05 lb

\*BD12 Series features non-replaceable gaffs

Note: Replacement Gaffs include screws

<b>E. Split Ring</b>	#3	#3	.15 lb
<b>F. Gaffs 1-5/8"</b>	#14	#14	.50 lb
<b>G. Polished Gaffs 1-5/8"</b>	#14P	#14P	.50 lb
<b>H. Tree Gaffs 2-1/2"</b>	#14T	#14T	.60 lb

**CLIMBER ACCESSORIES**

**Only Bashlin Gaffs may be used as replacements in Bashlin Climbers.**

**Gaff Guard**

Protect the tips of your Gaffs and yourself with Bashlin Leather Gaff Guards.



<b>No. 2</b>	For replaceable Gaffs	.20 lb
--------------	-----------------------	--------

**Gaff Gauge**

Bashlin's Gaff Gauge measures the correct length, width, thickness and shape of the gaff.



<b>No. 5</b>	Gaff Gauge only	.20 lb
--------------	-----------------	--------

[Gaff Inspection & Maintenance](#)

**Gaff Replacement Jig**

This jig holds the climbers securely without damage to the shank section and makes gaff replacement on Bashlin climbers much easier.



<b>No. 17</b>	Gaff Replacement Jig	1 lb
---------------	----------------------	------

[Gaff Inspection & Maintenance](#)

**Bashlin Gaff Shaping Kit**

Bashlin's Gaff Shaping Kit combines the necessary tools to maintain gaffs in a neat, compact case. It includes a file with handle, gaff gauge, finishing stone and instructions. The gauge will work only with Bashlin Gaffs.



<b>No. 27</b>	Gaff Shaping Kit (complete)	.55 lb
---------------	-----------------------------	--------

12/15/2008

Gaff Inspection & Maintenance

Climbing Equipment

<b>No. 27-1</b>	Case	.25 lb
<b>No. 27-2</b>	Sharpening Stone	.15 lb
<b>No. 27-3</b>	Mill File, 6"	.20 lb
<b>No. 27-5</b>	Wood File Handle	.08 lb
<b>No. 5</b>	Gaff Gauge	.20 lb

CLIMBER PADS

**Bashlin offers a variety of climber pads to suit your individual needs.**



<b>No. 105A</b>	Climber pads for use on steel climbers	1.5 lb
<b>No. 105AC</b>		



<b>No. 105B</b>	Climber pads for use on aluminum climbers	1.5 lb
<b>No. 105BC</b>		



<b>No. 110D</b>	Climber pad, 2-ply	.6 lb
-----------------	--------------------	-------



<b>No. 130D</b>	Climber pad, L-shaped design	.7 lb
-----------------	------------------------------	-------



<b>No. 140DS</b>	Climber pad, wing pad	1.25 lb
------------------	-----------------------	---------



<b>No. 150TS</b>	Climber pad, T-shaped design	.9 lb
------------------	------------------------------	-------



<b>No. 145</b>	Sierra Moreno pads (These pads require 2 sets of top straps.)	3.00 lb
----------------	--	---------

### 683X STYLE HARNESS



**This harness was designed for the utility industry. It has steel connectors and field proven 10,000 lb. test nylon webbing.**

- Easy to don.
- All hardware is low on the torso.
- "X" design keeps the straps on the shoulders while working.
- Front loop for self rescue.
- Meets ANSI/ASTM/OSHA specifications.

<b>No. 683XA</b>	Nylon Loop	3.5 lb
<b>No. 683XB</b>	24" Loop Extension	3.5 lb
<b>No. 683XC</b>	24" "D" Extension	4 lb
<b>No. 683XD</b>	3" D-Ring	4 lb

[Sizing Bashlin Harnesses](#)

### 662A STYLE HARNESS



**This harness is a one size fits most design with an adjustable front chest strap. It features contrasting color webbing for easy donning.**









<b>No. 662AA</b>	Nylon Loop	4 lb
<b>No. 662AB</b>	24" Loop Extension	4 lb
<b>No. 662AC</b>	24" "D" Extension	4.5 lb
<b>No. 662AD</b>	3" D-Ring	4.5 lb



[Sizing Bashlin Harnesses](#)

LANYARDS

**Bashlin's 2000 Series Lanyards are for fall arrest applications. They feature forged hardware and meet the ANSI and OSHA requirements.**

	<b>No. 2004NXB-6</b>	6' Nylon Rope with B-Lan	2 lb
	<b>No. 2004NWB-6</b>	Nylon Web with B-Lan	2 lb
	<b>No. 2005NWB-6</b>	6' Nylon Web with B-Lan and loop end	1.5 lb
	<b>No. 2006NWB-6</b>	6' Nylon Web adjustable with a B-Lan	2.5 lb
	<b>No. 2005NWBA-6</b>	6' Nylon Web adjustable	4.5 lb
	<b>No. 2306-6HL</b>	2" Tubular Nylon Web, with elastic core and woven polyester shock absorbing device, 6650 snaps on the ends. Expands 4.5' to 6'	2.2 lb
	<b>No. 2804-6HL</b>	1" Tubular Nylon Web with a woven polyester shock absorbing core.	2 lb
	<b>No. 2805-6HL</b>	1" Tubular Nylon Web with a woven polyester shock absorbing core, and one loop end.	2 lb

[TO TOP OF PAGE](#)

