



- No Need To Buy A New Bit When Just The Tip Is Worn
- A Real Money Saver. Base Bits Last 3 to 4 Times Longer At A Fraction Of The Cost
- Economical Replaceable-Tips Lock In Place.
- Step Bit Performance Remains Identical To That Of Non-Replaceable Tip Bits.
- Constructed Of M2 High Speed Steel, Coated With Titanium And Cobalt.
- Tri-Cut Tip Cuts Smoother, Faster And Cooler.




The TIP-BITS™

The new Dottie Tip-Bits are step drill bits with a replaceable tip. Rather than throwing away a good bit that just won't start a hole, the first few steps can be replaced making the drill bit start like new again.



TOOLS & SPECIALTY ITEMS > TIP-BITS

CAT NO	UPC	SIZE RANGE	SHANK	STD	MSTR	WT/STD	UNIT
RTTP6000	81210	Replaceable Tip - 2 Pack Fits all Tip Bits. Can also be used as a 1/4" - 1/2" Step Drill Steps: 5/32", 1/4", 5/16", 3/8", 7/16", 1/2"	1/4"	1	15	0.10#	Ea
RTTP6010	81211	1/4" - 7/8" Base & Tip Steps: 9/16", 11/16", 3/4", 13/16", 7/8"	1/4"	1	5	0.20#	Ea
RTTP6020	81212	1/4" - 1-1/8" Base & Tip Steps: 19/32", 21/32", 3/4", 13/16", 7/8", 15/16", 1-1/32", 1-1/18"	1/4"	1	5	0.30#	Ea
RTTP6030	81213	1/4" - 1-3/8" Base & Tip Steps: 5/8", 3/4", 7/8", 1", 1-1/16", 1-3/16", 1-1/4", 1-5/16", 1-3/8"	1/4"	1	5	0.50#	Ea
RTTP6040	81214	Kit contains: 1/4" - 1/2" Extra Tip 1/4" - 7/8" Base & Tip 1/4" - 1-1/8" Base & Tip	1/4"	1	4	0.55#	Ea



Drill/Tap/Countersink Hex Bit Kit PC 6348



- Drill, Tap And Deburr In One Operation
- One-Piece Construction Guarantees Drill For Tap Size
- Made From High Speed M2 Steel
- Tapered Tap Prevents Thread Damage From Over-drilling
- Countersink Also Provided On Bit Beyond Back Taper
- 135° Self-Centering Split Point Tip
- Designed To Tap Up To 10 Gauge Metal
- 6 Piece Bit Set Includes: 6-32", 8-32", 10-24", 10-32", 12-24", 1/4"
- Caution! Always Wear Eye Protection

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
DRT6C	12870	Drill/Tap/Countersink Hex Bit Kit	1	10	0.30#	Ea

Replacement Bits

DT632NC	12880	6-32 Drill & Tap Bit	1	10	0.020#	Ea
DT832NC	12881	8-32 Drill & Tap Bit	1	10	0.020#	Ea
DT1024NC	12882	10-24 Drill & Tap Bit	1	10	0.020#	Ea
DT1032NF	12900	10-32 Drill & Tap Bit	1	10	0.020#	Ea
DT1224NC	12884	12-24 Drill & Tap Bit	1	10	0.020#	Ea
DT1420NC	12885	1/4-20 Drill & Tap Bit	1	10	0.020#	Ea



ProGrabit - Screw Removal Kit PC 6352

ProGrabit works on damaged screws and broken bolts from as small as a No. 4 screw to as large as a 3/8 in. bolt.

- Quickly And Easily Removes Most Damaged Screws Such As Hex, Phillips, Torx, Square Drive; Sizes No. 4 - No.14 From Wood, Plastic or Metal
- Two-Step, Drill Bit And Extractor In One Tool Extracts Broken Bolts And Damaged Screws Fast
- Use In Reverse Only With 3/8 In. Variable Speed Reversible Power Drill
- Drills Up To Grade 8 And 10.0 Class Fasteners; Extracts Bolt Sizes No. 10-3/8 In. (5mm-10mm)

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
GBKP	81967	3-Piece ProGrabit Screw Removal Kit	1	10	0.20#	Ea

Replacement Bits

GB47R	81968	#4-#7 ProGrabit Replacement Bit	1	10	0.05#	Ea
GB610R	81969	#6-#10 ProGrabit Replacement Bit	1	10	0.05#	Ea
GB1214R	81970	#12-#14 ProGrabit Replacement Bit	1	10	0.05#	Ea



Nylon Screw Starter PC 6620

The nylon screw starter grips a slotted screw positively and is ideal for starting and removing screws in awkward or inaccessible places. The unit releases when the applied torque reaches the proper level.

- Nonconductive Handle
- Releases When Tightened

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
NH6	28600	6" Nylon Screw Starter	1	12	0.050#	Ea
NH9	28610	9" Nylon Screw Starter	1	12	0.060#	Ea



High Speed Steel Drills & Sets PC 6350



- Industrial Quality
- M2 High Speed Steel
- Heavy Duty Jobber Length
- Fractional Sizes

- 3 Flats on Sizes 3/16" and Larger
- Black and Gold Finish
- Caution! Always Wear Eye Protection

High speed drills are rolled forged and have a 135° split point. They are suitable for steel, steel forging, cast iron and other work materials.

CAT NO	UPC	SIZE	DECIMAL	LENGTH	STD	MSTR	WT/STD	UNIT
High Speed Drills / Heavy Duty Jobber								
HS4	29304	1/16"	.0625	1-7/8"	12	12	.030#	Ea
HS5	29305	5/64"	.0781	2"	12	12	.040#	Ea
HS6	29306	3/32"	.0938	2-1/4"	12	12	.050#	Ea
HS7	29307	7/64"	.1094	2-5/8"	12	12	.070#	Ea
HS8	29308	1/8"	.1250	2-3/4"	12	12	.090#	Ea
HS9	29309	9/64"	.1406	2-7/8"	12	12	.110#	Ea
HS10	29310	5/32"	.1562	3-1/8"	12	12	.140#	Ea
HS11	29311	11/64"	.1719	3-1/4"	12	12	.190#	Ea
HS12	29312	3/16"	.1875	3-1/2"	12	12	.240#	Ea
HS13	29313	13/64"	.2031	3-5/8"	12	12	.270#	Ea
HS14	29314	7/32"	.2188	3-3/4"	12	12	.320#	Ea
HS15	29315	15/64"	.2344	3-7/8"	12	12	.370#	Ea
HS16	29316	1/4"	.2500	4"	12	12	.440#	Ea
HS17	29317	17/64"	.2656	4-1/8"	12	12	.740#	Ea
HS18	29318	9/32"	.2812	4-1/4"	12	12	.570#	Ea
HS19	29319	19/64"	.2969	4-3/8"	12	12	.630#	Ea
HS20	29320	5/16"	.3125	4-1/2"	12	12	.740#	Ea
HS21	29321	21/64"	.3281	4-5/8"	6	6	.440#	Ea
HS22	29322	11/32"	.3438	4-3/4"	6	6	.510#	Ea
HS23	29323	23/64"	.3594	4-7/8"	6	6	.530#	Ea
HS24	29324	3/8"	.3750	5"	6	6	.640#	Ea
HS25	29325	25/64"	.3906	5-1/8"	6	6	.660#	Ea
HS26	29326	13/32"	.4062	5-1/4"	6	6	.690#	Ea
HS27	29327	27/64"	.4219	5-3/8"	6	6	.820#	Ea
HS28	29328	7/16"	.4375	5-1/2"	6	6	.890#	Ea
HS29	29329	29/64"	.4531	5-5/8"	6	6	.930#	Ea
HS30	29330	15/32"	.4688	5-3/4"	6	6	1.000#	Ea
HS31	29331	31/64"	.4844	5-7/8"	6	6	1.090#	Ea
HS32	29332	1/2"	.5000	6"	6	6	1.150#	Ea

High Speed Drill Bit Merchandiser (252D)

Our attractive counter top High Speed Drill Merchandiser has been one of the most popular selling tools in our distributors showrooms for many years. When fully stocked our display offers a wide assortment of the most popular high speed drills to satisfy the needs of every contractor. The clear acrylic lockable lid allows for easy viewing of the product with out the concern of shrinkage.

252D



High Speed Steel Drill Sets PC 6330

- Industrial Quality
- M2 High Speed Steel
- Heavy Duty Jobber Length
- Fractional Sizes

- 3 Flats on Sizes 3/16" and Larger
- Black and Gold Finish
- Caution! Always Wear Eye Protection

High speed drills are rolled forged and have a 135° split point. They are suitable for steel, steel forging, cast iron and other work materials.



CAT NO	UPC	DESCRIPTION	SIZES	STD	MSTR	WT/STD	UNIT
M213	66500	13 pc. set	1/16"-1/4" x 64th	1	10	0.710#	Ea
M221	66550	21 pc. set	1/16"-3/8" x 64th	1	10	1.580#	Ea
M229	29850	29 pc. set	1/16"-1/2" x 64th	1	10	3.100#	Ea

Dial-A-Drill PC 6340

- Industrial Quality
- M2 High Speed Steel

- Jobber Length
- Fractional Sizes

- Caution! Always Wear Eye Protection



CAT NO	UPC	DESCRIPTION	SIZES	STD	MSTR	WT/STD	UNIT
DB13K	67510	13 pc. set	1/16"-1/4" x 64th	1	10	0.320#	Ea

See new products at Ihdottie.com



TOOLS & SPECIALTY ITEMS > HIGH SPEED DRILLS & SETS > DIAL-A-DRILL



Carbide Tip Masonry Drill Bits PC 6320

Masonry drills have tungsten carbide tips and are suitable for brick, concrete, tile, slate and cinder block.

- Tungsten Carbide
- Tempered Body For Long Life
- Slow Spiral
- Suitable For Rotary or Percussion
- Black Oxide Coated
- One Per Display Pouch
- Caution! Always Wear Eye Protection

CAT NO	UPC	SIZE	SHANK	STD	MSTR	WT/STD	UNIT
MD1	30205	3/16 x 4"	3/16"	1	10	0.030#	Ea
MD2	30210	1/4 x 4"	1/4"	1	10	0.040#	Ea
MD2L	30300	1/4 x 6"	1/4"	1	5	0.070#	Ea
MD2XL	30302	1/4 x 12"	1/4"	1	5	0.150#	Ea
MD3	30215	5/16 x 4"	1/4"	1	10	0.060#	Ea
MD4	30220	3/8 x 4"	1/4"	1	10	0.070#	Ea
MD4L	30304	3/8 x 6"	1/4"	1	5	0.130#	Ea
MD4XL	30306	3/8 x 12"	3/8"	1	5	0.290#	Ea
MD5	30225	7/16 x 4"	1/4"	1	5	0.100#	Ea
MD6	30230	1/2 x 4"	1/4"	1	5	0.110#	Ea
MD6L	30308	1/2 x 6"	1/4"	1	5	0.210#	Ea
MD6XL	30310	1/2 x 12"	3/8"	1	5	0.450#	Ea
MD7L	30312	5/8 x 6"	3/8"	1	5	0.290#	Ea
MD7XL	30314	5/8 x 12"	3/8"	1	1	0.580#	Ea
MD8L	30316	3/4 x 6"	1/2"	1	1	0.440#	Ea
MD8XL	30318	3/4 x 12"	1/2"	1	1	0.920#	Ea
MD9L	30320	7/8 x 6"	1/2"	1	1	0.560#	Ea
MD10L	30322	1 x 6"	1/2"	1	1	0.710#	Ea



SDS 4 Plus Rotary Hammer Drill Bits PC 4580

This fast, tough carbide tip provides long life, easy centering, and fast drilling through all aggregates, concrete, masonry, brick, stone and even rebar! A dynamic chisel-shaped drill head ensures swift penetration and feeds the debris simultaneously to the flute section. The 3 fluted, spacious KVS-spiral removes the debris rapidly from the bore hole, saving the operator both time and money.

- Cuts Through Rebar
- Easy Centering
- Special Flute Design
- Conforms To ANSI Standards
- Special Tungsten Carbide Tip
- Caution! Always Wear Eye Protection

CAT NO	UPC	SIZE	DRILLING DEPTH	STD	MSTR	WT/STD	UNIT
SDS36412	12200	3/16 x 4-1/2"	2"	1	6	0.082#	Ea
SDS36614	12201	3/16 x 6-1/4"	4"	1	6	0.088#	Ea
SDS36814	12202	3/16 x 8-1/4"	6"	1	6	0.100#	Ea
SDS3610	12203	3/16 x 10"	8"	1	6	0.130#	Ea
SDS3612	12204	3/16 x 12"	10"	1	6	0.150#	Ea
SDS732412	12205	7/32 x 4-1/2"	2"	1	6	0.100#	Ea
SDS732614	12206	7/32 x 6-1/4"	4"	1	6	0.120#	Ea
SDS732814	12207	7/32 x 8-1/4"	6"	1	6	0.130#	Ea
SDS14412	12208	1/4 x 4-1/2"	2"	1	6	0.100#	Ea
SDS14614	12209	1/4 x 6-1/4"	4"	1	6	0.106#	Ea
SDS14814	12210	1/4 x 8-1/4"	6"	1	6	0.136#	Ea
SDS1411	12211	1/4 x 11"	9"	1	6	0.160#	Ea
SDS1414	12212	1/4 x 14"	12"	1	6	0.190#	Ea
SDS516614	12213	5/16 x 6-1/4"	4"	1	6	0.126#	Ea
SDS516814	12214	5/16 x 8-1/4"	6"	1	6	0.150#	Ea
SDS38614	12215	3/8 x 6-1/4"	4"	1	6	0.156#	Ea
SDS38814	12216	3/8 x 8-1/4"	6"	1	6	0.192#	Ea
SDS381014	12217	3/8 x 10-1/4"	8"	1	6	0.230#	Ea
SDS381214	12218	3/8 x 12-1/4"	10"	1	6	0.294#	Ea
SDS3818	12219	3/8 x 18"	16"	1	6	0.500#	Ea
SDS12614	12220	1/2 x 6-1/4"	4"	1	6	0.194#	Ea
SDS121014	12221	1/2 x 10-1/4"	8"	1	6	0.276#	Ea
SDS121214	12222	1/2 x 12-1/4"	10"	1	6	0.406#	Ea
SDS1218	12223	1/2 x 18"	16"	1	6	0.700#	Ea
SDS58614	12224	5/8 x 6-1/4"	4"	1	6	0.220#	Ea
SDS588	12225	5/8 x 8"	6"	1	6	0.280#	Ea
SDS5812	12226	5/8 x 12"	10"	1	6	0.500#	Ea
SDS5818	12227	5/8 x 18"	16"	1	6	0.800#	Ea
SDS349	12228	3/4 x 9"	6"	1	6	0.466#	Ea
SDS789	12229	7/8 x 9"	6"	1	6	0.540#	Ea



Ship Augers PC 6290



- Heat Treated For Long Life
- Self Feeding Screw Point
- 7/16" Hex Shank
- Packed In Display Pouch
- 2 Recesses Provided for Extensions
- Caution! Always Wear Eye Protection

Ship augers are versatile, high quality drills with a self feed screw point for fast, effortless boring and quick chip removal. Designed for drilling through clean lumber or wood where small nails may be encountered.

CAT NO	UPC	SIZE	STD	MSTR	WT/STD	UNIT
609	14609	9/16"	1	6	0.290#	Ea
610	14610	5/8"	1	6	0.340#	Ea
612	14612	3/4"	1	6	0.390#	Ea
613	14613	13/16"	1	6	0.490#	Ea
614	14614	7/8"	1	6	0.490#	Ea
615	14615	15/16"	1	6	0.510#	Ea
616	14616	1"	1	6	0.570#	Ea
618	14618	1-1/8"	1	6	0.690#	Ea
620	14620	1-1/4"	1	6	0.800#	Ea
622	14622	1-3/8"	1	6	0.900#	Ea
624	14624	1-1/2"	1	6	1.010#	Ea
<hr/>						
1809	21809	9/16"	1	6	0.750#	Ea
1810	21810	5/8"	1	6	0.810#	Ea
1812	21812	3/4"	1	6	0.990#	Ea
1813	21813	13/16"	1	6	1.170#	Ea
1814	21814	7/8"	1	6	1.170#	Ea
1815	21815	15/16"	1	6	1.210#	Ea
1816	21816	1"	1	6	1.400#	Ea
1818	21818	1-1/8"	1	6	1.660#	Ea
1820	21820	1-1/4"	1	6	2.050#	Ea
1822	21822	1-3/8"	1	6	2.280#	Ea
1824	21824	1-1/2"	1	6	2.610#	Ea

Ship Auger & Speed D Feed Extensions PC 6310



- Forged From High Grade Steel
- Accommodates 7/16" Diameter Shanks
- Add 5-1/2" to 24" In Length
- Heavy Duty Double Set Screw Lock

Extensions are used where additional reach is required.

CAT NO	UPC	LENGTH	SHANK DIA	STD	MSTR	WT/STD	UNIT
X5	21955	5-1/2"	7/16"	1	6	0.500#	Ea
X9	22009	9"	7/16"	1	6	0.690#	Ea
X12	21956	12"	7/16"	1	6	0.950#	Ea
X18	22018	18"	7/16"	1	6	1.200#	Ea
X24	22024	24"	7/16"	1	6	1.460#	Ea

Auger Bit File PC 6291



- Professional Grade
- Caution! Always Wear Eye Protection

Specially designed to sharpen auger bits for longer cutting life.

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
AF7	11630	7" Auger Bit File	1	6	0.040#	Ea



Spade Drill Bits PC 6270

Spade drills are used for boring hardwoods, softwood, plywood and drywall. Fully heat treated to extend bit life and individually stamped with size.

- Cold Forged
- Machine Finish Cutting Groove
- Rust Protection
- Wing Tip Design
- Precision Ground Hex Shank
- Caution! Always Wear Eye Protection

CAT NO	UPC	SIZE	LENGTH	STD	MSTR	WT/STD	UNIT
Packed in a Hanging Pouch							
SPD14	21700	1/4"	6"	1	6	0.060#	Ea
SPD516	21702	5/16"	6"	1	6	0.100#	Ea
SPD38	21704	3/8"	6"	1	6	0.100#	Ea
SPD716	21706	7/16"	6"	1	6	0.100#	Ea
SPD12	21708	1/2"	6"	1	6	0.100#	Ea
SPD916	21710	9/16"	6"	1	6	0.100#	Ea
SPD58	21712	5/8"	6"	1	6	0.100#	Ea
SPD1116	21714	11/16"	6"	1	6	0.110#	Ea
SPD34	21716	3/4"	6"	1	6	0.110#	Ea
SPD1316	21718	13/16"	6"	1	6	0.100#	Ea
SPD78	21720	7/8"	6"	1	6	0.110#	Ea
SPD1516	21722	15/16"	6"	1	6	0.120#	Ea
SPD1	21724	1"	6"	1	6	0.110#	Ea
SPD118	21726	1-1/8"	6"	1	6	0.130#	Ea
SPD114	21728	1-1/4"	6"	1	6	0.130#	Ea
SPD138	21730	1-3/8"	6"	1	6	0.140#	Ea
SPD112	21732	1-1/2"	6"	1	6	0.150#	Ea



Bell Hanger Drills PC 6280


Bell hanger drills are used to drill and fish small gauge wires. After drilling through the stud or header, a wire is attached to the fish hole in the flute and the drill is retracted, pulling the wire through. Bell hangers are available in a variety of diameters and lengths and are suitable for telephone installations, security and cable applications.

- Fish Hole In Flute For Pulling Wire
- Tapered For Quick Chip Clearance
- One Per Display Pouch
- Aggressive Point For Fast Drilling In Wood & Metal
- Caution! Always Wear Eye Protection

CAT NO	UPC	SIZE	LENGTH	STD	MSTR	WT/STD	UNIT
Packed in a Hanging Pouch							
BLH3612	21750	3/16"	12"	1	6	0.110#	Ea
BLH1412	21752	1/4"	12"	1	6	0.170#	Ea
BLH5612	21754	5/16"	12"	1	6	0.250#	Ea
BLH3812	21756	3/8"	12"	1	6	0.340#	Ea
BLH1212	21758	1/2"	12"	1	6	0.540#	Ea
BLH1418	21760	1/4"	18"	1	6	0.260#	Ea
BLH5618	21762	5/16"	18"	1	6	0.390#	Ea
BLH3818	21764	3/8"	18"	1	6	0.550#	Ea
BLH1218	21766	1/2"	18"	1	6	0.870#	Ea
BLH1424	21770	1/4"	24"	1	6	0.350#	Ea
BLH5624	21772	5/16"	24"	1	6	0.530#	Ea
BLH3824	21774	3/8"	24"	1	6	0.750#	Ea
BLH1224	21776	1/2"	24"	1	6	1.220#	Ea
BLH1430	21778	1/4"	30"	1	6	0.380#	Ea
BLH3830	21780	3/8"	30"	1	6	0.880#	Ea
BLH1442	21782	1/4"	42"	1	6	0.610#	Ea
BLH3842	21784	3/8"	42"	1	6	1.310#	Ea

TECH TALK

Electrician's Flex-A-Bits are specifically designed to facilitate fishing wires and cables through walls and ceilings. A self feeding screw point is permanently brazed to flexible shafts.



Speed D Feed Bits PC 6355



- Fast Heavy Duty Power Boring
- Tapered Back For Easy Back Out
- Universal 7/16" Shank, 5" OA Length
- Replaceable Double Ended Self Feeding Point

- Open Design For No Clog Fast Chip Removal
- Precision Angled Surface For Smoother Cuts
- Caution! Always Wear Eye Protection

Speed D Feed multi-spur wood boring bits are ideal for boring large holes quickly - from 1" through 4-5/8". This bit is especially suited to electricians and plumbers.

CAT NO	UPC	SIZE	STD	MSTR	WT/STD	UNIT
SDF100	21900	1"	1	6	0.438#	Ea
SDF118	21901	1-1/8"	1	6	0.469#	Ea
SDF114	21902	1-1/4"	1	6	0.500#	Ea
SDF138	21903	1-3/8"	1	6	0.500#	Ea
SDF112	21904	1-1/2"	1	6	0.563#	Ea
SDF134	21905	1-3/4"	1	6	0.625#	Ea
SDF200	21906	2"	1	6	0.719#	Ea
SDF218	21907	2-1/8"	1	6	0.813#	Ea
SDF214	21908	2-1/4"	1	6	0.938#	Ea
SDF2916	21909	2-9/16"	1	6	1.063#	Ea
SDF300	21910	3"	1	6	1.500#	Ea
SDF358	21911	3-5/8"	1	6	2.000#	Ea
SDF458	21912	4-5/8"	1	6	3.500#	Ea

Replacement Screw Points

SDF14S	21913	1/4 x 2-1/2" (For 1" thru 2-9/16")	1	6	0.01#	Ea
SDF14L	21914	1/4 x 2-3/4" (For 3" thru 4-5/8")	1	6	0.01#	Ea

Flex-A-Bit PC 6360



- Self Feeding Point
- Flexible Spring Steel Shaft
- Display Pack
- Caution! Always Wear Eye Protection

Flex A Bits are used to drill within walls and are able to reach normally inaccessible areas through a small opening. After (drilling) through a stud or header, a wire is attached to the fish hole in the flute and the drill is retracted pulling the wire through. The FG357 Flex A Guide tool aids in positioning the bit.

CAT NO	UPC	SIZE	STD	MSTR	WT/STD	UNIT
FB3854	37000	3/8 x 54"	1	6	0.500#	Ea
FB3872	37005	3/8 x 72"	1	6	0.640#	Ea
FB5054	37010	1/2 x 54"	1	6	0.530#	Ea
FB5072	37015	1/2 x 72"	1	6	0.680#	Ea
FB9654	37030	9/16 x 54"	1	6	0.540#	Ea
FB9672	37035	9/16 x 72"	1	6	0.680#	Ea
FB7554	37020	3/4 x 54"	1	6	0.950#	Ea
FB7572	37025	3/4 x 72"	1	6	1.220#	Ea

Flex-A-Bit Tool

FG357	37040	All	1	6	0.450#	Ea
-------	-------	-----	---	---	--------	----



Pilot Drills & Accessories PC 6390



- 1/4" High Speed Drill Pilot
- Split Point Design
- Caution! Always Wear Eye Protection

Pilot drills are available with three flats or three notches. Set screws secure drill in arbor.

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
VPD4	28540	4-1/2 x 1/4" Pilot Drill, Shank Ground 3 Sides	1	10	0.050#	Ea
VPD4N	28545	4-1/2 x 1/4" Pilot Drill, 3 Notches for Set Screw	1	10	0.050#	Ea
VPD4S	28550	3-1/16" Pilot Drill for V24K, V34, & V35P Arbors	1	10	0.050#	Ea
VE121	28555	12" Extension for 7/16" Arbors	1	1	0.800#	Ea
V44N	28560	Adapter Nut- Adapts Arbor with 1/2-20 threads to fit Hole Saw with 5/8-18 Threads	1	1	0.650#	Ea

See new products at Ihdottie.com

Dottie





Hole Saws PC 6380

Variable pitch hole saws are bi-metal construction with an M3 HSS cutting edge which is laser welded to a spring steel back. They will cut to depths of 1-3/8" and will outlast carbon steel hole saws, while the tooth design resists shock and strippage. The saws accept standard arbors and will cut stainless steel, iron, pipe, wood and plastic.

- Bi Metal
- M3 Steel RC65-66
- Shatterproof
- 4/6 Variable Pitch
- Powder Coated
- Accepts Standard Arbors
- Caution! Always Wear Eye Protection

CAT NO	UPC	DIAMETER	USE ARBOR	PIPE SIZE				WT/STD	UNIT
				TAP	ENTR.	STD	MSTR		
VP09	28400	9/16"	V24K, V34, V44			1	10	0.080#	Ea
VP10	28402	5/8"	V24K, V34, V44			1	10	0.090#	Ea
VP11	28404	11/16"	V24K, V34, V44			1	10	0.090#	Ea
VP12	28406	3/4"	V24K, V34, V44		3/8"	1	10	0.090#	Ea
VP13	28408	13/16"	V24K, V34, V44			1	10	0.110#	Ea
VP14	28410	7/8"	V24K, V34, V44	3/4"	1/2"	1	10	0.110#	Ea
VP15	28412	15/16"	V24K, V34, V44			1	10	0.130#	Ea
VP16	28414	1"	V24K, V34, V44			1	10	0.140#	Ea
VP18	28416	1-1/8"	V24K, V34, V44	1"	3/4"	1	10	0.190#	Ea
VP19	28418	1-3/16"	V24K, V34, V44			1	10	0.200#	Ea
VP20	28420	1-1/4"	V35P, V45P			1	10	0.200#	Ea
VP21	28422	1-5/16"	V35P, V45P			1	10	0.210#	Ea
VP22	28424	1-3/8"	V35P, V45P		1"	1	10	0.240#	Ea
VP24	28426	1-1/2"	V35P, V45P			1	10	0.280#	Ea
VP26	28428	1-5/8"	V35P, V45P			1	10	0.340#	Ea
VP28	28430	1-3/4"	V35P, V45P	1-1/2"	1-1/4"	1	10	0.230#	Ea
VP30	28432	1-7/8"	V35P, V45P			1	10	0.270#	Ea
VP32	28434	2"	V35P, V45P		1-1/2"	1	10	0.290#	Ea
VP34	28436	2-1/8"	V35P, V45P			1	10	0.330#	Ea
VP36	28438	2-1/4"	V35P, V45P	2"		1	10	0.360#	Ea
VP37	28440	2-5/16"	V35P, V45P			1	10	0.330#	Ea
VP38	28442	2-3/8"	V35P, V45P			1	10	0.330#	Ea
VP40	28444	2-1/2"	V45P		2"	1	10	0.450#	Ea
VP41	28446	2-9/16"	V45P			1	10	0.450#	Ea
VP48	28448	3"	V45P		2-1/2"	1	10	0.600#	Ea
VP56	28450	3-1/2"	V45P			1	10	0.620#	Ea
VP58	28452	3-5/8"	V45P		3"	1	10	0.660#	Ea
VP64	28454	4"	V45P			1	10	0.810#	Ea
VP66	28456	4-1/8"	V45P		3-1/2"	1	10	0.850#	Ea
VP70	28458	4-3/8"	V45P			1	10	0.910#	Ea
VP72	28460	4-1/2"	V45P			1	10	0.960#	Ea
VP76	28462	4-3/4"	V45P		4"	1	10	1.030#	Ea
VP80	28464	5"	V45P			1	10	1.140#	Ea
VP88	28466	5-1/2"	V45P			1	10	1.300#	Ea
VP96	28468	6"	V45P			1	10	1.530#	Ea



Arbors PC 6390

Arbors are supplied with pilot drills. Check Hole Saw to determine proper arbor.

- Interchangeable With Other Brands
- Includes Replaceable High Speed Pilot Drill
- Caution! Always Wear Eye Protection

CAT NO	UPC	SHANK	THREAD SIZE	DRILL SIZE	DRILL NUMBER	SIZE	CHUCK FITS	STD	MSTR	WT/STD	UNIT
V24K	28500	1/4" Round	1/2-20	1/4"	VPD4	1/4"	9/16" - 1-1/8"	1	1	0.130#	Ea
V34	28505	3/8" Hex	1/2-20	1/4"	VDP4S	3/8"	9/16" - 1-1/8"	1	1	0.150#	Ea
V35P	28510	3/8" Hex	5/8-18	1/4"	VPD4S	3/8"	1-1/4" - 6"	1	1	0.360#	Ea
V44	28515	7/16" Hex	1/2-20	1/4"	VPD4	1/2"	9/16" - 1-1/8"	1	1	0.160#	Ea
V45P	28525	7/16" Hex	5/8-18	1/4"	VPD4	1/2"	1-1/4" - 6"	1	1	0.500#	Ea



Hole Saw Kits PC 6400



- Packed In Molded Cases
- Variable Pitch
- Bi-Metal Blades

- Caution! Always Wear Eye Protection

Hole saw kits are supplied with the most popular sizes for the electrician and plumber. The VP100 contains 9 popular electrical and plumbing saws, while the VP02E & VP08 are for the electrical conduit sizes. These kits contain the necessary arbors for all the hole saws.

CAT NO	UPC	HOLE SAWS	ARBORS	STD	MSTR	WT/STD	UNIT
--------	-----	-----------	--------	-----	------	--------	------

Electrician's Hole Saw Kit (Contains 6 Electrical Conduit Sizes 1/2" - 2")

VP02E	28470	VP14 7/8" VP18 1-1/8" VP22 1-3/8" VP28 1-3/4" VP32 2"	VP40 2-1/2"	V44 V45P	1	1	2.700#	Ea
-------	-------	---	-------------	-------------	---	---	--------	----



Maintenance Hole Saw Kit (Contains 9 Plumbing and Electrical Conduit Sizes 3/8" - 2")

VP100	28472	VP12 3/4" VP14 7/8" VP18 1-1/8" VP22 1-3/8"	VP24 1-1/2" VP28 1-3/4" VP32 2" VP36 2-1/4" VP40 2-1/2"	V24K V44 V45P VE121 Extension	1	1	4.820#	Ea
-------	-------	--	---	-------------------------------------	---	---	--------	----



Master Electrician's Hole Saw Kit (Contains 10 Electrical Conduit Sizes 1/2" - 4")

VP08	28474	VP14 7/8" VP18 1-1/8" VP22 1-3/8" VP28 1-3/4" VP32 2"	VP40 2-1/2" VP48 3" VP58 3-5/8" VP66 4-1/8" VP72 4-1/2"	V24K V44 V45P VE121 Extension	1	1	7.800#	Ea
------	-------	---	---	-------------------------------------	---	---	--------	----



Kan-Cut Saws & Kits PC 6440




- Solid One Piece Construction
- Continuous Carbide Grit Edge

- Safer To Use
- New 5" Size
- Caution! Always Wear Eye Protection

Kan Cut saws effectively cut through stucco, lath and plaster or two sheets of 5/8" drywall in one pass to a depth of two inches. Fits most major brands Halo, Capri, Marco, Juno, Prescolite, Progress, Lithonia, Lightolier and others. Arbor not included use V45P.

CAT NO	UPC	SIZE	STD	MSTR	WT/STD	UNIT
--------	-----	------	-----	------	--------	------


Kan-Cut Fixture Saws

358C	15960		3-5/8"	1	1	0.880#	Ea
425C	15962		4-1/4"	1	1	1.060#	Ea
438C	15975		4-3/8"	1	1	1.080#	Ea
550C	81781		5-1/2"	1	1	1.500#	Ea
638C	15980		6-3/8"	1	1	1.990#	Ea
658C	15985		6-5/8"	1	1	2.050#	Ea
678C	15990		6-7/8"	1	1	2.070#	Ea

V45P	28525	Arbor	1	1	0.500#	Ea
------	-------	-------	---	---	--------	----

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
--------	-----	-------------	-----	------	--------	------

Kan-Cut Hole Saw Kits

KC100	17175		One Ea: 638C Kan Cut, V45P Arbor & KC case	1	1	3.830#	Ea
KC200	17180		One Ea: 425C, 638C Kan Cut, V45P Arbor & KC case	1	1	4.280#	Ea

Caution: Always wear eye protection. Penetrate the material at 90°. Hole saws may have a tendency to grab, causing injury. **Do Not Exceed 800 RPM.**

TOOLS & SPECIALTY ITEMS > HOLE SAW KITS > KAN-CUT SAWS & KITS