

Renewal Parts

Note: For a complete listing of parts, refer to the Renewal Parts Publication Number referenced below.

Table 33-146. For Catalog Numbers AN16, AN30, AN40, AN56, AN70, AN80, AN800, CN15, CN35 ② and CN55 Contactors and Starters

Description	NEMA Size 00-0	Price U.S. \$	NEMA Size 00		Price U.S. \$	NEMA Size 0		Price U.S. \$
	Series A1		Series B1	Series C1		Series B1	Series C1	
	Part No.		Part No.	Part No.		Part No.		
Renewal Parts Publication Number	None		None	None		None	None	

Contact Kits

2-Pole	①		①	①		①	①	
3-Pole	①		①	①		①	①	
4-Pole	①		①	①		①	①	
5-Pole	①		①	①		①	①	

Magnet Coils

Coil Suffix

120V 60 Hz or 110V 50 Hz..	A	9-2650-1		9-2875-1	9-2875-1		9-2876-1	9-2876-1	
240V 60 Hz or 220V 50 Hz..	B	9-2650-2		9-2875-2	9-2875-2		9-2876-2	9-2876-2	
480V 60 Hz or 440V 50 Hz..	C	9-2650-3		9-2875-3	9-2875-3		9-2876-3	9-2876-3	
600V 60 Hz or 550V 50 Hz..	D	—		9-2875-4	9-2875-4		9-2876-4	9-2876-4	
208V 60 Hz	E	9-2650-5		9-2875-5	9-2875-5		9-2826-5	9-2876-5	
277V 60 Hz	H	9-2650-13		9-2875-12	9-2875-12		9-2826-12	9-2876-12	
208/240V 60Hz	J	—		9-2875-37	9-2875-37		9-2826-17	9-2876-17	
240V 50Hz.	K	—		9-2875-11	9-2875-11		9-2826-11	9-2876-11	
380 – 415V 50 Hz	L	9-2650-6		9-2875-6	9-2875-6		9-2826-6	9-2876-6	
380V 50 Hz	L	—		—	—		—	—	
415V 50 Hz	M	—		—	—		—	—	
550V 50 Hz	N	—		—	—		—	—	
24V 60 Hz – 24V 50 Hz.	T	—		9-2875-36	9-2875-36		9-2876-36	9-2876-36	
24V 60 Hz	T	9-2650-7		—	—		—	—	
24V 50 Hz	U	9-2650-14		9-2875-36	9-2875-36		9-2876-36	9-2876-36	
32V 50 Hz	V	—		9-2875-16	9-2875-16		9-2876-16	9-2876-16	
48V 60 Hz	W	—		9-2875-8	9-2875-8		9-2876-8	9-2876-8	
48V 50 Hz	Y	—		9-2875-9	9-2875-9		9-2876-9	9-2876-9	

Magnet Frame Armature

Lower Magnet Frame	①		①	①		①	①	
Upper Magnet Frame	①		①	①		①	①	

Description	NEMA Size 1		Price U.S. \$	NEMA Size 2		Price U.S. \$	NEMA Size 3	Price U.S. \$
	Series A1	Series B1		Series A1	Series B1		Part No.	
	Part No.	Part No.		Part No.	Part No.		Part No.	
Renewal Parts Publication Number	20861	22177		20861	22177		20426	

Contact Kits

2-Pole	6-65	6-65		6-65-7	6-65-7		6-43-5	
3-Pole	6-65-2	6-65-2		6-65-8	6-65-8		6-43-6	
4-Pole	6-65-9	6-65-9		6-65-15	6-65-15		—	
5-Pole	6-65-10	6-65-10		6-65-16	6-65-16		—	

Magnet Coils

Coil Suffix

120V 60 Hz or 110V 50 Hz..	A	9-2703-1	9-2703-1		9-2703-1	9-2703-1		9-2756-1	
240V 60 Hz or 220V 50 Hz..	B	9-2703-2	9-2703-2		9-2703-2	9-2703-2		9-2756-2	
480V 60 Hz or 440V 50 Hz..	C	9-2703-3	9-2703-3		9-2703-3	9-2703-3		9-2756-3	
600V 60 Hz or 550V 50 Hz..	D	9-2703-4	9-2703-4		9-2703-4	9-2703-4		9-2756-4	
208V 60 Hz	E	9-2703-9	9-2703-9		9-2703-9	9-2703-9		9-2756-5	
277V 60 Hz	H	9-2703-7	9-2703-7		9-2703-7	9-2703-7		9-2756-9	
208/240V 60Hz	J	—	—		—	—		—	
240V 50Hz.	K	9-2703-14	9-2703-14		9-2703-14	9-2703-14		9-2756-13	
380 – 415V 50 Hz	L	9-2703-8	9-2703-8		9-2703-8	9-2703-8		—	
380V 50 Hz	L	—	—		—	—		9-2756-12	
415V 50 Hz	M	—	—		—	—		9-2756-8	
550V 50 Hz	N	—	—		—	—		9-2756-14	
24V 60 Hz – 24V 50 Hz.	T	—	—		—	—		—	
24V 60 Hz	T	9-2703-6	9-2703-6		9-2703-6	9-2703-6		9-2756-6	
24V 50 Hz	U	9-2703-12	9-2703-12		9-2703-12	9-2703-12		9-2756-11	
32V 50 Hz	V	9-2703-10	9-2703-10		9-2703-10	9-2703-10		9-2756-10	
48V 60 Hz	W	9-2703-11	9-2703-11		9-2703-11	9-2703-11		9-2756-15	
48V 50 Hz	Y	9-2703-13	9-2703-13		9-2703-13	9-2703-13		9-2756-7	

Magnet Frame Armature

Lower Magnet Frame	17-18200	17-18200		17-18200	17-18200		17-8955-2	
Upper Magnet Frame	48-1936	48-1936		48-1936	48-1936		48-1902	

① Replace with complete contactor.

② CN35A = Size 00, CN35B and CN35D = Size 0, CN35G = Size 2, CN35K = Size 3, CN35N = Size 4, and CN35S = Size 5.

Discount Symbol **1CD1C**

Renewal Parts

Note: For a complete listing of parts, refer to the Renewal Parts Publication Number referenced below.

Table 33-146. For Catalog Numbers AN16, AN30, AN40, AN56, AN70, AN80, AN800, CN15, CN35 ① and CN55 Contactors and Starters (Continued)

Description	NEMA Size 4			NEMA Size 5			NEMA Size 6			
	Series A1	Series B1	Price U.S. \$	Series A1	Series B1	Price U.S. \$	Contactor & Starter Series A1, Starter Series B1	Price U.S. \$	Contactor & Starter Series B1, Starter Series C1	Price U.S. \$
	Part No.	Part No.		Part No.	Part No.		Part No.		Part No.	
Renewal Parts Publication Number	20428	20428		20429	20429		20146		23349	

Contact Kits

2-Pole 3-Pole	6-44 6-44-2	6-26 6-26-2		6-45 6-45-2	6-45 6-45-2		6-601-2 6-601		— 6-648	
------------------	----------------	----------------	--	----------------	----------------	--	------------------	--	------------	--

Magnet Coils

Coil Suffix

120V 60 Hz or 110V 50 Hz.....	A	9-1891-1	9-1891-1		9-1891-1	9-1891-1		9-2698		9-3006
240V 60 Hz or 220V 50 Hz.....	B	9-1891-2	9-1891-2		9-1891-2	9-1891-2		9-2698-2		9-3006-2
480V 60 Hz or 440V 50 Hz.....	C	9-1891-3	9-1891-3		9-1891-3	9-1891-3		9-2698-3		9-3006-3
600V 60 Hz or 550V 50 Hz.....	D	9-1891-4	9-1891-4		9-1891-4	9-1891-4		9-2698-4		9-3006-4
208V 60 Hz.....	E	9-1891-13	9-1891-13		9-1891-13	9-1891-13		9-2698-5		—
277V 60 Hz.....	H	9-1891-26	9-1891-26		9-1891-26	9-1891-26		—		—
208/240V 60Hz.....	J	—	—		—	—		—		—
240V 50Hz.....	K	9-1891-20	9-1891-20		9-1891-20	9-1891-20		—		—
380 – 415V 50 Hz.....	L	—	—		—	—		9-2698-6		9-3006-7
380V 50 Hz.....	L	9-1891-14	9-1891-14		9-1891-14	9-1891-14		—		—
415V 50 Hz.....	M	9-1891-21	9-1891-21		9-1891-21	9-1891-21		—		—
550V 50 Hz.....	N	9-1891-8	9-1891-8		9-1891-8	9-1891-8		—		—
24V 60 Hz – 24V 50 Hz.....	T	—	—		—	—		—		9-3006-8
24V 60 Hz.....	T	9-1891-15	9-1891-15		9-1891-15	9-1891-15		—		—
24V 50 Hz.....	U	9-1891-16	9-1891-16		9-1891-16	9-1891-16		—		—
48V 60 Hz.....	W	—	—		—	—		9-2698-8		9-3006-9
48V 50 Hz.....	Y	9-1891-18	9-1891-18		9-1891-18	9-1891-18		—		—

Overload Relays

For replacement on existing starters 3-Pole — Ambient Compensated Bimetallic	10-6530-4	10-6530-4		C306DN3B	C306DN3B		C306DN3B		C306DN3B	
--	-----------	-----------	--	----------	----------	--	----------	--	----------	--

Current Transformer

	—	—		42-3564	42-3564		42-3598		42-3598	
--	---	---	--	---------	---------	--	---------	--	---------	--

Magnet Frame Armature ②

Lower Magnet Frame	48-1030-2	48-1030-2		48-1030-2	48-1030-2		—		—	
Upper Magnet Frame	48-1029-4	48-1029-4		48-1029-4	48-1029-4		—		—	

Feeder Group Renewal ③

Volts	Hertz	NEMA Size 4			NEMA Size 5			NEMA Size 6		
		Series A1	Series B1	Price U.S. \$	Series A1	Series B1	Price U.S. \$	Contactor & Starter Series A1, Starter Series B1	Price U.S. \$	Contactor & Starter Series B1, Starter Series C1
110 – 120	50/60	—	—		—	—		9-2705		9-3007
220 – 240	50/60	—	—		—	—		9-2705-2		9-3007-2
440 – 480	50/60	—	—		—	—		9-2705-3		9-3007-3
550 – 600	50/60	—	—		—	—		9-2705-4		9-3007-4
208	50/60	—	—		—	—		9-2705-5		9-3007-5
380 – 415	50/60	—	—		—	—		9-2705-6		9-3007-6
48 – 52	50/60	—	—		—	—		9-2705-8		9-3007-8

① CN35A = Size 00, CN35B and CN35D = Size 0, CN35G = Size 2, CN35K = Size 3, CN35N = Size 4, and CN35S = Size 5.
 ② Consult factory.
 ③ Voltage ratings of the main coils must match those of the feeder group for proper operation of the starter/contactors.

Note: For a complete listing of parts, refer to the Renewal Parts Publication Number referenced below.

Table 33-146. For Catalog Numbers AN16, AN30, AN40, AN56, AN70, AN80, AN800, CN15, CN35 ① and CN55 Contactors and Starters (Continued)

Description	NEMA Size 7		Price U.S. \$	NEMA Size 8		Price U.S. \$	
	Series A1	Series B1		Series A1	Series B1		
	Part No.	Part No.		Part No.	Part No.		
Renewal Parts Publication Number	20848	20848		20849	20849		
Contact Kits							
2-Pole	—	—		—	—		
3-Pole	6-613	6-613		6-571	6-571		
Magnet Coils							
	Coil Suffix						
120V 60 Hz or 110V 50 Hz	A	9-2698	9-2698	9-2654	9-2654		
240V 60 Hz or 220V 50 Hz	B	9-2698-2	9-2698-2	9-2654-2	9-2654-2		
480V 60 Hz or 440V 50 Hz	C	9-2698-3	9-2698-3	9-2654-3	9-2654-3		
600V 60 Hz or 550V 50 Hz	D	9-2698-4	9-2698-4	9-2654-4	9-2654-4		
208V 60 Hz	E	9-2698-5	9-2698-5	9-2654-6	9-2654-6		
277V 60 Hz	H	—	—	—	—		
208/240V 60Hz	J	—	—	—	—		
240V 50Hz	K	—	—	—	—		
380 – 415V 50 Hz	L	—	—	—	—		
380V 50 Hz	L	9-2698-6	9-2698-6	9-2654-5	9-2654-5		
415V 50 Hz	M	—	—	—	—		
550V 50 Hz	N	—	—	—	—		
24V 60 Hz – 24V 50 Hz	T	—	—	—	—		
24V 60 Hz	T	—	—	—	—		
24V 50 Hz	U	—	—	—	—		
32V 50 Hz	V	—	—	—	—		
48V 60 Hz	W	—	—	—	—		
48V 50 Hz	Y	—	—	—	—		
Overload Relays							
For replacement on existing starters							
3-Pole — Ambient Compensated Bimetallic	C306DN3B	C306DN3B		C306DN3B	C306DN3B		
Current Transformer							
	42-3598-2	42-3598-2		42-3598-3	42-3598-3		
Magnet Frame Armature ②							
Lower Magnet Frame	—	—		—	—		
Upper Magnet Frame	—	—		—	—		
Feeder Group Renewal ③							
Volts	Hertz	NEMA Size 7			NEMA Size 8		
		Series A1	Series B1	Price U.S. \$	Series A1	Series B1	Price U.S. \$
110 – 120	50/60	9-2705	9-2705		—	—	
220 – 240	50/60	9-2705-2	9-2705-2		—	—	
440 – 480	50/60	9-2705-3	9-2705-3		—	—	
550 – 600	50/60	9-2705-4	9-2705-4		—	—	
208	50/60	9-2705-5	9-2705-5		—	—	
380 – 415	50/60	9-2705-6	9-2705-6		—	—	
48 – 52	50/60	9-2705-8	9-2705-8		—	—	
120	50/60	—	—		9-2664	9-2664	
240	50/60	—	—		9-2664-2	9-2664-2	
480	50/60	—	—		9-2664-3	9-2664-3	
600	50/60	—	—		9-2664-4	9-2664-4	
380	50/60	—	—		9-2664-5	9-2664-5	
208	50/60	—	—		9-2664-6	9-2664-6	
415	50/60	—	—		9-2664-7	9-2664-7	
110	50/60	—	—		9-2664-8	9-2664-8	
220	50/60	—	—		9-2664-9	9-2664-9	
550	50/60	—	—		9-2664-10	9-2664-10	
440	50/60	—	—		9-2664-11	9-2664-11	

① CN35A = Size 00, CN35B and CN35D = Size 0, CN35G = Size 2, CN35K = Size 3, CN35N = Size 4, and CN35S = Size 5.

② Consult factory.

③ Voltage ratings of the main coils must match those of the feeder group for proper operation of the starter/contactors.