

# Rittal – The System.

Faster – better – everywhere.

## **TS 8 Floormount Enclosure – TS 8018.802**

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8 Floormount Enclosure – TS 8018.802 - TSFM717116NC

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Material:</b>	Enclosure frame: Carbon steel, 1.5 mm Roof: Carbon steel, 1.5 mm Door: Carbon steel, 2.0 mm Rear wall: carbon steel, 1.5 mm Mounting plate: Carbon steel, 3.0 mm
<b>Surface finish:</b>	Enclosure frame: Dipcoat-primed Door, roof and rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Mounting plate and base plates: Zinc-plated
<b>Color:</b>	RAL 7035
<b>Protection category IP to IEC 60 529:</b>	IP 55
<b>Protection category NEMA:</b>	NEMA 12
<b>Supply includes:</b>	Enclosure frame with door(s) Roof plate Rear panel, detachable 4 eyebolts Comfort handle (8611.200 lock) front and rear Base Plates Mounting plate 12 inch removable floor stands

## Product features

<b>Dimensions:</b>	Height: 1800 mm (71 ") Width: 1800 mm (71 ")
--------------------	---

Depth: 400 mm (16 ")

---

**Packaging unit:** 1 pc(s).

---

**Weight/packaging unit:** 250 kg (551.2 lb.)

---

**EAN:** 84368

---

## Approvals

---

**Approvals:** UL + C-UL

---