

Pass & Seymour<sup>®</sup>

# PlugTail<sup>®</sup>,<sub>ϕ</sub> Hospital Grade 15A Duplex GFCI, Red

## PT1595HGRED

From the innovator of the product category, comes a full range of Pass & Seymour GFCI receptacles to enhance safety, shorten installation times and increase productivity on the jobsite. Our PlugTail<sup>®</sup>,<sub>ϕ</sub> GFCI receptacles are the fastest-installing GFCI ever. Now you can beat tough deadlines on any commercial job.

Email Print PDF



**Find a Store**

**ADD TO WISH LIST**

### product gallery

Representative images shown.



AVAILABLE  
OPTIONS



[SPECIFICATIONS](#)

[RESOURCES](#)

## features & benefits

- .036 inch thick, brass, triple-wipe power contacts for lasting retention.
- Plated steel wrap strap design for maximum durability and corrosion resistance.
- No exposed terminals create a finger safe application before, during, and after installation.
- Built-in connector features large brass terminal blades to ensure consistent, reliable electrical connections.
- Crimped and welded contacts.
- Ultrasonically welded polycarbonate connector housing secures terminations and conductors in a UL Listed, finger safe housing.
- Large brass contacts snugly terminate on device blade terminals.
- Pre-stripped connector leads fasten to conductors, easier than standard pigtails.
- Auto-ground clip assures positive ground.
- 10kA short circuit rating.
- For covering patents, see [www.legrand.us/patents](http://www.legrand.us/patents)

### Top Resources

- [PlugTail Wiring Devices \(Brochure\)](#)
- [GFCI Receptacles \(Brochure\)](#)
- [PlugTail Hospital Grade GFCIs, SF721R2 \(Cutsheet\)](#)
- [PlugTail GFCI Receptacle \(Installation Instructions\)](#)
- [Installation et test dâ€™une prise DDFT PlugTail<sup>®</sup>,<sub>ϕ</sub> \(Installation Instructions\)](#)

## specifications

### GENERAL INFO

Color: Red  
Available Colors: White, ivory, light almond, red, brown, black, gray  
Product Series: PlugTail  
Type: PlugTail  
Special Features: Tamper Resistant  
Style: Decorator

### TECHNICAL INFORMATION

Amps: 15A  
NEMA Configuration Number: 5-20R  
NEMA Rating: Yes  
Volts: 125V  
Volts A C: 125  
Grade Type: Hospital

### DIMENSIONS


Depth (U S): 1.2"  
Height (U S): 4.2"  
Length (U S): 4.20"  
Width (U S): 1.72"  
Weight: 0.3457

### BUY AMERICAN ACT COMPLIANCE

Country of Origin: CHINA  
Buy American Act Status: No

## resources

### BROCHURE

-  PlugTail Wiring Devices [PDF \(4.36mb\)](#)
-  GFCI Receptacles [PDF \(6.72mb\)](#)

### INSTALLATION INSTRUCTIONS

-  PlugTail GFCI Receptacle [PDF \(204.75kb\)](#)
-  Installation et test d'une prise DDFT PlugTail,ç [PDF \(382.66kb\)](#)

### CUTSHEET

-  PlugTail Hospital Grade GFCIs, SF721R2 [PDF \(275.98kb\)](#)

### BIM MODELS

-  Receptacles [ZIP \(13.53mb\)](#)

### Our Brands



### Our Product Lines

[Cablofil](#) [Electrorack](#) [Nuvo](#) [On-Q](#) [Ortronics](#) [Pass & Seymour](#) [Quiktron](#) [Wiremold](#)

## CONTACT

## INFO

## ABOUT US

## HEAR FROM US

Contact  
Support  
Online Order FAQs  
Online Order Help  
Site Feedback

Resources & Downloads  
Catalogs & Brochures  
Service Center  
Terms of Use  
Privacy Policy  
Product Recalls

Legrand  
Press Room  
Careers  
Sustainability  
Suppliers & Partners  
Training

Your email



SHOP >

FIND A STORE >

MY WISHLIST >



designed to be better.™

© 2016 Legrand. All Rights Reserved. For more information, call 1.877.BY.LEGRAND (1.877.295.3472)