

PRODUCT-DETAILS

# PS3/57/25BP-C

## PS3/57/25BP-C - Busbar



### General Information

Extended Product Type	PS3/57/25BP-C
Product ID	2CDL230489R5725
EAN	4016779949965
Catalog Description	PS3/57/25BP-C - Busbar
Long Description	PS 3/57/25 BP-C Busbar 3Ph., 57Pins, 25qmm

### Ordering

E-Number (Finland)	3211291
EAN	4016779949965
Minimum Order Quantity	1 piece
Customs Tariff Number	85369010

### Dimensions

Product Net Width	19.3 mm
Product Net Height	59.2 mm
Product Net Length	1020 mm
Product Net Depth / Length	1020 mm
Product Net Weight	1.198 kg

---

**Container Information**


---

Package Level 1 Units	10 piece
Package Level 1 Width	103 mm
Package Level 1 Height	85 mm
Package Level 1 Depth / Length	1070 mm
Package Level 1 Gross Weight	12.2 kg
Package Level 1 EAN	4016779950121

---



---

**Environmental**


---

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

---



---

**Additional Information**


---

Accessory Type	Busbar
Color	Grey
Housing Material	Light grey, RAL 7035
Mounting Position	Any
Number of Phases	3
Options Provided	BP-C
Overvoltage Category	III
Pollution Degree	2
Product Main Type	PS-BP C (UL489)
Product Name	Busbar
Rated Cross-Section	25 mm <sup>2</sup>
Rated Frequency (f)	50 / 60 Hz
Standards	UL 489
Sub-Function	Branch Protection (UL 489)
Suitable for Product Class	UL 489 Devices

---



---

**Certificates and Declarations (Document Number)**


---

Data Sheet, Technical Information	2CDC447010D0201
Declaration of Conformity - CE	2CDK400620D2701
Environmental Information	DIN EN 60068
RoHS Information	2CDK400621D0201

---



---

**Classifications**


---

ETIM 5	EC000215 - Phase busbar
ETIM 6	EC000215 - Phase busbar
ETIM 7	EC000215 - Phase busbar
UNSPSC	39121614
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.0 : 27371306

---

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Busbars and Accessories (UL Range)

