

# Rittal – The System.

Faster – better – everywhere.

## ► Condensate discharge – SZ 2459.000

Date : Dec 17, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Condensate discharge – SZ 2459.000

created: 17.12.2019 build on [www.rittal.com/il-en](http://www.rittal.com/il-en)



## Product description

<b>Description:</b>	For reliable discharge from the inside and protection against splashes from the outside (labyrinth effect). A hole diameter of 16 mm is required. (With AX sheet steel, the holes are already provided in the base).
<b>Material:</b>	Polyamide
<b>Colour:</b>	Similar to RAL 7035
<b>Note:</b>	Splash-proof at the bottom if correctly installed

## Product features

<b>Packs of:</b>	6 pc(s).
<b>Weight/pack:</b>	0.04 kg
<b>Copper weight (kg per piece):</b>	0
<b>EAN:</b>	4028177023741
<b>Customs tariff number:</b>	39269097
<b>ETIM 7.0:</b>	EC002009
<b>ETIM 6.0:</b>	EC002009
<b>eCl@ss 8.0/8.1:</b>	27180715

**eCl@ss 6.0/6.1:** 27180715

---

**Product description:** SZ Condensate discharge

---