

NEMA Full Voltage Power Devices

NEMA Rated Full Voltage Starters - Magnetic

CR305X, CR385X Auxiliary Contact Kits

Field-Installed Modification Kits
For 300-Line Starters

Section 1

Auxiliary Contact Kits - Basic Blocks

| NEMA Size | Contact Configuration | Block Design | Product Number | List Price GO-10G |
|-----------|-----------------------|--------------|----------------|-------------------|
| 0,1 | 1NO | Basic | CR305X100A | \$36.00 |
| 0,1 | 1NC | Basic | CR305X100B | \$36.00 |
| 0,1 | 1NO-1NC | Basic | CR305X100C | \$48.00 |
| 2 | 1NO | Basic | CR305X200A | \$36.00 |
| 2 | 1NC | Basic | CR305X200B | \$36.00 |
| 2 | 1NO-1NC | Basic | CR305X200C | \$48.00 |
| 3,4 | 1NO | Basic | CR305X300A | \$36.00 |
| 3,4 | 1NC | Basic | CR305X300B | \$36.00 |
| 3,4 | 1NO-1NC | Basic | CR305X300C | \$48.00 |
| 5,6 | 1NO | Basic | CR305X500A | \$36.00 |
| 5,6 | 1NC | Basic | CR305X500B | \$36.00 |
| 5,6 | 1NO-1NC | Basic | CR305X500C | \$48.00 |
| 7 | 1NO | Basic | CR385X600A | \$198.00 |
| 7 | 1NC | Basic | CR385X600B | \$198.00 |
| 7 | 1NO-1NC | Basic | CR385X600C | \$396.00 |
| 8-9 | 1NO | Basic | CR385X800A | \$198.00 |
| 8-9 | 1NC | Basic | CR385X800B | \$198.00 |
| 8-9 | 1NO-1NC | Basic | CR385X800C | \$396.00 |

Auxiliary Contact Kits - Adder Blocks

| NEMA Size | Contact Configuration | Block Design | Product Number | List Price GO-10G |
|-----------|-----------------------|--------------|-------------------------|-------------------|
| 0-9 | 1NO | Adder | CR305X100D ¹ | \$36.00 |
| 0-9 | 1NC | Adder | CR305X100E ¹ | \$36.00 |

Logic Reed Switch Auxiliary Contacts²

| NEMA Size | Contact Configuration | Product Number | List Price GO-10G |
|-----------|-----------------------|----------------|-------------------|
| 00, 0, 1 | 1NO-0NC | CR305X100RA | \$45.00 |
| 00, 0, 1 | 0NO-1NC | CR305X100RB | \$45.00 |
| 00, 0, 1 | 1NO-1NC | CR305X100RC | \$72.00 |
| 2 | 1NO-0NC | CR305X200RA | \$45.00 |
| 2 | 0NO-1NC | CR305X200RB | \$45.00 |
| 2 | 1NO-1NC | CR305X200RC | \$72.00 |
| 3, 4 | 1NO-0NC | CR305X300RA | \$45.00 |
| 3, 4 | 0NO-1NC | CR305X300RB | \$45.00 |
| 3, 4 | 1NO-1NC | CR305X300RC | \$72.00 |
| 5, 6 | 1NO-0NC | CR305X500RA | \$45.00 |
| 5, 6 | 0NO-1NC | CR305X500RB | \$45.00 |
| 5, 6 | 1NO-1NC | CR305X500RC | \$72.00 |

Contact Ratings - Basic Blocks

High Fidelity Contact Basic Block

120 VAC maximum .15 A maximum, 8 VA maximum resistive.
30 VDC maximum .15 A maximum, 4.5 VA maximum resistive.

Standard Block

| AC Volts | Continuous Current Amperes | Inrush Current Amperes | DC Volts | Continuous Current Amperes | Inrush Current Amperes |
|----------|----------------------------|------------------------|----------|----------------------------|------------------------|
| 115 | 6.0 | 60 | 125 | 1.1 | — |
| 230 | 3.0 | 30 | 250 | 0.5 | — |
| 460 | 1.5 | 15 | — | — | — |
| 575 | 1.2 | 12 | — | — | — |

¹First adder block must be mounted to a basic block. A second adder block can be added to the first adder block on size 2 through size 9 starters.

Four extra auxiliary contacts (not blocks) is the maximum that can be added to either a NEMA size 0 or 1 starter while five is the maximum extra auxiliary contacts that can be added to NEMA Size 2 through 6 devices.

²CR305X logic reed switch auxiliary contacts may be ordered as a factory-installed modification. Order by description. For factory-installed modification, add **\$75.00, GO-10G**, per circuit to price of starter.



NEMA Full Voltage Power Devices

NEMA Rated Full Voltage Contactors

CR305X, CR385X Auxiliary Contact Kits

Field-Installed Modification Kits
For 300-Line Contactors

Auxiliary Contact Kits

| NEMA Size | Contact Configuration | Block Design | Product Number | List Price GO-10G |
|-----------|-----------------------|--------------|----------------|-------------------|
| 0,1 | 1NO | Basic | CR305X100A | \$36.00 |
| 0,1 | 1NC | Basic | CR305X100B | \$36.00 |
| 0,1 | 1NO-1NC | Basic | CR305X100C | \$48.00 |
| 2 | 1NO | Basic | CR305X200A | \$36.00 |
| 2 | 1NC | Basic | CR305X200B | \$36.00 |
| 2 | 1NO-1NC | Basic | CR305X200C | \$48.00 |
| 3,4 | 1NO | Basic | CR305X300A | \$36.00 |
| 3,4 | 1NC | Basic | CR305X300B | \$36.00 |
| 3,4 | 1NO-1NC | Basic | CR305X300C | \$48.00 |
| 5,6 | 1NO | Basic | CR305X500A | \$36.00 |
| 5,6 | 1NC | Basic | CR305X500B | \$36.00 |
| 5,6 | 1NO-1NC | Basic | CR305X500C | \$48.00 |
| 7 | 1NO | Basic | CR385X600A | \$198.00 |
| 7 | 1NC | Basic | CR385X600B | \$198.00 |
| 7 | 1NO-1NC | Basic | CR385X600C | \$396.00 |
| 8-9 | 1NO | Basic | CR385X800A | \$198.00 |
| 8-9 | 1NC | Basic | CR385X800B | \$198.00 |
| 8-9 | 1NO-1NC | Basic | CR385X800C | \$396.00 |

Auxiliary Contact Kits - Adder Blocks

| NEMA Size | Contact Configuration | Block Design | Product Number | List Price GO-10G |
|-----------|-----------------------|--------------|-------------------------|-------------------|
| 0-9 | 1NO | Adder | CR305X100D ¹ | \$36.00 |
| 0-9 | 1NC | Adder | CR305X100E ¹ | \$36.00 |

Logic Reed Switch Auxiliary Contacts²

| NEMA Size | Contact Configuration | Product Number | List Price GO-10G |
|-----------|-----------------------|----------------|-------------------|
| 00, 0, 1 | 1NO-0NC | CR305X100RA | \$45.00 |
| 00, 0, 1 | 0NO-1NC | CR305X100RB | \$45.00 |
| 00, 0, 1 | 1NO-1NC | CR305X100RC | \$72.00 |
| 2 | 1NO-0NC | CR305X200RA | \$45.00 |
| 2 | 0NO-1NC | CR305X200RB | \$45.00 |
| 2 | 1NO-1NC | CR305X200RC | \$72.00 |
| 3,4 | 1NO-0NC | CR305X300RA | \$45.00 |
| 3,4 | 0NO-1NC | CR305X300RB | \$45.00 |
| 3,4 | 1NO-1NC | CR305X300RC | \$72.00 |
| 5,6 | 1NO-0NC | CR305X500RA | \$45.00 |
| 5,6 | 0NO-1NC | CR305X500RB | \$45.00 |
| 5,6 | 1NO-1NC | CR305X500RC | \$72.00 |

Contact Ratings - Basic Blocks

High Fidelity Contact Basic Block

120 VAC maximum .15 A maximum, 8 VA maximum resistive.
30 VDC maximum .15 A maximum, 4.5 VA maximum resistive.

Standard Block

| AC Volts | Continuous Current Amperes | Inrush Current Amperes | DC Volts | Continuous Current Amperes | Inrush Current Amperes |
|----------|----------------------------|------------------------|----------|----------------------------|------------------------|
| 115 | 6.0 | 60 | 125 | 1.1 | — |
| 230 | 3.0 | 30 | 250 | 0.5 | — |
| 460 | 1.5 | 15 | — | — | — |
| 575 | 1.2 | 12 | — | — | — |

¹First adder block must be mounted to a basic block. A second adder block can be added to the first adder block on size 2 through size 9 starters.

Four extra auxiliary contacts (not blocks) is the maximum that can be added to either a NEMA size 0 or 1 starter while five is the maximum extra auxiliary contacts that can be added to NEMA Size 2 through 6 devices.

²CR305X logic reed switch auxiliary contacts may be ordered as a factory-installed modification. Order by description. For factory-installed modification, add \$75.00, GO-10G, per circuit to price of starter.

