


Catalog Home

Product Datasheet



ANDERSON FARGO

VC85A -- Full Tension Compression Splice



Full Tension VersaCrimp Aluminum Compression Splice

Product Specifications

<p>Splice Type</p>	 <p>VERSA-CRIMP® Compression Splices (For use with VersaCrimp and other Dieless Type Tools)</p>
<p>Versacrimp Compression Series</p>	 <p>VC-AR &amp; VC-R Series Compression Splice VERSA-CRIMP® Full Tension AAC, AAAC &amp; (ACSR SingleCore) Conductor</p>
<p>PDF Catalog Page</p>	<p><a href="#">Click HERE to view the web page.</a></p>
<p>VersaCrimp Conductor Size Minimum</p>	<p>0.666 in</p>
<p>VersaCrimp Conductor Size Maximum</p>	<p>0.795 in</p>
<p>Material</p>	<p>Aluminum</p>
<p>VersaCrimp Conductor Range</p>	<p>336.4 (19), 397.5 (19), 477 (37,19) AAC</p>
<p>VersaCrimp Conductor Minimum</p>	<p>.666 in</p>
<p>VersaCrimp Conductor Maximum</p>	<p>.795 in</p>
<p>Dimension D</p>	<p>5.81 in (148 mm)</p>

<b>Dimension L</b>	11.75 in (298 mm)
<b>Length before Compression</b>	11.75 in (298 mm)
<b>Compression Method</b>	VC6-3, VC6FT or VC8, VersaCrimp Tooling ONLY
<b>UL Listed</b>	No
<b>Inhibitor Loaded</b>	Yes
<b>Material Type</b>	Non-Standard
<b>UPC Code</b>	09635933611
<b>Standard Package</b>	20
<b>Standard Package Unit</b>	Each
<b>Min Order Qty</b>	20
<b>Weight / Ea.</b>	0.784 lbs

**Notes**

For full tension ACC applications. Installs using VersaCrimp VC6FT or VC8 tool.

**Compressed Product Number**

VC85A

[Catalog Home](#)



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

*All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.*

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.