


SNO*MELTER®

RESIDENTIAL AND COMMERCIAL AUTOMATIC SNOW MELTING




G-Mat – Sno*Melter® G-Mats are standard size snow/ice melting mats in 18-inch and 36-inch widths. They are engineered to provide 538 Watts per square meter (50 watts per square foot). Mats are supplied with standard 6.1 meters (20 feet) cold leads. UL Listed and CSA certified.

H-Mat – H-Mats are custom sized snow/ice melting mats. They are available in outputs up to 775 Watts per square meter (72 watts per square foot) and in voltages up to 480 Vac. Mats are supplied with standard 10-foot cold leads, longer lengths available. UL Listed and CSA certified. Please contact your local EasyHeat representative for details.

CATALOG NUMBER	LENGTH	WIDTH	POWER	VAC	CTN QTY	CTN WGT	UPC	CERTIFICATIONS
G04X36250D	1.22m (4ft)	0.91m (36in)	600 Watts	240	1	-	13627-183711	UL LISTED CSA
G04X36250DNL14 ⊕	1.22m (4ft)	0.91m (36in)	600 Watts	240	1	-	13627-183728	
G04X36450D	1.22m (4ft)	0.91m (36in)	600 Watts	480	1	-	13627-185173	
G04X36450DNL14 ⊕	1.22m (4ft)	0.91m (36in)	600 Watts	480	1	-	13627-184831	
G04X36750D	1.22m (4ft)	0.91m (36in)	600 Watts	277	1	-	13627-184701	
G04X36750DNL14 ⊕	1.22m (4ft)	0.91m (36in)	600 Watts	277	1	-	13627-184251	
G04X36850D	1.22m (4ft)	0.91m (36in)	600 Watts	208	1	-	13627-183735	
G04X36850DNL14 ⊕	1.22m (4ft)	0.91m (36in)	600 Watts	208	1	-	13627-183742	
G05X18250D	1.52m (5ft)	0.46m (18in)	375 Watts	240	1	-	13627-183759	
G05X18250DNL14 ⊕	1.52m (5ft)	0.46m (18in)	375 Watts	240	1	-	13627-183780	
G05X18450D	1.52m (5ft)	0.46m (18in)	375 Watts	480	1	-	13627-183803	
G05X18450DNL14 ⊕	1.52m (5ft)	0.46m (18in)	375 Watts	480	1	-	13627-183810	
G05X18750D	1.52m (5ft)	0.46m (18in)	375 Watts	277	1	-	13627-183827	
G05X18750DNL14 ⊕	1.52m (5ft)	0.46m (18in)	375 Watts	277	1	-	13627-184046	
G05X18850D	1.52m (5ft)	0.46m (18in)	375 Watts	208	1	-	13627-184091	
G05X18850DNL14 ⊕	1.52m (5ft)	0.46m (18in)	375 Watts	208	1	-	13627-184961	
G05X36250D	1.52m (5ft)	0.91m (36in)	750 Watts	240	1	-	13627-184077	
G05X36250DNL14 ⊕	1.52m (5ft)	0.91m (36in)	750 Watts	240	1	-	13627-184480	
G05X36450D	1.52m (5ft)	0.91m (36in)	750 Watts	480	1	-	13627-185180	
G05X36450DNL14 ⊕	1.52m (5ft)	0.91m (36in)	750 Watts	480	1	-	13627-184107	
G05X36750D	1.52m (5ft)	0.91m (36in)	750 Watts	277	1	-	13627-184558	
G05X36750DNL14 ⊕	1.52m (5ft)	0.91m (36in)	750 Watts	277	1	-	13627-184282	
G05X36850D	1.52m (5ft)	0.91m (36in)	750 Watts	208	1	-	13627-184893	
G05X36850DNL14 ⊕	1.52m (5ft)	0.91m (36in)	750 Watts	208	1	-	13627-185029	
G06X18250D	1.85m (6ft)	0.46m (18in)	450 Watts	240	1	-	13627-183957	
G06X18250DNL14 ⊕	1.85m (6ft)	0.46m (18in)	450 Watts	240	1	-	13627-184145	
G06X18450D	1.85m (6ft)	0.46m (18in)	450 Watts	480	1	-	13627-185098	
G06X18450DNL14 ⊕	1.85m (6ft)	0.46m (18in)	450 Watts	480	1	-	13627-184763	
G06X18750D	1.85m (6ft)	0.46m (18in)	450 Watts	277	1	-	13627-184602	
G06X18750DNL14 ⊕	1.85m (6ft)	0.46m (18in)	450 Watts	277	1	-	13627-184169	
G06X18850D	1.85m (6ft)	0.46m (18in)	450 Watts	208	1	-	13627-184053	
G06X18850DNL14 ⊕	1.85m (6ft)	0.46m (18in)	450 Watts	208	1	-	13627-184978	
G07X18250D	2.13m (7ft)	0.46m (18in)	525 Watts	240	1	-	13627-183964	
G07X18250DNL14 ⊕	2.13m (7ft)	0.46m (18in)	525 Watts	240	1	-	13627-184404	
G07X18450D	2.13m (7ft)	0.46m (18in)	525 Watts	480	1	-	13627-185104	
G07X18450DNL14 ⊕	2.13m (7ft)	0.46m (18in)	525 Watts	480	1	-	13627-184770	
G07X18750D	2.13m (7ft)	0.46m (18in)	525 Watts	277	1	-	13627-184619	
G07X18750DNL14 ⊕	2.13m (7ft)	0.46m (18in)	525 Watts	277	1	-	13627-184176	
G07X18850D	2.13m (7ft)	0.46m (18in)	525 Watts	208	1	-	13627-184022	
G07X18850DNL14 ⊕	2.13m (7ft)	0.46m (18in)	525 Watts	208	1	-	13627-184985	
G08X18250D	2.44m (8ft)	0.46m (18in)	600 Watts	240	1	-	13627-183797	
G08X18250DNL14 ⊕	2.44m (8ft)	0.46m (18in)	600 Watts	240	1	-	13627-184411	
G08X18450D	2.44m (8ft)	0.46m (18in)	600 Watts	480	1	-	13627-185111	
G08X18450DNL14 ⊕	2.44m (8ft)	0.46m (18in)	600 Watts	480	1	-	13627-184787	
G08X18750D	2.44m (8ft)	0.46m (18in)	600 Watts	277	1	-	13627-184398	
G08X18750DNL14 ⊕	2.44m (8ft)	0.46m (18in)	600 Watts	277	1	-	13627-184183	
G08X18850D	2.44m (8ft)	0.46m (18in)	600 Watts	208	1	-	13627-183988	
G09X18250DNL14 ⊕	2.74m (9ft)	0.46m (18in)	675 Watts	240	1	-	13627-184428	
G09X18450D	2.74m (9ft)	0.46m (18in)	675 Watts	480	1	-	13627-185128	
G09X18450DNL14 ⊕	2.74m (9ft)	0.46m (18in)	675 Watts	480	1	-	13627-184794	
G09X18750D	2.74m (9ft)	0.46m (18in)	675 Watts	277	1	-	13627-184626	
G09X18450DNL14 ⊕	2.74m (9ft)	0.46m (18in)	675 Watts	480	1	-	13627-184794	
G09X18750D	2.74m (9ft)	0.46m (18in)	675 Watts	277	1	-	13627-184626	


⊕ No Lead, contact your local EasyHeat Representative to order a separate cold lead length.

G-Mats Cont.

CATALOG NUMBER	LENGTH	WIDTH	POWER	VAC	CTN QTY	CTN WGT	UPC	CERTIFICATIONS
G09X18750DNL14 ①	2.74m (9ft)	0.46m (18in)	675 Watts	277	1	-	13627-184190	 
G09X18850D	2.74m (9ft)	0.46m (18in)	675 Watts	208	1	-	13627-184848	
G09X18850DNL14 ①	2.74m (9ft)	0.46m (18in)	675 Watts	208	1	-	13627-185258	
G10X18250D	3.05m (10ft)	0.46m (18in)	750 Watts	240	1	-	13627-183995	
G10X18250DNL14 ①	3.05m (10ft)	0.46m (18in)	750 Watts	240	1	-	13627-184442	
G10X18450D	3.05m (10ft)	0.46m (18in)	750 Watts	480	1	-	13627-185135	
G10X18450DNL14 ①	3.05m (10ft)	0.46m (18in)	750 Watts	480	1	-	13627-184152	
G10X18750D	3.05m (10ft)	0.46m (18in)	750 Wattsw	277	1	-	13627-184633	
G10X18750DNL14 ①	3.05m (10ft)	0.46m (18in)	750 Watts	277	1	-	13627-184206	
G10X18850D	3.05m (10ft)	0.46m (18in)	750 Watts	208	1	-	13627-184855	
G10X18850DNL14 ①	3.05m (10ft)	0.46m (18in)	750 Watts	208	1	-	13627-184732	
G10X36250D	3.05m (10ft)	0.91m (36in)	1500 Watts	240	1	-	13627-184084	
G10X36250DNL14 ①	3.05m (10ft)	0.91m (36in)	1500 Watts	240	1	-	13627-184510	
G10X36450D	3.05m (10ft)	0.91m (36in)	1500 Watts	480	1	-	13627-185197	
G10X36450DNL14 ①	3.05m (10ft)	0.91m (36in)	1500 Watts	480	1	-	13627-184718	
G10X36750D	3.05m (10ft)	0.91m (36in)	1500 Watts	277	1	-	13627-184565	
G10X36750DNL14 ①	3.05m (10ft)	0.91m (36in)	1500 Watts	277	1	-	13627-184244	
G10X36850D	3.05m (10ft)	0.91m (36in)	1500 Watts	208	1	-	13627-184909	
G10X36850DNL14 ①	3.05m (10ft)	0.91m (36in)	1500 Watts	208	1	-	13627-185036	
G15X18250D	4.57m (15ft)	0.46m (18in)	1125 Watts	240	1	-	13627-184008	
G15X18250DNL14 ①	4.57m (15ft)	0.46m (18in)	1125 Watts	240	1	-	13627-184459	
G15X18450D	4.57m (15ft)	0.46m (18in)	1125 Watts	480	1	-	13627-185142	
G15X18450DNL14 ①	4.57m (15ft)	0.46m (18in)	1125 Watts	480	1	-	13627-184800	
G15X18750D	4.57m (15ft)	0.46m (18in)	1125 Watts	277	1	-	13627-184640	
G15X18750DNL14 ①	4.57m (15ft)	0.46m (18in)	1125 Watts	277	1	-	13627-184039	
G15X18850D	4.57m (15ft)	0.46m (18in)	1125 Watts	208	1	-	13627-184862	
G15X18850DNL14 ①	4.57m (15ft)	0.46m (18in)	1125 Watts	208	1	-	13627-185005	
G15X36250D	4.57m (15ft)	0.91m (36in)	2250 Watts	240	1	-	13627-184114	
G15X36250DNL14 ①	4.57m (15ft)	0.91m (36in)	2250 Watts	240	1	-	13627-184527	
G15X36450D	4.57m (15ft)	0.91m (36in)	2250 Watts	480	1	-	13627-185203	
G15X36450DNL14 ①	4.57m (15ft)	0.91m (36in)	2250 Watts	480	1	-	13627-184725	
G15X36750D	4.57m (15ft)	0.91m (36in)	2250 Watts	277	1	-	13627-184572	
G15X36750DNL14 ①	4.57m (15ft)	0.91m (36in)	2250 Watts	277	1	-	13627-184299	
G15X36850D	4.57m (15ft)	0.91m (36in)	2250 Watts	208	1	-	13627-184930	
G15X36850DNL14 ①	4.57m (15ft)	0.91m (36in)	2250 Watts	208	1	-	13627-185043	
G20X18250D	6.10m (20ft)	0.46m (18in)	1500 Watts	240	1	-	13627-184015	
G20X18250DNL14 ①	6.10m (20ft)	0.46m (18in)	1500 Watts	240	1	-	13627-184466	
G20X18450D	6.10m (20ft)	0.46m (18in)	1500 Watts	480	1	-	13627-185159	
G20X18450DNL14 ①	6.10m (20ft)	0.46m (18in)	1500 Watts	480	1	-	13627-184817	
G20X18750D	6.10m (20ft)	0.46m (18in)	1500 Watts	277	1	-	13627-184671	
G20X18750DNL14 ①	6.10m (20ft)	0.46m (18in)	1500 Watts	277	1	-	13627-184220	
G20X18850D	6.10m (20ft)	0.46m (18in)	1500 Watts	208	1	-	13627-184879	
G20X18850DNL14 ①	6.10m (20ft)	0.46m (18in)	1500 Watts	208	1	-	13627-184435	
G20X36250D	6.10m (20ft)	0.91m (36in)	3000 Watts	240	1	-	13627-184121	
G20X36250DNL14 ①	6.10m (20ft)	0.91m (36in)	3000 Watts	240	1	-	13627-184534	
G20X36450D	6.10m (20ft)	0.91m (36in)	3000 Watts	480	1	-	13627-185210	
G20X36450DNL14 ①	6.10m (20ft)	0.91m (36in)	3000 Watts	480	1	-	13627-184749	
G20X36750D	6.10m (20ft)	0.91m (36in)	3000 Watts	277	1	-	13627-184589	
G20X36750DNL14 ①	6.10m (20ft)	0.91m (36in)	3000 Watts	277	1	-	13627-184268	
G20X36850D	6.10m (20ft)	0.91m (36in)	3000 Watts	208	1	-	13627-184947	
G20X36850DNL10 ①	6.10m (20ft)	0.91m (36in)	3000 Watts	208	1	-	13627-185050	
G30X18250D	9.14m (30ft)	0.46m (18in)	2250 Watts	240	1	-	13627-184060	
G30X18250DNL14 ①	9.14m (30ft)	0.46m (18in)	2250 Watts	240	1	-	13627-184473	
G30X18450D	9.14m (30ft)	0.46m (18in)	2250 Watts	480	1	-	13627-185166	
G30X18450DNL14 ①	9.14m (30ft)	0.46m (18in)	2250 Watts	480	1	-	13627-184824	
G30X18750D	9.14m (30ft)	0.46m (18in)	2250 Watts	277	1	-	13627-184688	
G30X18750DNL14 ①	9.14m (30ft)	0.46m (18in)	2250 Watts	277	1	-	13627-184275	
G30X18850D	9.14m (30ft)	0.46m (18in)	2250 Watts	208	1	-	13627-184886	
G30X18850DNL14 ①	9.14m (30ft)	0.46m (18in)	2250 Watts	208	1	-	13627-185012	
G30X36250D	9.14m (30ft)	0.91m (36in)	4500 Watts	240	1	-	13627-184138	
G30X36250DNL10 ①	9.14m (30ft)	0.91m (36in)	4500 Watts	240	1	-	13627-184541	
G30X36450D	9.14m (30ft)	0.91m (36in)	4500 Watts	480	1	-	13627-185227	
G30X36450DNL14 ①	9.14m (30ft)	0.91m (36in)	4500 Watts	480	1	-	13627-184756	
G30X36750D	9.14m (30ft)	0.91m (36in)	4500 Watts	277	1	-	13627-184596	
G30X36750DNL10 ①	9.14m (30ft)	0.91m (36in)	4500 Watts	277	1	-	13627-184237	
G30X36850D	9.14m (30ft)	0.91m (36in)	4500 Watts	208	1	-	13627-184954	
G30X36850DNL10 ①	9.14m (30ft)	0.91m (36in)	4500 Watts	208	1	-	13627-185067	

① No Lead, contact your local EasyHeat Representative to order a separate cold lead length.

Step Mat – Step Mats come standard in 2- or 3-step models. Available in 0.91 or 1.83 meters (3-foot or 6-foot) tread width with 0.20 meter (8-inch) risers. Mats are engineered to provide 538 Watts per square meter (50 watts per square foot) and are supplied with 6.1 meters (20-foot) cold leads. Custom step mats are available for nonstandard power densities up to 775 Watts per square meter (72 watts per square foot), voltage, cold lead lengths and size needs. UL Listed and CSA certified. Please contact your local EasyHeat representative for details.

CATALOG NUMBER	DESCRIPTION	# OF STEPS	WIDTH	DEPTH	WATTS	AMPS	VAC	CNT QTY	CNT WGT	UPC	CERTIFICATIONS
2M230X850D	2 step, 0.91m x 020m (3ft x 8 in), 240 VAC	2	0.91m (3ft)	0.20m (8in)	200	0.8	240	1	-	13627-185364	
2M230X850DNL14 ①	2 step, 0.91m x 020m (3ft x 8 in), 240 VAC	2	0.91m (3ft)	0.20m (8in)	200	0.8	240	1	-	13627-185357	
2M260X850D	2 step, 1.83m x 020m (6ft x 8 in), 240 VAC	2	1.83m (6ft)	0.20m (8in)	400	1.7	240	1	-	13627-185388	
2M260X850DNL14 ①	2 step, 1.83m x 020m (6ft x 8 in), 240 VAC	2	1.83m (6ft)	0.20m (8in)	400	1.7	240	1	-	13627-185371	
2M460X850D	2 step, 1.83m x 020m (6ft x 8 in), 480 VAC	2	1.83m (6ft)	0.20m (8in)	400	0.8	480	1	-	13627-185562	
2M460X850DNL14 ①	2 step, 1.83m x 020m (6ft x 8 in), 480 VAC	2	1.83m (6ft)	0.20m (8in)	400	0.8	480	1	-	13627-185555	
2M730X850D	2 step, 0.91m x 020m (3ft x 8 in), 277 VAC	2	0.91m (3ft)	0.20m (8in)	200	0.7	277	1	-	13627-185487	
2M730X850DNL14 ①	2 step, 0.91m x 020m (3ft x 8 in), 277 VAC	2	0.91m (3ft)	0.20m (8in)	200	0.7	277	1	-	13627-185463	
2M760X850D	2 step, 1.83m x 020m (6ft x 8 in), 277 VAC	2	1.83m (6ft)	0.20m (8in)	400	1.4	277	1	-	13627-185500	
2M760X850DNL14 ①	2 step, 1.83m x 020m (6ft x 8 in), 277 VAC	2	1.83m (6ft)	0.20m (8in)	400	1.4	277	1	-	13627-185494	
2M830X850D	2 step, 0.91m x 020m (3ft x 8 in), 208 VAC	2	0.91m (3ft)	0.20m (8in)	200	1	208	1	-	13627-185272	
2M830X850DNL14 ①	2 step, 0.91m x 020m (3ft x 8 in), 208 VAC	2	0.91m (3ft)	0.20m (8in)	200	1	208	1	-	13627-185265	
2M860X850D	2 step, 1.83m x 020m (6ft x 8 in), 208 VAC	2	1.83m (6ft)	0.20m (8in)	400	1.9	208	1	-	13627-185296	
2M860X850DNL14 ①	2 step, 1.83m x 020m (6ft x 8 in), 208 VAC	2	1.83m (6ft)	0.20m (8in)	400	1.9	208	1	-	13627-185289	
3M230X850D	3 step, 0.91m x 020m (3ft x 8 in), 240 VAC	3	0.91m (3ft)	0.20m (8in)	300	1.3	240	1	-	13627-185401	
3M230X850DNL14 ①	3 step, 0.91m x 020m (3ft x 8 in), 240 VAC	3	0.91m (3ft)	0.20m (8in)	600	1.3	240	1	-	13627-185395	
3M260X850D	3 step, 1.83m x 020m (6ft x 8 in), 240 VAC	3	1.83m (6ft)	0.20m (8in)	600	2.5	240	1	-	13627-185425	
3M260X850DNL14 ①	3 step, 1.83m x 020m (6ft x 8 in), 240 VAC	3	0.91m (3ft)	0.20m (8in)	300	2.5	240	1	-	13627-185418	
3M430X850D	3 step, 0.91m x 020m (3ft x 8 in), 480 VAC	3	0.91m (3ft)	0.20m (8in)	300	0.6	480	1	-	13627-185593	
3M430X850DNL14 ①	3 step, 0.91m x 020m (3ft x 8 in), 480 VAC	3	0.91m (3ft)	0.20m (8in)	600	0.6	480	1	-	13627-185579	
3M460X850D	3 step, 1.83m x 020m (6ft x 8 in), 480 VAC	3	1.83m (6ft)	0.20m (8in)	600	1.3	480	1	-	13627-185319	
3M460X850DNL14 ①	3 step, 1.83m x 020m (6ft x 8 in), 480 VAC	3	1.83m (6ft)	0.20m (8in)	300	1.3	480	1	-	13627-185470	
3M730X850D	3 step, 0.91m x 020m (3ft x 8 in), 277 VAC	3	0.91m (3ft)	0.20m (8in)	300	1.1	277	1	-	13627-185524	
3M730X850DNL14 ①	3 step, 0.91m x 020m (3ft x 8 in), 277 VAC	3	1.83m (6ft)	0.20m (8in)	600	1.1	277	1	-	13627-185517	
3M760X850D	3 step, 1.83m x 020m (6ft x 8 in), 277 VAC	3	1.83m (6ft)	0.20m (8in)	600	2.2	277	1	-	13627-185548	
3M760X850DNL14 ①	3 step, 1.83m x 020m (6ft x 8 in), 277 VAC	3	0.91m (3ft)	0.20m (8in)	300	2.2	277	1	-	13627-185531	
3M830X850D	3 step, 0.91m x 020m (3ft x 8 in), 208 VAC	3	0.91m (3ft)	0.20m (8in)	300	1.4	208	1	-	13627-185326	
3M830X850DNL14 ①	3 step, 0.91m x 020m (3ft x 8 in), 208 VAC	3	0.91m (3ft)	0.20m (8in)	600	1.4	208	1	-	13627-185302	
3M860X850D	3 step, 1.83m x 020m (6ft x 8 in), 208 VAC	3	1.83m (6ft)	0.20m (8in)	600	2.9	208	1	-	13627-185340	
3M860X850DNL14 ①	3 step, 1.83m x 020m (6ft x 8 in), 208 VAC	3	1.83m (6ft)	0.20m (8in)	300	2.9	208	1	-	13627-185333	

① No Lead, contact your local EasyHeat Representative to order a separate cold lead length.