



POWER TOOL ACCESSORIES

HOLE SAWS




THE LENOX® ADVANTAGE™

- **A complete line of premium hole making solutions**
For metal, wood and abrasives.
- **Unique designs for performance and productivity**
From the proprietary tooth design in bi-metal hole saws, to the 7L ejector arbor and the smoother cutting grit edge in our *MASTER-GRIT™* Hole Saws, performance enhancements create maximum efficiency for the user.
- **A full range of conveniently packaged kits**
Expressly designed for plumbers, electricians, locksmiths, auto and HVAC technicians.

BI-METAL HOLE SAWS

Engineered for Optimum Performance
in Wood and Metal



Specifications

Product Number (1 per box)	Product Number (1 per pack)	Diameter (Inches)	Pipe Tap (Inches)	Pipe Entrance (Inches)	Use Arbor Number
30009-9L	—	9/16			1L, 4L or 5L
30010-10L	30110-K10L	5/8			1L, 4L or 5L
30011-11L	—	11/16			1L, 4L or 5L
30012-12L	30112-K12L	3/4	1/2	3/8	1L, 4L or 5L
30098-20MMHS	30198-K20MMHS	25/32			1L, 4L or 5L
30013-13L	—	13/16			1L, 4L or 5L
30014-14L	30114-K14L	7/8	3/4	1/2	1L, 4L or 5L
30015-15L	—	15/16			1L, 4L or 5L
30016-16L	30116-K16L	1			1L, 4L or 5L
30017-17L	30117-K17L	1-1/16			1L, 4L or 5L
30018-18L	30118-K18L	1-1/8	1	3/4	1L, 4L or 5L
30019-19L	—	1-3/16			1L, 4L or 5L
30020-20L	30120-K20L	1-1/4			2L, 3L or 6L
30021-21L	—	1-5/16			2L, 3L or 6L
30022-22L	30122-K22L	1-3/8		1	2L, 3L or 6L
30023-23L	—	1-7/16			2L, 3L or 6L
30024-24L	30124-K24L	1-1/2	1-1/4		2L, 3L, 6L or 7L
30025-25L	—	1-9/16			2L, 3L, 6L or 7L
30026-26L	30126-K26L	1-5/8			2L, 3L, 6L or 7L
30027-27L	—	1-11/16			2L, 3L, 6L or 7L
30028-28L	30128-K28L	1-3/4	1-1/2	1-1/4	2L, 3L, 6L or 7L
30029-29L	—	1-13/16			2L, 3L, 6L or 7L
30030-30L	30130-K30L	1-7/8			2L, 3L, 6L or 7L
30032-32L	30132-K32L	2		1-1/2	2L, 3L, 6L or 7L
30033-33L	—	2-1/16			2L, 3L, 6L or 7L
30034-34L	30134-K34L	2-1/8			2L, 3L, 6L or 7L
30036-36L	30136-K36L	2-1/4	2		2L, 3L, 6L or 7L
30037-37L	—	2-5/16			2L, 3L, 6L or 7L
30038-38L	30138-K38L	2-3/8			2L, 3L, 6L or 7L
30040-40L	30140-K40L	2-1/2		2	2L, 3L, 6L or 7L
30041-41L	—	2-9/16			2L, 3L, 6L or 7L
30042-42L	30142-K42L	2-5/8	2-1/2		2L, 3L, 6L or 7L
30043-43L	30143-K43L	2-11/16			2L, 3L, 6L or 7L
30044-44L	30144-K44L	2-3/4			2L, 3L, 6L or 7L
30046-46L	—	2-7/8			2L, 3L, 6L or 7L
30048-48L	30148-K48L	3		2-1/2	2L, 3L, 6L or 7L
30050-50L	30150-K50L	3-1/8			2L, 3L, 6L or 7L
30052-52L	30152-K52L	3-1/4	3		2L, 3L, 6L or 7L
30054-54L	—	3-3/8			2L, 3L, 6L or 7L
30056-56L	30156-K56L	3-1/2			2L, 3L, 6L or 7L
30058-58L	30158-K58L	3-5/8		3	2L, 3L, 6L or 7L
30060-60L	—	3-3/4	3-1/2		2L, 3L, 6L or 7L
30062-62L	—	3-7/8			2L, 3L, 6L or 7L
30064-64L	30164-K64L	4			2L, 3L, 6L or 7L
30066-66L	30166-K66L	4-1/8		3-1/2	2L, 3L, 6L or 7L
30068-68L	30168-K68L	4-1/4	4		2L, 3L, 6L or 7L
30070-70L	—	4-3/8			2L, 3L, 6L or 7L
30072-72L	30172-K72L	4-1/2	4-1/2		2L, 3L, 6L or 7L
30074-74L	—	4-5/8		4	2L, 3L, 6L or 7L
30076-76L	30176-K76L	4-3/4			2L, 3L, 6L or 7L
30080-80L	—	5			2L, 3L, 6L or 7L
30088-88L	—	5-1/2			2L, 3L, 6L or 7L
30096-96L	—	6			2L, 3L, 6L or 7L

THE LENOX® ADVANTAGE™

- **Added durability**
Thick backing plate resists damage and increases life.
- **Unique tooth configuration**
Patented *VARI-TOOTH*® design optimizes cutting for fast cuts and long tool life. Patent no. 5803678.
- **Resists tooth stripping**
Bi-metal construction creates a hardened edge to minimize tooth stripping.
- **Use standard arbor**

ARBORED BI-METAL HOLE SAWS



**Conveniently Packaged as a Complete Unit.
Includes a Hole Saw, Arbor and Pilot Drill**

Specifications (1 per pack)

Product Number	Diameter (Inches)	Pipe Tap (Inches)	Pipe Entrance (Inches)
34009-9A	9/16		
34010-10A	5/8		
34011-11A	11/16		
34012-12A	3/4	1/2	3/8
34098-20MMA	25/32		
34013-13A	13/16		
34014-14A	7/8	3/4	1/2
34015-15A	15/16		
34016-16A	1		
34017-17A	1-1/16		
34018-18A	1-1/8	1	3/4
34019-19A	1-3/16		
34020-20A	1-1/4		
34021-21A	1-5/16		
34022-22A	1-3/8		1
34023-23A	1-7/16		
34024-24A	1-1/2	1-1/4	
34025-25A	1-9/16		
34026-26A	1-5/8		
34027-27A	1-11/16		
34028-28A	1-3/4	1-1/2	1-1/4
34029-29A	1-13/16		
34030-30A	1-7/8		
34032-32A	2		1-1/2
34033-33A	2-1/16		
34034-34A	2-1/8		
34036-36A	2-1/4	2	
34037-37A	2-5/16		
34038-38A	2-3/8		
34040-40A	2-1/2		2
34041-41A	2-9/16		
34042-42A	2-5/8	2-1/2	
34044-44A	2-3/4		
34046-46A	2-7/8		
34048-48A	3		2-1/2
34050-50A	3-1/8		
34052-52A	3-1/4	3	
34054-54A	3-3/8		
34056-56A	3-1/2		
34058-58A	3-5/8		3
34060-60A	3-3/4	3-1/2	
34062-62A	3-7/8		
34064-64A	4		
34066-66A	4-1/8		3-1/2
34068-68A	4-1/4	4	
34070-70A	4-3/8		
34072-72A	4-1/2	4-1/2	
34076-76A	4-3/4	4-1/2	4
30851-56PD	Pilot Drill		1 per pack

Recommended Hole Saw RPM

Mild Steel	Tool & Stainless	Cast Iron	Brass	Aluminum
580	300	400	790	900
550	275	365	730	825
500	250	330	665	750
460	230	300	600	690
425	210	280	560	630
425	210	280	560	630
390	195	260	520	585
370	185	245	495	555
350	175	235	470	525
325	160	215	435	480
300	150	200	400	450
285	145	190	380	425
275	140	180	360	410
260	135	175	345	390
285	145	190	380	425
240	120	160	315	360
230	115	150	300	345
220	110	145	290	330
210	105	140	280	315
205	100	135	270	305
195	95	130	250	295
190	95	125	250	285
180	90	120	240	270
170	85	115	230	255
165	80	110	220	245
160	80	105	210	240
150	75	100	200	225
140	70	95	190	220
140	70	95	190	220
135	65	90	180	205
130	65	85	175	200
130	65	85	170	195
125	60	80	160	185
120	60	80	160	180
115	55	75	150	170
110	55	70	140	165
105	50	70	140	155
100	50	65	130	150
95	45	65	130	145
95	45	60	120	140
90	45	60	120	135
85	40	55	110	130
85	40	55	110	130
80	40	55	110	120
80	40	55	110	120
75	35	50	100	105
75	35	50	100	105
70	35	45	90	95

Suggested RPMs only.

CARBIDE TIPPED HOLE SAWS

Designed to Cut Abrasive Materials



Specifications (1 per box)

Product Number	Diameter (Inches)	Pipe Tap (Inches)	Pipe Entrance (Inches)	Use Arbor Number
30211-11CT	11/16			1L or 4L
30212-12CT	3/4	1/2	3/8	1L or 4L
30214-14CT	7/8	3/4	1/2	1L or 4L
30216-16CT	1			1L or 4L
30218-18CT	1-1/8	1	3/4	1L or 4L
30220-20CT	1-1/4			2L
30222-22CT	1-3/8		1	2L
30224-24CT	1-1/2	1-1/4		2L or 7L
30226-26CT	1-5/8			2L or 7L
30228-28CT	1-3/4	1-1/2	1-1/4	2L or 7L
30232-32CT	2		1-1/2	2L or 7L
30234-34CT	2-1/8			2L or 7L
30236-36CT	2-1/4	2		2L or 7L
30238-38CT	2-3/8			2L or 7L
30240-40CT	2-1/2		2	2L or 7L
30241-41CT	2-9/16			2L or 7L
30242-42CT	2-5/8	2-1/2		2L or 7L
30243-43CT	2-11/16			2L or 7L
30248-48CT	3		2-1/2	2L or 7L
30252-52CT	3-1/4	3		2L or 7L
30254-54CT	3-3/8			2L or 7L
30256-56CT	3-1/2			2L or 7L
30258-58CT	3-5/8		3	2L or 7L
30260-60CT	3-3/4	3-1/2		2L or 7L
30264-64CT	4			2L or 7L
30266-66CT	4-1/8		3-1/2	2L or 7L
30268-68CT	4-1/4	4		2L or 7L
30272-72CT	4-1/2			2L or 7L
30276-76CT	4-3/4	4-1/2	4	2L or 7L
30280-80CT	5			2L or 7L
30288-88CT	5-1/2			2L or 7L
30296-96CT	6			2L or 7L
30297-123CT	Carbide Tipped Pilot Drill			1 per pack
30298-65CTPD	Carbide Tipped Pilot Drill			1 per pack

THE LENOX® ADVANTAGE™

- **Long tool life**
Heat resistant carbide teeth for long life in tile and stainless steel.
- **Added durability**
Thick backing plate resists damage and increases life.
- **Unique tooth configuration**
Engineered design provides ability to cut in stainless steel like no other.
- **Use standard arbor**
- **Note:** We recommend the use of a carbide tipped pilot drill when cutting ceramic wall tile. Pilot drill 123CT fits the 1L, 2L, 4L or 7L arbors. Pilot drill 65CTPD fits the 5L and 6L arbors.

Recommended Carbide Tipped Hole Saw RPM

Diameter (Inches)	Aluminum	Plastic	Fiberglass	Ceramic Tile	Particle Board	Cast Iron	Formica	Computer Flooring
3/4	1700	3430	250	500	3430	410	210	550
7/8	1500	2940	210	430	2940	350	180	470
1	1300	2570	190	370	2570	310	150	410
1-1/8	1100	2290	170	330	2290	270	140	370
1-3/8	900	1870	140	270	1870	220	110	300
1-1/2	900	1710	120	250	1710	210	100	270
1-3/4	700	1470	110	210	1470	180	90	240
2	600	1290	90	190	1290	150	80	210
2-1/4	600	1140	80	170	1140	140	70	180
2-1/2	500	1030	70	150	1030	120	60	160
3	400	860	60	120	860	100	50	140
3-1/4	400	790	60	110	790	90	50	130
3-5/8	400	710	50	100	710	90	40	110
3-3/4	300	690	50	100	690	80	40	110
4-1/8	300	620	50	90	620	70	40	100
4-3/4	300	540	40	80	540	60	30	90
5	200	480	40	80	500	60	30	90
5-1/2	200	420	40	70	460	50	30	80
6	100	360	30	60	420	40	30	60

Suggested RPMs only.

MASTER-GRIT™ HOLE SAWS

Best for Cutting Abrasive Materials



Specifications (1 per box)

Product Number	Diameter (Inches)	Pipe Tap (Inches)	Pipe Entrance (Inches)	Use Arbor Number
29912-12CG	3/4	1/2	3/8	1L or 4L
29998-20MMCG	25/32			1L or 4L
29914-14CG	7/8	3/4	1/2	1L or 4L
29916-16CG	1			1L or 4L
29918-18CG	1-1/8	1	3/4	1L or 4L
29920-20CG	1-1/4			2L
29922-22CG	1-3/8		1	2L
29924-24CG	1-1/2	1-1/4		2L or 7L
29928-28CG	1-3/4	1-1/2	1-1/4	2L or 7L
29932-32CG	2		1-1/2	2L or 7L
29934-34CG	2-1/8			2L or 7L
29936-36CG	2-1/4	2		2L or 7L
29938-38CG	2-3/8			2L or 7L
29940-40CG	2-1/2		2	2L or 7L
29941-41CG	2-9/16			2L or 7L
29942-42CG	2-5/8	2-1/2		2L or 7L
29948-48CG	3		2-1/2	2L or 7L
29952-52CG	3-1/4	3		2L or 7L
29958-58CG	3-5/8		3	2L or 7L
29964-64CG	4			2L or 7L
29966-66CG	4-1/8		3-1/2	2L or 7L
30297-123CT	Carbide Tipped Pilot Drill			1 per pack
30298-65CTPD	Carbide Tipped Pilot Drill			1 per pack

THE LENOX® ADVANTAGE™

- **Cuts abrasive materials**
Super hard tungsten carbide grit cuts through fiberglass, ceramic tile, laminates and other abrasive materials.
- **Clean cutting**
Carbide grit edge will not snag or chip when cutting thin materials.

MASTER-GRIT™ RECESSED LIGHTING HOLE SAWS

Specifications (1 per box)


Product Number	Diameter (Inches)	For Fixtures
30861-438RL	4-3/8	Capri, Marco & Halo, Mini-Juno
30862-638RL	6-3/8	Capri, Halo, Pathway & Thomas
30863-658RL	6-5/8	Juno, Progress & Pathway
30864-678RL	6-7/8	Capri, Hubbell® Lightolier® Lithonia® Marco, Prescolite® Progress

Use 123CT or 4321 Pilot Drill for Recessed Lighting Hole Saws.



HOLE SAW ARBORS & ACCESSORIES

Hole Saw Arbors & Accessories for All Your Drilling Needs



THE LENOX® ADVANTAGE™

- **Added durability**
Hardened carbon steel for strength through the cross-section.
- **Starts on contact**
Split point pilot drill for faster penetration and less walking.
- **Simple plug ejection**
7L arbor is designed with sliding pins to easily eject plugs from hole saws.
- **Easy to use**
Power groove shank allows arbors to be used in LENOX® Uni-Drive Quick Change System. No tool changes required (3L, 5L, 6L and 7L).

Arbors (1 per pack)

Product Number	Fits Hole Saws	Shank Type	Shank Size (Inches)
30001-1L	9L-19L	Hex	1/2 & larger
30002-2L	20L-96L	Hex	1/2 & larger
30003-3L	20L-96L	Solid/Hex	1/2 & larger
30004-4L	9L-19L	3 sided	1/4 & larger
30005-5L	9L-19L	Hex	3/8 & larger
30006-6L	20L-96L	Hex	3/8 & larger
30007-7L	24L-96L	Hex	3/8 & larger

Accessories

Product Number	Description	Chuck Size (Inches)	Fits Arbor Number
30850-4321	Pilot Drill (1 per pack)	1/4	1L, 2L or 4L
30853-B4321	Pilot Drill (25 per pack)	1/4	1L, 2L or 4L
30851-56PD	Pilot Drill (1 per pack)	1/4	3L, 5L, 6L or 7L
30297-123CT	Carbide Tipped Pilot Drill (1 per pack)	1/4	1L, 2L, 4L or 7L
30298-65CTPD	Carbide Tipped Pilot Drill (1 per pack)	1/4	5L or 6L
30857-AA1	Arbor Adaptor (5 per pack)		1L, 4L or 5L
30848-18X	18" Extension (1 per pack)	1/2 & larger	1L, 2L or 3L
30847-12X	12" Extension (1 per pack)	1/2 & larger	1L, 2L or 3L
30843-10X*	10" Extension (1 per pack)	3/8 & larger	5L, 6L or 7L
30846-55X	5-1/2" Extension (1 per pack)	1/2 & larger	1L, 2L or 3L



* Fits arbored hole saws

HOLE SAW KITS

Provides Convenient Storage
for Trade Specific Uses

Bi-metal Hole Saw Kits



26 Piece, **BIG DADDY™ 2000** Kit

Product No. 30804-2000G
3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2", 2-11/16", 3", 3-1/4", 3-3/8", 3-5/8", 3-3/4", 4-1/8", 4-1/2", 4-3/4".
Arbors: 1L, 2L, 5L. Two 4321 and one 56PD pilot drills.



10 Piece, **General Purpose** Kit

Product No. 30807-700G
7/8", 1", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2-1/8". Arbors: 5L, 6L.
One 56PD pilot drill.



10 Piece, **Plumber's** Kit

Product No. 30808-600P
3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4".
Arbors: 2L, 5L. One 4321 pilot drill.
One arbor adaptor.



17 Piece, **General Purpose** Kit

Product No. 30820-1200G
5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/2", 3". Arbors: 1L, 2L.
Three 4321 pilot drills.



17 Piece, **Plumber's** Kit

Product No. 30801-1200P
3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4", 2-9/16", 3", 3-1/2", 4", 4-1/4", 4-1/2".
Arbors: 2L, 5L. Two 4321 and one 56PD pilot drills.



9 Piece, **General Purpose** Kit

Product No. 30374-500G
2-1/8", 2-9/16", 3-1/4", 3-3/4", 4-3/4".
Arbor: 2L. Three 4321 pilot drills.



10 Piece, **Electrician's** Kit

Product No. 30800-600L
7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2". Arbors: 2L, 5L. One 4321 pilot drill. One arbor adaptor.



5 Piece, **General Purpose** Kit

Product No. 30370-400G
2", 3", 3-3/8", 4-1/8". Arbor: 2L.



17 Piece, **Electrician's** Kit

Product No. 30802-1200L
3/4", 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2", 2-11/16", 3", 3-5/8", 4-1/8", 4-3/4".
Arbors: 2L, 5L. Two 4321 and one 56PD pilot drills.



7 Piece, **Automotive** Kit

Product No. 30805-500A
3/4", 7/8", 1", 1-1/8", 1-1/4". Arbor: 5L.
One arbor adaptor.



9 Piece, **Refrigeration** Kit

Product No. 30830-600R
5/8", 7/8", 1-1/8", 1-3/8", 1-5/8", 2-1/8".
Arbors: 5L, 6L. One 56PD pilot drill.

HOLE SAW KITS

Arbored Hole Saw Kits



6 Piece, Plumber's Kit
Product No. 34082-600AP
3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4"



Door Lock Installation Kit
Product No. 34085-200ALI
1", 2-1/8"
Clamshell pack.



6 Piece, Electrician's Kit
Product No. 34081-600AE
7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"

Carbide Tipped Hole Saw Kits



9 Piece, Plumber's Kit
Product No. 30294-600CTP
3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4"
Arbors: 1L, 2L. One 123CT pilot drill.



15 Piece, General Purpose Kit
Product No. 30290-1100CTG
3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-9/16", 3"
Arbors: 1L, 2L.
Two 123CT pilot drills.



9 Piece, Electrician's Kit
Product No. 30295-600CTL
7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"
Arbors: 1L, 2L. One 123CT pilot drill.

MASTER-GRIT™ Hole Saw Kits



10 Piece, Plumber's Kit
Product No. 29984-600CGP
3/4", 7/8", 1-1/8", 1-1/2", 2-1/8", 2-9/16"
Arbors: 1L, 2L. One 123CT pilot drill.
One arbor adaptor.



11 Piece, General Purpose Kit
Product No. 29985-700CGK
7/8", 1", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2-1/8"
Arbors: 1L, 2L. One 123CT pilot drill.
One arbor adaptor.