

IY3RyaWNhbC13aXJpbmctZGV2aWNIcy9wbHVncy1jb25uZWN0b3JzLmFzcHgiPIZpZXcgUGx1Z3MgJiBDb25uZWN0b3JzPC9hPiA8L2Rpdj4gPC9saT4gPGxi



designed to be better.

Search

# Decorator Combination Tamper-Resistant Nightlight/GFCI, Light Almond

1595NLTURLACC4

Deco Combo Tamper-Resistant/Nightlight GFCI, 10KA SCCR, 15A 125VAC, Light Almond


Submit Query

Where to buy

Submit Query

Like 0 Tweet 0

0 Email Print





## product gallery

Representative images shown.

### AVAILABLE OPTIONS



Decorator Combination Tamper-Resistant Nightlight/GFCI, White



Decorator Combination Tamper-Resistant Nightlight/GFCI, Black



Decorator Combination Tamper-Resistant Nightlight/GFCI, Ivory



Decorator Combination Tamper-Resistant Nightlight/GFCI, Nickel



Decorator Combination Tamper-Resistant Nightlight/GFCI, Titanium

- SPECIFICATIONS
- RESOURCES

### features & benefits

- Stylish rounded corners match Signature wall plates and devices.
- Sealed nightlight with high impact-resistant Lexan® lens prevents tampering.
- Nightlight uses cooler LED illumination.
- Energy-efficient LED has average 20-year life expectancy, eliminating bulb replacement.
- Photocell turns nightlight ON in dark, OFF in daylight.
- SafeLock™ Protection: if critical components are damaged and ground fault protection is lost, power to receptacle is disconnected.
- FSUL Listed (Federal Specification WC596).

- Trip indicator light (red LED).
- Prevents line-load reversal miswire: no power to the face or downstream receptacles if wired incorrectly.
- Exceeds UL943 voltage surge requirements; survives 100x the required UL 3kA/6kV voltage surge test cycles.
- Mounting screws are shipped captive in the device and wall plate for easier installation.
- High-impact-resistant thermoplastic construction.
- Zinc-plated steel mounting strap.
- Button colors match the device face.
- Dual-direction test and reset buttons.
- Class A rated GFCI.
- Tri-drive screws.

### Top 5 Resources

-  [Decorator Combination Devices \(Brochure\)](#)
-  [Better Living Upgrades \(Brochure\)](#)
-  [GFCI Receptacles \(Brochure\)](#)
-  [Tamper-Resistant Receptacles \(Brochure\)](#)
-  [Commercial & Industrial Products \(Brochure\)](#)

### specifications

#### General Info

- Color: Light Almond
- Type: Combo Nightlight/GFCI
- Special Features: Tamper-Resistant
- Style: Decorator

#### Listing Agencies/Third Party Information

- CSA Listing Info: C22.2 No.42 & 144
- CSA Standard: Yes
- cULus: Yes
- Federal Spec: Yes
- Fed Spec Number: WC596
- UL Listing No: UL498
- UL Standard: Yes
- U N SPS C: 39121704

#### Dimensions

- Depth (U S): 1.13"
- Height U S: 4.2"
- Width U S: 1.72"

#### Technical Information






- Amps: 15 Amp
- Volts: 125
- Volts A C: 125

#### Buy American Act Compliance


- Country of Origin: CHINA
- Buy American Act Status: No
- 

### resources




#### BROCHURE

-  [Decorator Combination DevicesPDF \(526.77kb\)](#)
-  [Better Living UpgradesPDF \(1.2mb\)](#)
-  [GFCI ReceptaclesPDF \(1.19mb\)](#)
-  [Tamper-Resistant ReceptaclesPDF \(791.69kb\)](#)
-  [Commercial & Industrial ProductsPDF \(3.52mb\)](#)

#### CUTSHEET

-  [Spec Grade GFCIs, SF1101R4PDF \(394.6kb\)](#)

#### INSTALLATION INSTRUCTIONS

-  [GFCI ReceptaclePDF \(109.09kb\)](#)
-  [Instalación y prueba de un tomacorriente GFCIPDF \(639.9kb\)](#)
-  [Installation et test d'une prise DDFTPDF \(208.23kb\)](#)