

JANE LED TAPE

STEP


1

CHOOSE TAPE

Jane LED Tape is perfect for a wide range of indoor applications where space is limited. Its low-profile design and flexibility allow for discrete installation in spaces like under cabinets, cove ceilings, toe-kicks, in cabinets or even in drawers. Both the Jane 100 and Jane 200 feature high quality LED diodes that meet a stringent three step binning threshold for maintaining a consistent color of light across an entire run.



JANE 100



JANE 200



	JANE 100	JANE 100	JANE 200	JANE 200
2700K	98332S-15	98331S-15	98342S-15	98341S-15
3000K	98334S-15	98333S-15	98344S-15	98343S-15
LENGTH	40'	10'	40'	10'
FINISH	White			
VOLTAGE	24v DC			
LUMENS (at 3000K)	100/ft	100/ft	200/ft	200/ft
POWER CONSUMPTION	2.2w/ft			
EFFICACY	45.45 lm/w	45.45 lm/w	90.9 lm/w	90.9 lm/w
COLOR RENDERING INDEX	90 CRI			
RATED AVERAGE LIFE	50,000 hours to 70%			
CERTIFICATION	IP20 Rated for Indoor Use, ENERGY STAR Qualified			
DIMMABLE ¹⁾	Yes, to 10%			
MAX. RUN LENGTH	40'			
INSTALLATION	Cut every 6" to fit your space. Every cut piece can be powered. Connect to transformer using connector cord. You may also connect strips together using available connector cords.			

¹⁾ Jane LED Tape is dimmable on magnetic and electronic low voltage systems. For magnetic systems, a standard incandescent or magnetic low voltage (MLV) dimmer can be used. For electronic, an electronic low voltage (ELV) dimmer is recommended.

SELECT ACCESSORIES



LED TAPE TRACK

L: 48" W: .75" H: .5"

98300-12, black finish
98300-15, white finish

Polycarbonate track for use on Jane LED Tape. Comes in 4' sections that can easily be cut to size in the field. Mounts flat or at a 45 degree angle using screws or double-sided tape.




ROUND LENS

L: 48" W: .625" H: .185"

98303-97, frosted finish

Rounded, frosted lens for use with LED tape track to protect LED tape and reduce pixelation while providing a wider beam of light. (Track not included)



FLAT LENS

L: 48" W: .625" H: .060"

98302-97, frosted finish

Flat, frosted lens for use with LED tape track to protect LED tape and reduce pixelation while providing a wider beam of light. (Track not included)

3" CONNECTOR CORD

L: 3"

98355-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

6" CONNECTOR CORD

L: 6"

98353S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

12" CONNECTOR CORD

L: 12"

98354S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

18" CONNECTOR CORD

L: 18"

98355S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

24" CONNECTOR CORD

L: 24"

98356S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

36" CONNECTOR CORD

L: 36"

98357S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

72" CONNECTOR CORD

L: 72"

98358S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

JOINER CONNECTOR

L: .812" W: .5" H: .187"

98351S-15, white finish

Adapter with fold-over clasps on each end for linking two pieces of Jane 100 or Jane 200 tape together with minimal gap.

96" POWER CORD

L: 96"

98350S-15, white finish

For connecting Jane LED Tape to 24v DC Transformer. Cord has bare leads on one end for easy wiring to transformer and a fold-over clasp on the other for a quick, secure connection to LED tape.

DOUBLE FACED TAPE

L: 300" W: .375" H: .031"

98450

Specially designed "High Adhesion" 3M double-faced tape for use with LED tape track. Allow a minimum of 24 hours curing.

TRACK SCREWS

#4 L: .375"

98362

Pack of 50, 3/8" long #4 Philips flat head screws for securely mounting LED tape track.

10 PACK LED TAPE CLIPS


98360-32, brushed steel finish

10 pack of metal clips for securing LED tape.

JANE LED TAPE

STEP

3 SELECT TRANSFORMER



60W, 24V DC, SINGLE OUTPUT TRANSFORMER

L: 9.375" W: 2.5" H: 1.375"

91430S-12, black finish

60w, 120v Primary, 24v DC Secondary, Electronic Transformer. Black Powder Coated Enclosure. Indoor Use Only.



105W, 24V DC, SINGLE OUTPUT TRANSFORMER

L: 11" W: 4" H: 2.25"

91431S-12, black finish

105w, 120v Primary, 24v DC Secondary, Electronic Transformer. Black Powder Coated Enclosure. Indoor Use Only.




150W, 24V DC, SINGLE OUTPUT TRANSFORMER

L: 11" W: 4" H: 2.25"

91432S-12, black finish

150w, 120v Primary, 24v DC Secondary, Electronic Transformer. Black Powder Coated Enclosure. Indoor Use Only.




200W, 24V DC, SINGLE OUTPUT TRANSFORMER

L: 8.78" W: 3.75" H: 4.25"

91260S-12, black finish

200w, 120v Primary, 24v DC Secondary, Magnetic Transformer, Black Power Coated Enclosure, Wet or Dry Location



300W, 24V DC, SINGLE OUTPUT TRANSFORMER

L: 8.78" W: 3.75" H: 4.25"

91261S-12, black finish

300w, 120v Primary, 24v DC Secondary, Magnetic Transformer, Black Power Coated Enclosure, Wet or Dry Location